

Data Path : Z:\HPCHEM1\BNA M\DATA\BM050517\
 Data File : BM009927.D
 Acq On : 06 May 2017 06:06
 Operator : SJ/MA
 Sample : PB98729BL
 Misc :
 ALS Vial : 23 Sample Multiplier: 1

Instrument :
 BNA_M
 ClientSampleId :

Quant Time: May 08 02:56:00 2017
 Quant Method : Z:\HPCHEM1\BNA M\METHODS\8270-BM050517.M
 Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
 QLast Update : Fri May 05 14:52:12 2017
 Response via : Initial Calibration

Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) 1,4-Dichlorobenzene-d4	7.77	152	103036	20.00	ng	0.00
21) Naphthalene-d8	10.57	136	388931	20.00	ng	0.00
38) Acenaphthene-d10	14.43	164	237065	20.00	ng	0.00
63) Phenanthrene-d10	17.19	188	588622	20.00	ng	0.00
75) Chrysene-d12	21.37	240	668935	20.00	ng	-0.01
86) Perylene-d12	23.68	264	546620	20.00	ng	-0.01
System Monitoring Compounds						
5) 2-Fluorophenol	5.37	112	648165	100.15	ng	0.00
7) Phenol-d6	6.96	99	918831	92.62	ng	0.00
23) Nitrobenzene-d5	8.95	82	1016564	94.59	ng	0.00
41) 2,4,6-Tribromophenol	15.93	330	305905	94.48	ng	0.00
44) 2-Fluorobiphenyl	13.04	172	1792806	98.53	ng	0.00
78) Terphenyl-d14	19.82	244	3166573	97.11	ng	0.00


Target Compounds Qvalue


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\HPCHEM1\BNA M\DATA\BM050517\
Data File : BM009927.D
Acq On : 06 May 2017 06:06
Operator : SJ/MA
Sample : PB98729BL
Misc :
ALS Vial : 23 Sample Multiplier: 1

Instrument :
BNA_M
ClientSampleId :

Quant Time: May 08 02:56:00 2017
Quant Method : Z:\HPCHEM1\BNA M\METHODS\8270-BM050517.M
Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
QLast Update : Fri May 05 14:52:12 2017
Response via : Initial Calibration






#1




1,4-Dichlorobenzene-d4
Concen: 20.00 ng
RT: 7.77 min Scan# 797
Delta R.T. -0.01 min
Lab File: BM009927.D
Acq: 06 May 2017 06:06

Instrument :
BNA_M
ClientSampled :

Tot Ion	Ratio	Lower	Upper
152	100		
150	156.6	119.5	179.3
115	62.4	43.0	64.4




Abundance Ion 152.00 (151.70 to 152.70): E
Ion 150.00 (149.70 to 150.70): E
Ion 115.00 (114.70 to 115.70): E





#5


2-Fluorophenol
Concen: 100.15 ng
RT: 5.37 min Scan# 388
Delta R.T. -0.00 min
Lab File: BM009927.D
Acq: 06 May 2017 06:06

Tgt Ion	Ratio	Lower	Upper
112	100		
64	82.8	38.6	57.8#
63	50.6	19.3	28.9#



Abundance Ion 112.00 (111.70 to 112.70): E
Ion 64.00 (63.70 to 64.70): BM0
Ion 63.00 (62.70 to 63.70): BM0





#7

Phenol-d6

Concen: 92.62 ng

RT: 6.96 min Scan# 659

Delta R.T. -0.01 min

Lab File: BM009927.D

Acq: 06 May 2017 06:06

Instrument :

BNA_M

ClientSampleId :


Tot Ion: 99 Resp: 918831

Ion Ratio Lower Upper

99 100

42 30.5 11.0 16.4#




71 48.5 23.4 35.2#



Abundance Ion 99.00 (98.70 to 99.70): BM009927.D (-652) (-)

Ion 42.00 (41.70 to 42.70): BM009927.D (-652) (-)

Ion 71.00 (70.70 to 71.70): BM009927.D (-652) (-)



#21

Naphthalene-d8

Concen: 20.00 ng

RT: 10.57 min Scan# 1273

Delta R.T. -0.01 min

Lab File: BM009927.D

Acq: 06 May 2017 06:06

Tgt Ion: 136 Resp: 388931


Ion Ratio Lower Upper

136 100

137 11.2 8.7 13.1

54 14.1 4.6 6.8#

68 7.4 3.7 5.5#






Abundance Ion 136.00 (135.70 to 136.70): BM009927.D (-1257) (-)

Ion 137.00 (136.70 to 137.70): BM009927.D (-1257) (-)

Ion 54.00 (53.70 to 54.70): BM009927.D (-1257) (-)

Ion 68.00 (67.70 to 68.70): BM009927.D (-1257) (-)





#23

Nitrobenzene-d5

Concen: 94.59 ng

RT: 8.95 min Scan# 997

Delta R.T. -0.01 min

Lab File: BM009927.D

Acq: 06 May 2017 06:06

Instrument :

BNA_M

ClientSampleId :





Tot Ion: 82 Resp: 1016564

Ion Ratio Lower Upper

82 100

128 30.4 32.8 49.2#

54 62.9 40.6 60.8#



#38

Acenaphthene-d10

Concen: 20.00 ng

RT: 14.43 min Scan# 1929

Delta R.T. -0.01 min

Lab File: BM009927.D

Acq: 06 May 2017 06:06




Tgt Ion: 164 Resp: 237065


Ion Ratio Lower Upper

164 100

162 100.0 82.4 123.6

160 42.1 35.8 53.6









#41
 2,4,6-Tribromophenol
 Concen: 94.48 ng
 RT: 15.93 min Scan# 2184
 Delta R.T. -0.01 min
 Lab File: BM009927.D
 Acq: 06 May 2017 06:06

Instrument :
 BNA_M
 ClientSampled :

Tot Ion	Ratio	Lower	Upper
330	100		
332	98.3	0.0	0.0#
141	46.6	0.0	0.0#




Abundance Ion 329.80 (329.50 to 330.50): E
 Ion 331.80 (331.50 to 332.50): E
 Ion 141.00 (140.70 to 141.70): E






#44
 2-Fluorobiphenyl
 Concen: 98.53 ng
 RT: 13.04 min Scan# 1693
 Delta R.T. -0.01 min
 Lab File: BM009927.D
 Acq: 06 May 2017 06:06

Tgt Ion	Ratio	Lower	Upper
172	100		
171	35.1	28.5	42.7
170	23.2	18.8	28.2



Abundance Ion 172.00 (171.70 to 172.70): E
 Ion 171.00 (170.70 to 171.70): E
 Ion 170.00 (169.70 to 170.70): E









#63
Phenanthrene-d10
Concen: 20.00 ng
RT: 17.19 min Scan# 2398
Delta R.T. -0.01 min
Lab File: BM009927.D
Acq: 06 May 2017 06:06

Instrument :
BNA_M
ClientSampled :

Tot Ion:188 Resp: 588622
Ion Ratio Lower Upper
188 100
94 9.3 8.7 13.1
80 11.7 9.3 13.9




Abundance Ion 188.00 (187.70 to 188.70): E
Ion 94.00 (93.70 to 94.70): BM0
Ion 80.00 (79.70 to 80.70): BM0






#75
Chrysene-d12
Concen: 20.00 ng
RT: 21.37 min Scan# 3109
Delta R.T. -0.01 min
Lab File: BM009927.D
Acq: 06 May 2017 06:06

Tgt Ion:240 Resp: 668935
Ion Ratio Lower Upper
240 100
120 9.5 8.2 12.2
236 25.6 20.0 30.0



Abundance Ion 240.00 (239.70 to 240.70): E
Ion 120.00 (119.70 to 120.70): E
Ion 236.00 (235.70 to 236.70): E









#78
 Terphenyl-d14
 Concen: 97.11 ng
 RT: 19.82 min Scan# 2844
 Delta R.T. -0.00 min
 Lab File: BM009927.D
 Acq: 06 May 2017 06:06

Instrument :
 BNA_M
 ClientSampleId :

Tot Ion:244 Resp: 3166573

Ion	Ratio	Lower	Upper
244	100		
212	7.8	4.9	7.3#
122	8.8	6.2	9.4



#86
 Perylene-d12
 Concen: 20.00 ng
 RT: 23.68 min Scan# 3501
 Delta R.T. -0.01 min
 Lab File: BM009927.D
 Acq: 06 May 2017 06:06

Tgt Ion:264 Resp: 546620

Ion	Ratio	Lower	Upper
264	100		
260	22.9	18.6	27.8
265	20.8	17.3	25.9

