

Data Path : Z:\HPCHEM1\BNA_M\DATA\BM050517\
 Data File : BM009911.D
 Acq On : 05 May 2017 20:28
 Operator : SJ/MA
 Sample : I2893-04
 Misc :
 ALS Vial : 9 Sample Multiplier: 1

Instrument :
 BNA_M
 ClientSampleId :
 3063-PP3

Quant Time: May 06 00:42:29 2017
 Quant Method : Z:\HPCHEM1\BNA_M\METHODS\8270-BM050517.M
 Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
 QLast Update : Fri May 05 14:52:12 2017
 Response via : Initial Calibration

Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) 1,4-Dichlorobenzene-d4	7.78	152	103408	20.00	ng	0.00
21) Naphthalene-d8	10.57	136	412784	20.00	ng	0.00
38) Acenaphthene-d10	14.43	164	252832	20.00	ng	0.00
63) Phenanthrene-d10	17.19	188	565738	20.00	ng	0.00
75) Chrysene-d12	21.37	240	586002	20.00	ng	-0.01
86) Perylene-d12	23.68	264	480434	20.00	ng	-0.01
System Monitoring Compounds						
5) 2-Fluorophenol	5.37	112	417648	64.30	ng	0.00
7) Phenol-d6	6.96	99	369764	37.14	ng	-0.01
23) Nitrobenzene-d5	8.95	82	1238060	108.54	ng	0.00
41) 2,4,6-Tribromophenol	15.94	330	562335	162.85	ng	0.00
44) 2-Fluorobiphenyl	13.04	172	2221885	114.50	ng	0.00
78) Terphenyl-d14	19.82	244	3414147	119.52	ng	0.00


Target Compounds	Qvalue
------------------	--------


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\HPCHEM1\BNA_M\DATA\BM050517\
Data File : BM009911.D
Acq On : 05 May 2017 20:28
Operator : SJ/MA
Sample : I2893-04
Misc :
ALS Vial : 9 Sample Multiplier: 1

Instrument :
BNA_M
ClientSampleId :
3063-PP3

Quant Time: May 06 00:42:29 2017
Quant Method : Z:\HPCHEM1\BNA_M\METHODS\8270-BM050517.M
Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
QLast Update : Fri May 05 14:52:12 2017
Response via : Initial Calibration






#1




1,4-Dichlorobenzene-d4
Concen: 20.00 ng
RT: 7.78 min Scan# 798
Delta R.T. -0.00 min
Lab File: BM009911.D
Acq: 05 May 2017 20:28

Instrument :
BNA_M
ClientSampled :
3063-PP3

Tgt Ion:152 Resp: 103408
Ion Ratio Lower Upper
152 100
150 148.1 119.5 179.3
115 61.8 43.0 64.4




Abundance Ion 152.00 (151.70 to 152.70): E
Ion 150.00 (149.70 to 150.70): E
Ion 115.00 (114.70 to 115.70): E





#5


2-Fluorophenol
Concen: 64.30 ng
RT: 5.37 min Scan# 388
Delta R.T. 0.00 min
Lab File: BM009911.D
Acq: 05 May 2017 20:28

Tgt Ion:112 Resp: 417648
Ion Ratio Lower Upper
112 100
64 81.9 38.6 57.8#
63 48.3 19.3 28.9#



Abundance Ion 112.00 (111.70 to 112.70): E
Ion 64.00 (63.70 to 64.70): BM0
Ion 63.00 (62.70 to 63.70): BM0





#7

Phenol-d6

Concen: 37.14 ng

RT: 6.96 min Scan# 658

Delta R.T. -0.01 min

Lab File: BM009911.D

Acq: 05 May 2017 20:28

Instrument :

BNA_M

ClientSampleId :

3063-PP3


Tgt Ion: 99 Resp: 369764

Ion Ratio Lower Upper

99 100

42 31.3 11.0 16.4#




71 47.1 23.4 35.2#



Abundance Ion 99.00 (98.70 to 99.70): BM009898.D (-652) (-)

Ion 42.00 (41.70 to 42.70): BM009898.D (-652) (-)

Ion 71.00 (70.70 to 71.70): BM009898.D (-652) (-)



#21

Naphthalene-d8

Concen: 20.00 ng

RT: 10.57 min Scan# 1273

Delta R.T. -0.01 min

Lab File: BM009911.D

Acq: 05 May 2017 20:28

Tgt Ion: 136 Resp: 412784


Ion Ratio Lower Upper

136 100

137 10.7 8.7 13.1

54 14.3 4.6 6.8#

68 7.7 3.7 5.5#






Abundance Ion 136.00 (135.70 to 136.70): BM009898.D (-1266) (-)

Ion 137.00 (136.70 to 137.70): BM009898.D (-1266) (-)

Ion 54.00 (53.70 to 54.70): BM009898.D (-1266) (-)

Ion 68.00 (67.70 to 68.70): BM009898.D (-1266) (-)









#23
 Nitrobenzene-d5
 Concen: 108.54 ng
 RT: 8.95 min Scan# 997
 Delta R.T. -0.01 min
 Lab File: BM009911.D
 Acq: 05 May 2017 20:28




Instrument :
 BNA_M
 ClientSampleId :
 3063-PP3


Tgt Ion: 82 Resp: 1238060
 Ion Ratio Lower Upper
 82 100
 128 30.5 32.8 49.2#
 54 61.1 40.6 60.8#



#38
 Acenaphthene-d10
 Concen: 20.00 ng
 RT: 14.43 min Scan# 1929
 Delta R.T. -0.01 min
 Lab File: BM009911.D
 Acq: 05 May 2017 20:28

Tgt Ion: 164 Resp: 252832
 Ion Ratio Lower Upper
 164 100
 162 108.4 82.4 123.6
 160 42.5 35.8 53.6









#41
 2,4,6-Tribromophenol
 Concen: 162.85 ng
 RT: 15.94 min Scan# 2185
 Delta R.T. -0.00 min
 Lab File: BM009911.D
 Acq: 05 May 2017 20:28




Instrument :
 BNA_M
 ClientSampleId :
 3063-PP3


Tgt Ion:330 Resp: 562335
 Ion Ratio Lower Upper
 330 100
 332 96.6 0.0 0.0#
 141 44.5 0.0 0.0#



#44
 2-Fluorobiphenyl
 Concen: 114.50 ng
 RT: 13.04 min Scan# 1693
 Delta R.T. -0.01 min
 Lab File: BM009911.D
 Acq: 05 May 2017 20:28

Tgt Ion:172 Resp: 2221885
 Ion Ratio Lower Upper
 172 100
 171 34.7 28.5 42.7
 170 24.0 18.8 28.2









#63
Phenanthrene-d10
Concen: 20.00 ng
RT: 17.19 min Scan# 2398
Delta R.T. -0.01 min
Lab File: BM009911.D
Acq: 05 May 2017 20:28




Instrument :
BNA_M
ClientSampleId :
3063-PP3


Tgt Ion:188 Resp: 565738
Ion Ratio Lower Upper
188 100
94 8.7 8.7 13.1#
80 12.4 9.3 13.9



#75
Chrysene-d12
Concen: 20.00 ng
RT: 21.37 min Scan# 3109
Delta R.T. -0.01 min
Lab File: BM009911.D
Acq: 05 May 2017 20:28

Tgt Ion:240 Resp: 586002
Ion Ratio Lower Upper
240 100
120 8.2 8.2 12.2
236 25.9 20.0 30.0





#78

Terphenyl-d14

Concen: 119.52 ng

RT: 19.82 min Scan# 2844

Delta R.T. -0.00 min

Lab File: BM009911.D

Acq: 05 May 2017 20:28

Instrument :

BNA_M

ClientSampleId :

3063-PP3


Tgt Ion:244 Resp: 3414147

Ion Ratio Lower Upper

244 100

212 7.9 4.9 7.3#




122 8.8 6.2 9.4



Abundance Ion 244.00 (243.70 to 244.70): E

Ion 212.00 (211.70 to 212.70): E

Ion 122.00 (121.70 to 122.70): E



#86

Perylene-d12

Concen: 20.00 ng

RT: 23.68 min Scan# 3501

Delta R.T. -0.01 min

Lab File: BM009911.D

Acq: 05 May 2017 20:28


Tgt Ion:264 Resp: 480434

Ion Ratio Lower Upper

264 100

260 23.4 18.6 27.8

265 23.6 17.3 25.9



Abundance Ion 264.00 (263.70 to 264.70): E

Ion 260.00 (259.70 to 260.70): E

Ion 265.00 (264.70 to 265.70): E

