

Data Path : Z:\svoasrv\HPCHEM1\BNA_M\Data\BM050525\
 Data File : BM050108.D
 Acq On : 05 May 2025 20:55
 Operator : RC/JU
 Sample : Q1922-01
 Misc :
 ALS Vial : 14 Sample Multiplier: 1

Instrument :
 BNA_M
 ClientSampleId :
 MH-R

Quant Time: May 06 05:20:27 2025
 Quant Method : Z:\svoasrv\HPCHEM1\BNA_M\Methods\8270-BM042825.M
 Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
 QLast Update : Mon Apr 28 18:09:16 2025
 Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)

Internal Standards						
1) 1,4-Dichlorobenzene-d4	7.745	152	415751	20.000	ng	-0.02
21) Naphthalene-d8	10.539	136	1427299	20.000	ng	-0.02
39) Acenaphthene-d10	14.392	164	905134	20.000	ng	-0.02
64) Phenanthrene-d10	17.139	188	1708333	20.000	ng	-0.02
76) Chrysene-d12	21.380	240	1558229	20.000	ng	-0.02
86) Perylene-d12	24.374	264	1604513	20.000	ng	-0.03
System Monitoring Compounds						
5) 2-Fluorophenol	5.340	112	1623497	68.379	ng	-0.02
7) Phenol-d6	6.934	99	2131315	71.421	ng	-0.02
23) Nitrobenzene-d5	8.904	82	1141357	39.404	ng	-0.02
42) 2,4,6-Tribromophenol	15.892	330	865810	64.692	ng	-0.01
45) 2-Fluorobiphenyl	13.010	172	2712924	35.457	ng	-0.02
79) Terphenyl-d14	19.768	244	4655192	44.207	ng	-0.01


Target Compounds	Qvalue

(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\svoasrv\HPCHEM1\BNA_M\Data\BM050525\
Data File : BM050108.D
Acq On : 05 May 2025 20:55
Operator : RC/JU
Sample : Q1922-01
Misc :
ALS Vial : 14 Sample Multiplier: 1

Instrument :
BNA_M
ClientSampleId :
MH-R


Quant Time: May 06 05:20:27 2025
Quant Method : Z:\svoasrv\HPCHEM1\BNA_M\Methods\8270-BM042825.M
Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
QLast Update : Mon Apr 28 18:09:16 2025
Response via : Initial Calibration




Data Path : Z:\svoasrv\HPCHEM1\BNA_M\Data\BM050525\
Data File : BM050108.D
Acq On : 05 May 2025 20:55
Operator : RC/JU
Sample : Q1922-01
Misc :
ALS Vial : 14 Sample Multiplier: 1

Instrument :
BNA_M
ClientSampleId :
MH-R

Quant Time: May 06 05:20:27 2025
Quant Method : Z:\svoasrv\HPCHEM1\BNA_M\Methods\8270-BM042825.M
Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
QLast Update : Mon Apr 28 18:09:16 2025
Response via : Initial Calibration









#1
1,4-Dichlorobenzene-d4
Concen: 20.000 ng
RT: 7.745 min Scan# 809
Delta R.T. -0.024 min
Lab File: BM050108.D
Acq: 05 May 2025 20:55




Instrument :
BNA_M
ClientSampleId :
MH-R


Tgt Ion:152 Resp: 415751
Ion Ratio Lower Upper
152 100
150 156.1 124.1 186.1
115 52.2 41.2 61.8



#5
2-Fluorophenol
Concen: 68.379 ng
RT: 5.340 min Scan# 400
Delta R.T. -0.018 min
Lab File: BM050108.D
Acq: 05 May 2025 20:55

Tgt Ion:112 Resp: 1623497
Ion Ratio Lower Upper
112 100
64 52.1 42.6 64.0
63 27.8 22.2 33.4









#7
Phenol-d6
Concen: 71.421 ng
RT: 6.934 min Scan# 61
Delta R.T. -0.018 min
Lab File: BM050108.D
Acq: 05 May 2025 20:55




Instrument :
BNA_M
ClientSampleId :
MH-R


Tgt Ion: 99 Resp: 2131315
Ion Ratio Lower Upper
99 100
42 15.5 13.0 19.4
71 31.2 25.6 38.4



#21
Naphthalene-d8
Concen: 20.000 ng
RT: 10.539 min Scan# 1284
Delta R.T. -0.024 min
Lab File: BM050108.D
Acq: 05 May 2025 20:55

Tgt Ion: 136 Resp: 1427299
Ion Ratio Lower Upper
136 100
137 11.1 8.9 13.3
54 6.5 5.1 7.7
68 5.7 4.4 6.6









#23
Nitrobenzene-d5
Concen: 39.404 ng
RT: 8.904 min Scan# 1006
Delta R.T. -0.024 min
Lab File: BM050108.D
Acq: 05 May 2025 20:55




Instrument :
BNA_M
ClientSampleId :
MH-R


Tgt Ion: 82 Resp: 1141357
Ion Ratio Lower Upper
82 100
128 44.7 35.7 53.5
54 43.5 35.4 53.2



#39
Acenaphthene-d10
Concen: 20.000 ng
RT: 14.392 min Scan# 1939
Delta R.T. -0.018 min
Lab File: BM050108.D
Acq: 05 May 2025 20:55

Tgt Ion:164 Resp: 905134
Ion Ratio Lower Upper
164 100
162 98.2 79.4 119.0
160 43.7 36.2 54.4





#42

2,4,6-Tribromophenol

Concen: 64.692 ng

RT: 15.892 min Scan# 2196

Delta R.T. -0.012 min

Lab File: BM050108.D

Acq: 05 May 2025 20:55

Instrument :

BNA_M

ClientSampleId :

MH-R





Tgt Ion:330 Resp: 865810

Ion Ratio Lower Upper

330 100

332 95.9 77.3 115.9

141 28.0 22.5 33.7



#45

2-Fluorobiphenyl

Concen: 35.457 ng

RT: 13.010 min Scan# 1704

Delta R.T. -0.024 min

Lab File: BM050108.D

Acq: 05 May 2025 20:55




Tgt Ion:172 Resp: 2712924


Ion Ratio Lower Upper

172 100

171 34.7 27.8 41.6

170 23.2 18.6 28.0





#64

Phenanthrene-d10

Concen: 20.000 ng

RT: 17.139 min Scan# 24

Delta R.T. -0.018 min

Lab File: BM050108.D

Acq: 05 May 2025 20:55

Instrument :

BNA_M

ClientSampleId :

MH-R





Tgt Ion:188 Resp: 1708333

Ion Ratio Lower Upper

188 100

94 7.4 5.7 8.5

80 8.0 6.2 9.4



#76

Chrysene-d12

Concen: 20.000 ng

RT: 21.380 min Scan# 3127

Delta R.T. -0.017 min

Lab File: BM050108.D

Acq: 05 May 2025 20:55




Tgt Ion:240 Resp: 1558229


Ion Ratio Lower Upper

240 100

120 8.7 6.5 9.7

236 26.5 20.9 31.3









#79
 Terphenyl-d14
 Concen: 44.207 ng
 RT: 19.768 min Scan# 21
 Delta R.T. -0.012 min
 Lab File: BM050108.D
 Acq: 05 May 2025 20:55

Instrument :
 BNA_M
 ClientSampleId :
 MH-R

Tgt Ion:244 Resp: 4655192
 Ion Ratio Lower Upper
 244 100
 212 6.8 5.6 8.4
 122 6.6 5.6 8.4



#86
 Perylene-d12
 Concen: 20.000 ng
 RT: 24.374 min Scan# 3636
 Delta R.T. -0.029 min
 Lab File: BM050108.D
 Acq: 05 May 2025 20:55

Tgt Ion:264 Resp: 1604513
 Ion Ratio Lower Upper
 264 100
 260 23.8 18.8 28.2
 265 22.1 17.0 25.4

