

Data Path : Z:\HPCHEM1\BNA M\DATA\BM050616\
 Data File : BM005305.D
 Acq On : 07 May 2016 12:26
 Operator : UM/SJ
 Sample : SSTDC0020EC
 Misc :
 ALS Vial : 2 Sample Multiplier: 1

Instrument :
 BNA_M
 LabSampleId :
 SSTD02052

Quant Time: May 08 01:09:50 2016
 Quant Method : Z:\HPCHEM1\BNA M\METHODS\SOM02.2-EPA-BM050516.M
 Quant Title : SVOA CALIBRATION
 QLast Update : Sat May 07 07:05:19 2016
 Response via : Initial Calibration

Min. RRF : 0.000 Min. Rel. Area : 20% Max. R.T. Dev 0.50min
 Max. RRF Dev : 20% Max. Rel. Area : 150%

	Compound	AvgRF	CCRF	%Dev	Area%	Dev(min)
1 I	1,4-Dichlorobenzene-d4	1.000	1.000	0.0	96	0.00
2	1,4-Dioxane	0.776	0.732	5.7	85	0.00
3 S	1,4-Dioxane-d8	0.425	0.403	5.2	89	0.00
4	Benzaldehyde	0.879	1.125	-28.0#	93	0.00
5 S	Phenol-d5	1.814	1.804	0.6	93	0.00
6	Phenol	1.875	1.916	-2.2	94	0.00
7 S	Bis-(2-Chloroethyl)ether-d8	1.035	1.036	-0.1	90	0.00
8	Bis(2-Chloroethyl)ether	1.411	1.430	-1.3	92	0.00
9 S	2-Chlorophenol-d4	1.370	1.393	-1.7	94	0.00
10	2-Chlorophenol	1.401	1.409	-0.6	93	0.00
11	2-Methylphenol	1.449	1.474	-1.7	95	0.00
12	2,2'-oxybis(1-Chloropropane	1.915	1.949	-1.8	92	0.00
13 S	4-Methylphenol-d8	1.499	1.525	-1.7	96	0.00
14	Acetophenone	2.221	2.373	-6.8	94	0.00
15 P	N-Nitroso-di-n-propylamine	1.161	1.196	-3.0	94	0.00
16	4-Methylphenol	1.608	1.643	-2.2	94	0.00
17	Hexachloroethane	0.527	0.542	-2.8	96	0.00
18 I	Naphthalene-d8	1.000	1.000	0.0	98	0.00
19 S	Nitrobenzene-d5	0.143	0.146	-2.1	96	0.00
20	Nitrobenzene	0.357	0.364	-2.0	96	0.00
21	Isophorone	0.694	0.700	-0.9	95	0.00
22 S	2-Nitrophenol-d4	0.162	0.167	-3.1	96	0.00
23 C	2-Nitrophenol	0.174	0.180	-3.4	97	0.00
24	2,4-Dimethylphenol	0.370	0.380	-2.7	97	0.00
25	Bis(2-Chloroethoxy)methane	0.432	0.421	2.5	92	0.00
26 S	2,4-Dichlorophenol-d3	0.300	0.312	-4.0	97	0.00
27 C	2,4-Dichlorophenol	0.308	0.318	-3.2	97	0.00
28	Naphthalene	1.006	1.029	-2.3	97	0.00
29 S	4-Chloroaniline-d4	0.362	0.425	-17.4	97	0.00
30	4-Chloroaniline	0.369	0.431	-16.8	98	0.00
31 C	Hexachlorobutadiene	0.183	0.193	-5.5	102	0.00
32	Caprolactam	0.115	0.109	5.2	94	0.00
33 C	4-Chloro-3-methylphenol	0.369	0.384	-4.1	98	0.00
34	2-Methylnaphthalene	0.753	0.770	-2.3	97	0.00
35 I	Acenaphthene-d10	1.000	1.000	0.0	100	0.00
36	1,2,4,5-Tetrachlorobenzene	0.608	0.625	-2.8	99	0.00
37	Hexachlorocyclopentadiene	0.311	0.300	3.5	102	0.00
38 C	2,4,6-Trichlorophenol	0.405	0.410	-1.2	97	0.00
39	2,4,5-Trichlorophenol	0.450	0.456	-1.3	99	0.00
40	1,1'-Biphenyl	1.584	1.598	-0.9	98	0.00
41	2-Chloronaphthalene	1.198	1.226	-2.3	99	0.00
42	2-Nitroaniline	0.369	0.379	-2.7	97	0.00
43 S	Dimethylphthalate-d6	1.603	1.596	0.4	96	0.00
44	Dimethylphthalate	1.602	1.592	0.6	96	0.00

Data Path : Z:\HPCHEM1\BNA M\DATA\BM050616\
 Data File : BM005305.D
 Acq On : 07 May 2016 12:26
 Operator : UM/SJ
 Sample : SSTDC0020EC
 Misc :
 ALS Vial : 2 Sample Multiplier: 1

Instrument :
 BNA_M
 LabSampleId :
 SSTD02052

Quant Time: May 08 01:09:50 2016
 Quant Method : Z:\HPCHEM1\BNA M\METHODS\SOM02.2-EPA-BM050516.M
 Quant Title : SVOA CALIBRATION
 QLast Update : Sat May 07 07:05:19 2016
 Response via : Initial Calibration

Min. RRF : 0.000 Min. Rel. Area : 20% Max. R.T. Dev 0.50min
 Max. RRF Dev : 20% Max. Rel. Area : 150%

	Compound	AvqRF	CCRF	%Dev	Area%	Dev(min)
45	2,6-Dinitrotoluene	0.316	0.334	-5.7	100	0.00
46 S	Acenaphthylene-d8	1.880	1.932	-2.8	98	0.00
47	Acenaphthylene	1.989	2.054	-3.3	99	0.00
48	3-Nitroaniline	0.337	0.356	-5.6	97	0.00
49 C	Acenaphthene	1.311	1.330	-1.4	99	0.00
50	2,4-Dinitrophenol	0.182	0.151	17.0	98	0.00
51 S	4-Nitrophenol-d4	0.293	0.274	6.5	91	0.00
52	4-Nitrophenol	0.243	0.239	1.6	97	0.00
53	Dibenzofuran	1.902	1.963	-3.2	100	0.00
54	2,4-Dinitrotoluene	0.471	0.499	-5.9	101	0.00
55	2,3,4,6-Tetrachlorophenol	0.382	0.395	-3.4	100	0.00
56	Diethylphthalate	1.618	1.621	-0.2	97	0.00
57 S	Fluorene-d10	1.384	1.413	-2.1	99	0.00
58	Fluorene	1.487	1.527	-2.7	101	0.00
59	4-Chlorophenyl-phenylether	0.737	0.763	-3.5	101	0.00
60	4-Nitroaniline	0.357	0.378	-5.9	101	0.00
61 I	Phenanthrene-d10	1.000	1.000	0.0	98	0.00
62 S	4,6-Dinitro-2-methylphenol-	0.113	0.116	-2.7	102	0.00
63	4,6-Dinitro-2-methylphenol	0.118	0.123	-4.2	101	0.00
64	N-Nitrosodiphenylamine	0.548	0.576	-5.1	100	0.00
65	4-Bromophenyl-phenylether	0.192	0.203	-5.7	100	0.00
66	Hexachlorobenzene	0.215	0.227	-5.6	99	0.00
67	Atrazine	0.200	0.219	-9.5	98	0.00
68 C	Pentachlorophenol	0.120	0.117	2.5	97	0.00
69	Phenanthrene	1.052	1.095	-4.1	98	0.00
70 S	Anthracene-d10	0.884	0.933	-5.5	100	0.00
71	Anthracene	1.048	1.112	-6.1	100	0.00
72	Carbazole	0.922	1.012	-9.8	96	0.00
73	Di-n-butylphthalate	1.125	1.178	-4.7	96	0.00
74 C	Fluoranthene	1.165	1.301	-11.7	95	0.00
75 I	Chrysene-d12	1.000	1.000	0.0	93	0.00
76 S	Pyrene-d10	0.923	0.971	-5.2	95	0.00
77	Pyrene	1.160	1.229	-5.9	96	0.00
78	Butylbenzylphthalate	0.482	0.512	-6.2	95	0.00
79	3,3'-Dichlorobenzidine	0.360	0.394	-9.4	91	0.00
80	Benzo(a)anthracene	1.150	1.186	-3.1	93	0.00
81	Bis(2-ethylhexyl)phthalate	0.669	0.713	-6.6	91	0.00
82	Chrysene	1.091	1.140	-4.5	93	0.00
83 I	Perylene-d12	1.000	1.000	0.0	88	0.00
84	Di-n-octyl phthalate	1.168	1.343	-15.0	93	0.00
85	Benzo(b)fluoranthene	1.169	1.216	-4.0	91	0.00
86	Benzo(k)fluoranthene	1.101	1.200	-9.0	91	0.00
87 S	Benzo(a)pyrene-d12	0.885	0.924	-4.4	90	0.00

Data Path : Z:\HPCHEM1\BNA M\DATA\BM050616\
Data File : BM005305.D
Acq On : 07 May 2016 12:26
Operator : UM/SJ
Sample : SSTDCCC020EC
Misc :
ALS Vial : 2 Sample Multiplier: 1

Instrument :
BNA_M
LabSampleId :
SSTD02052

Quant Time: May 08 01:09:50 2016
Quant Method : Z:\HPCHEM1\BNA M\METHODS\SOM02.2-EPA-BM050516.M
Quant Title : SVOA CALIBRATION
QLast Update : Sat May 07 07:05:19 2016
Response via : Initial Calibration

Min. RRF : 0.000 Min. Rel. Area : 20% Max. R.T. Dev 0.50min
Max. RRF Dev : 20% Max. Rel. Area : 150%

	Compound	AvgRF	CCRF	%Dev	Area%	Dev(min)
88 C	Benzo(a)pyrene	1.106	1.148	-3.8	88	0.00
89	Indeno(1,2,3-cd)pyrene	1.206	1.125	6.7	79	0.00
90	Dibenzo(a,h)anthracene	1.010	0.963	4.7	80	0.00
91	Benzo(a,h,i)perylene	1.022	0.911	10.9	77	0.00

(#) = Out of Range

SPCC's out = 0 CCC's out = 0