

Data Path : Z:\HPCHEM1\BNA M\DATA\BM050616\
 Data File : BM005280.D
 Acq On : 06 May 2016 21:19
 Operator : UM/SJ
 Sample : H2820-05
 Misc :
 ALS Vial : 6 Sample Multiplier: 1

Instrument :
 BNA_M
 ClientSampleId :
 BD390

Quant Time: May 07 01:05:06 2016
 Quant Method : Z:\HPCHEM1\BNA M\METHODS\SOM02.2-EPA-BM050516.M
 Quant Title : SVOA CALIBRATION
 QLast Update : Fri May 06 04:26:22 2016
 Response via : Initial Calibration

Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) 1,4-Dichlorobenzene-d4	7.77	152	81220	20.00	ng/ul	0.00
18) Naphthalene-d8	10.56	136	394667	20.00	ng/ul	0.00
35) Acenaphthene-d10	14.41	164	260381	20.00	ng/ul	0.00
61) Phenanthrene-d10	17.16	188	626650	20.00	ng/ul	0.00
75) Chrysene-d12	21.36	240	738500	20.00	ng/ul	0.00
83) Perylene-d12	23.63	264	698713	20.00	ng/ul	-0.01

System Monitoring Compounds	R.T.	QIon	Response	Conc	Units	Dev(Min)
3) 1,4-Dioxane-d8	3.27	96	6377	3.69	ng/uL	0.00
5) Phenol-d5	6.94	99	146126	19.84	ng/ul	0.00
7) Bis-(2-Chloroethyl)ether-d	7.10	67	92975	22.12	ng/ul	0.00
9) 2-Chlorophenol-d4	7.30	132	115974	20.84	ng/ul	0.00
13) 4-Methylphenol-d8	8.47	113	123941	20.36	ng/ul	0.00
19) Nitrobenzene-d5	8.93	128	60951	21.63	ng/ul	0.00
22) 2-Nitrophenol-d4	9.65	143	70523	22.10	ng/ul	0.00
26) 2,4-Dichlorophenol-d3	10.18	165	124918	21.07	ng/ul	0.00
29) 4-Chloroaniline-d4	10.70	131	163719	22.94	ng/ul	0.00
43) Dimethylphthalate-d6	13.82	166	494386	23.69	ng/ul	0.00
46) Acenaphthylene-d8	14.10	160	575484	23.51	ng/ul	0.00
51) 4-Nitrophenol-d4	14.62	143	62199	16.33	ng/ul	0.00
57) Fluorene-d10	15.41	176	430472	23.89	ng/ul	0.00
62) 4,6-Dinitro-2-methylphenol	15.53	200	60675	17.21	ng/ul	0.00
70) Anthracene-d10	17.26	188	695163	25.10	ng/ul	0.00
76) Pyrene-d10	19.56	212	818178	24.00	ng/ul	0.00
87) Benzo(a)pyrene-d12	23.48	264	775863	25.09	ng/ul	-0.01


Target Compounds	R.T.	QIon	Response	Conc	Units	Ovalue
44) Dimethylphthalate	13.87	163	244803	11.74	ng/ul	100


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\HPCHEM1\BNA M\DATA\BM050616\
Data File : BM005280.D
Acq On : 06 May 2016 21:19
Operator : UM/SJ
Sample : H2820-05
Misc :
ALS Vial : 6 Sample Multiplier: 1

Instrument :
BNA_M
ClientSampleId :
BD390

Quant Time: May 07 01:05:06 2016
Quant Method : Z:\HPCHEM1\BNA M\METHODS\SOM02.2-EPA-BM050516.M
Quant Title : SVOA CALIBRATION
QLast Update : Fri May 06 04:26:22 2016
Response via : Initial Calibration





#44

Dimethylphthalate

Concen: 11.74 ng/ul

RT: 13.87 min Scan# 1901

Delta R.T. -0.01 min

Lab File: BM005280.D

Acq: 06 May 2016 21:19

Instrument :

BNA_M

ClientSampleId :

BD390


Tot Ion:163 Resp: 244803

Ion Ratio Lower Upper

163 100

194 4.0 3.4 5.0

164 9.8 7.9 11.9



Abundance Ion 163.00 (162.70 to 163.70): E

Ion 194.00 (193.70 to 194.70): E

Ion 164.00 (163.70 to 164.70): E

