

Data Path : Z:\HPCHEM1\BNA_M\DATA\BM050716\
 Data File : BM005340.D
 Acq On : 08 May 2016 10:56
 Operator : UM/SJ
 Sample : H2772-10
 Misc :
 ALS Vial : 60 Sample Multiplier: 1

Instrument :
 BNA_M
 ClientSampleId :
 BD3B1

Quant Time: May 09 04:13:13 2016
 Quant Method : Z:\HPCHEM1\BNA_M\METHODS\SOM02.2-EPA-BM050516.M
 Quant Title : SVOA CALIBRATION
 QLast Update : Sat May 07 07:05:19 2016
 Response via : Initial Calibration

Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) 1,4-Dichlorobenzene-d4	7.77	152	98905	20.00	ng/ul	0.00
18) Naphthalene-d8	10.56	136	464945	20.00	ng/ul	0.00
35) Acenaphthene-d10	14.41	164	298050	20.00	ng/ul	0.00
61) Phenanthrene-d10	17.16	188	717713	20.00	ng/ul	0.00
75) Chrysene-d12	21.35	240	813002	20.00	ng/ul	0.00
83) Perylene-d12	23.62	264	692106	20.00	ng/ul	0.00

System Monitoring Compounds	R.T.	QIon	Response	Conc	Units	Dev(Min)
3) 1,4-Dioxane-d8	3.27	96	11582	5.51	ng/uL	0.00
5) Phenol-d5	6.94	99	270865	30.19	ng/ul	0.00
7) Bis-(2-Chloroethyl)ether-d	7.10	67	152473	29.79	ng/ul	0.00
9) 2-Chlorophenol-d4	7.30	132	208694	30.80	ng/ul	0.00
13) 4-Methylphenol-d8	8.47	113	224313	30.25	ng/ul	0.00
19) Nitrobenzene-d5	8.93	128	103757	31.26	ng/ul	0.00
22) 2-Nitrophenol-d4	9.65	143	121231	32.26	ng/ul	0.00
26) 2,4-Dichlorophenol-d3	10.18	165	217303	31.11	ng/ul	0.00
29) 4-Chloroaniline-d4	10.70	131	367577	43.72	ng/ul	0.00
43) Dimethylphthalate-d6	13.82	166	734959	30.76	ng/ul	0.00
46) Acenaphthylene-d8	14.10	160	884063	31.55	ng/ul	0.00
51) 4-Nitrophenol-d4	14.62	143	110844	25.42	ng/ul	0.00
57) Fluorene-d10	15.40	176	634236	30.74	ng/ul	0.00
62) 4,6-Dinitro-2-methylphenol	15.53	200	106992	26.50	ng/ul	0.00
70) Anthracene-d10	17.26	188	1004909	31.67	ng/ul	0.00
76) Pyrene-d10	19.56	212	1150165	30.65	ng/ul	0.00
87) Benzo(a)pyrene-d12	23.48	264	987064	32.22	ng/ul	0.00


Target Compounds	R.T.	QIon	Response	Conc	Units	Qvalue
44) Dimethylphthalate	13.86	163	152910	6.41	ng/ul	99




(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\HPCHEM1\BNA_M\DATA\BM050716\
Data File : BM005340.D
Acq On : 08 May 2016 10:56
Operator : UM/SJ
Sample : H2772-10
Misc :
ALS Vial : 60 Sample Multiplier: 1

Instrument :
BNA_M
ClientSampleId :
BD3B1

Quant Time: May 09 04:13:13 2016
Quant Method : Z:\HPCHEM1\BNA_M\METHODS\SOM02.2-EPA-BM050516.M
Quant Title : SVOA CALIBRATION
QLast Update : Sat May 07 07:05:19 2016
Response via : Initial Calibration





#44

Dimethylphthalate

Concen: 6.41 ng/ul

RT: 13.86 min Scan# 1900

Delta R.T. -0.01 min

Lab File: BM005340.D

Acq: 08 May 2016 10:56

Instrument :

BNA_M

ClientSampleId :

BD3B1

Tgt Ion:163 Resp: 152910

Ion Ratio Lower Upper

163 100

194 3.7 3.4 5.0

164 10.1 7.9 11.9

