

Data Path : Z:\HPCHEM1\BNA_M\DATA\BM050716\
 Data File : BM005341.D
 Acq On : 08 May 2016 11:32
 Operator : UM/SJ
 Sample : H2772-13
 Misc :
 ALS Vial : 61 Sample Multiplier: 1

Instrument :
 BNA_M
 ClientSampleId :
 BD3B2

Quant Time: May 09 04:13:20 2016
 Quant Method : Z:\HPCHEM1\BNA_M\METHODS\SOM02.2-EPA-BM050516.M
 Quant Title : SVOA CALIBRATION
 QLast Update : Sat May 07 07:05:19 2016
 Response via : Initial Calibration

Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) 1,4-Dichlorobenzene-d4	7.77	152	90560	20.00	ng/ul	0.00
18) Naphthalene-d8	10.56	136	434175	20.00	ng/ul	0.00
35) Acenaphthene-d10	14.41	164	280120	20.00	ng/ul	0.00
61) Phenanthrene-d10	17.16	188	670902	20.00	ng/ul	0.00
75) Chrysene-d12	21.35	240	754751	20.00	ng/ul	0.00
83) Perylene-d12	23.62	264	649339	20.00	ng/ul	0.00

System Monitoring Compounds

3) 1,4-Dioxane-d8	3.27	96	7731	4.01	ng/uL	0.00
5) Phenol-d5	6.94	99	195990	23.86	ng/ul	0.00
7) Bis-(2-Chloroethyl)ether-d	7.10	67	117092	24.99	ng/ul	0.00
9) 2-Chlorophenol-d4	7.30	132	153503	24.74	ng/ul	0.00
13) 4-Methylphenol-d8	8.47	113	145182	21.39	ng/ul	0.00
19) Nitrobenzene-d5	8.93	128	79541	25.66	ng/ul	0.00
22) 2-Nitrophenol-d4	9.65	143	93988	26.78	ng/ul	0.00
26) 2,4-Dichlorophenol-d3	10.18	165	169539	25.99	ng/ul	0.00
29) 4-Chloroaniline-d4	10.69	131	185506	23.63	ng/ul	0.00
43) Dimethylphthalate-d6	13.82	166	602086	26.82	ng/ul	0.00
46) Acenaphthylene-d8	14.10	160	717899	27.26	ng/ul	0.00
51) 4-Nitrophenol-d4	14.62	143	85584	20.88	ng/ul	0.00
57) Fluorene-d10	15.40	176	527560	27.21	ng/ul	0.00
62) 4,6-Dinitro-2-methylphenol	15.53	200	91930	24.36	ng/ul	0.00
70) Anthracene-d10	17.26	188	822768	27.74	ng/ul	0.00
76) Pyrene-d10	19.56	212	979708	28.12	ng/ul	0.00
87) Benzo(a)pyrene-d12	23.48	264	832972	28.98	ng/ul	0.00


Target Compounds					Qvalue
44) Dimethylphthalate	13.86	163	134084	5.98 ng/ul	99




(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\HPCHEM1\BNA_M\DATA\BM050716\
Data File : BM005341.D
Acq On : 08 May 2016 11:32
Operator : UM/SJ
Sample : H2772-13
Misc :
ALS Vial : 61 Sample Multiplier: 1

Instrument :
BNA_M
ClientSampleId :
BD3B2

Quant Time: May 09 04:13:20 2016
Quant Method : Z:\HPCHEM1\BNA_M\METHODS\SOM02.2-EPA-BM050516.M
Quant Title : SVOA CALIBRATION
QLast Update : Sat May 07 07:05:19 2016
Response via : Initial Calibration





#44

Dimethylphthalate

Concen: 5.98 ng/ul

RT: 13.86 min Scan# 1900

Delta R.T. -0.01 min

Lab File: BM005341.D

Acq: 08 May 2016 11:32

Instrument :

BNA_M

ClientSampleId :

BD3B2

Tgt Ion:163 Resp: 134084

Ion Ratio Lower Upper

163 100

194 3.9 3.4 5.0

164 10.0 7.9 11.9

Abundance Ion 163.00 (162.70 to 163.70): E

Ion 194.00 (193.70 to 194.70): E

Ion 164.00 (163.70 to 164.70): E

