

Data Path : Z:\HPCHEM1\BNA M\DATA\BM050716\  
 Data File : BM005314.D  
 Acq On : 07 May 2016 17:57  
 Operator : UM/SJ  
 Sample : H2853-01  
 Misc :  
 ALS Vial : 36 Sample Multiplier: 1

Instrument :  
 BNA\_M  
 ClientSampleId :  
 D9X00

Quant Time: May 08 01:22:04 2016  
 Quant Method : Z:\HPCHEM1\BNA M\METHODS\SOM02.2-EPA-BM050516.M  
 Quant Title : SVOA CALIBRATION  
 QLast Update : Sat May 07 07:05:19 2016  
 Response via : Initial Calibration

| Internal Standards        | R.T.  | QIon | Response | Conc  | Units | Dev(Min) |
|---------------------------|-------|------|----------|-------|-------|----------|
| 1) 1,4-Dichlorobenzene-d4 | 7.77  | 152  | 68752    | 20.00 | ng/ul | 0.00     |
| 18) Naphthalene-d8        | 10.56 | 136  | 338682   | 20.00 | ng/ul | 0.00     |
| 35) Acenaphthene-d10      | 14.41 | 164  | 224500   | 20.00 | ng/ul | 0.00     |
| 61) Phenanthrene-d10      | 17.16 | 188  | 555127   | 20.00 | ng/ul | 0.00     |
| 75) Chrysene-d12          | 21.35 | 240  | 658260   | 20.00 | ng/ul | 0.00     |
| 83) Perylene-d12          | 23.62 | 264  | 616746   | 20.00 | ng/ul | 0.00     |

## System Monitoring Compounds

|                                |       |     |        |       |       |      |
|--------------------------------|-------|-----|--------|-------|-------|------|
| 3) 1,4-Dioxane-d8              | 3.28  | 96  | 1686   | 1.15  | ng/uL | 0.00 |
| 5) Phenol-d5                   | 6.95  | 99  | 34408  | 5.52  | ng/ul | 0.00 |
| 7) Bis-(2-Chloroethyl)ether-d  | 7.10  | 67  | 83573  | 23.49 | ng/ul | 0.00 |
| 9) 2-Chlorophenol-d4           | 7.30  | 132 | 90271  | 19.17 | ng/ul | 0.00 |
| 13) 4-Methylphenol-d8          | 8.47  | 113 | 60306  | 11.70 | ng/ul | 0.00 |
| 19) Nitrobenzene-d5            | 8.93  | 128 | 55782  | 23.07 | ng/ul | 0.00 |
| 22) 2-Nitrophenol-d4           | 9.65  | 143 | 65501  | 23.92 | ng/ul | 0.00 |
| 26) 2,4-Dichlorophenol-d3      | 10.18 | 165 | 115011 | 22.60 | ng/ul | 0.00 |
| 29) 4-Chloroaniline-d4         | 10.71 | 131 | 6266   | 1.02  | ng/ul | 0.01 |
| 43) Dimethylphthalate-d6       | 13.82 | 166 | 463011 | 25.73 | ng/ul | 0.00 |
| 46) Acenaphthylene-d8          | 14.10 | 160 | 532347 | 25.22 | ng/ul | 0.00 |
| 51) 4-Nitrophenol-d4           | 14.63 | 143 | 11908  | 3.63  | ng/ul | 0.01 |
| 57) Fluorene-d10               | 15.40 | 176 | 408922 | 26.32 | ng/ul | 0.00 |
| 62) 4,6-Dinitro-2-methylphenol | 15.53 | 200 | 76830  | 24.60 | ng/ul | 0.00 |
| 70) Anthracene-d10             | 17.26 | 188 | 684968 | 27.91 | ng/ul | 0.00 |
| 76) Pyrene-d10                 | 19.56 | 212 | 846029 | 27.84 | ng/ul | 0.00 |
| 87) Benzo(a)pyrene-d12         | 23.48 | 264 | 789553 | 28.92 | ng/ul | 0.00 |

Target Compounds Ovalue

(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\HPCHEM1\BNA M\DATA\BM050716\  
Data File : BM005314.D  
Acq On : 07 May 2016 17:57  
Operator : UM/SJ  
Sample : H2853-01  
Misc :  
ALS Vial : 36 Sample Multiplier: 1

Instrument :  
BNA\_M  
ClientSampleId :  
D9X00

Quant Time: May 08 01:22:04 2016  
Quant Method : Z:\HPCHEM1\BNA M\METHODS\SOM02.2-EPA-BM050516.M  
Quant Title : SVOA CALIBRATION  
QLast Update : Sat May 07 07:05:19 2016  
Response via : Initial Calibration

