

Data Path : Z:\HPCHEM1\BNA M\DATA\BM050716\
 Data File : BM005345.D
 Acq On : 08 May 2016 13:58
 Operator : UM/SJ
 Sample : H2772-19
 Misc :
 ALS Vial : 65 Sample Multiplier: 1

Instrument :
 BNA_M
 ClientSampleId :
 BD3B6

Quant Time: May 09 04:13:46 2016
 Quant Method : Z:\HPCHEM1\BNA M\METHODS\SOM02.2-EPA-BM050516.M
 Quant Title : SVOA CALIBRATION
 QLast Update : Sat May 07 07:05:19 2016
 Response via : Initial Calibration

Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) 1,4-Dichlorobenzene-d4	7.77	152	91965	20.00	ng/ul	0.00
18) Naphthalene-d8	10.56	136	430305	20.00	ng/ul	0.00
35) Acenaphthene-d10	14.41	164	278115	20.00	ng/ul	0.00
61) Phenanthrene-d10	17.16	188	663003	20.00	ng/ul	0.00
75) Chrysene-d12	21.35	240	750944	20.00	ng/ul	0.00
83) Perylene-d12	23.63	264	653976	20.00	ng/ul	0.00

System Monitoring Compounds	R.T.	QIon	Response	Conc	Units	Dev(Min)
3) 1,4-Dioxane-d8	3.27	96	11123	5.69	ng/uL	0.00
5) Phenol-d5	6.94	99	256592	30.76	ng/ul	0.00
7) Bis-(2-Chloroethyl)ether-d	7.10	67	145080	30.49	ng/ul	0.00
9) 2-Chlorophenol-d4	7.30	132	196550	31.20	ng/ul	0.00
13) 4-Methylphenol-d8	8.47	113	206132	29.90	ng/ul	0.00
19) Nitrobenzene-d5	8.93	128	99650	32.44	ng/ul	0.00
22) 2-Nitrophenol-d4	9.65	143	116706	33.55	ng/ul	0.00
26) 2,4-Dichlorophenol-d3	10.18	165	204514	31.63	ng/ul	0.00
29) 4-Chloroaniline-d4	10.70	131	294767	37.88	ng/ul	0.00
43) Dimethylphthalate-d6	13.82	166	706307	31.68	ng/ul	0.00
46) Acenaphthylene-d8	14.10	160	846277	32.37	ng/ul	0.00
51) 4-Nitrophenol-d4	14.62	143	106752	26.23	ng/ul	0.00
57) Fluorene-d10	15.40	176	605307	31.45	ng/ul	0.00
62) 4,6-Dinitro-2-methylphenol	15.53	200	104697	28.07	ng/ul	0.00
70) Anthracene-d10	17.26	188	971847	33.16	ng/ul	0.00
76) Pyrene-d10	19.56	212	1119549	32.30	ng/ul	0.00
87) Benzo(a)pyrene-d12	23.48	264	959141	33.13	ng/ul	0.00


Target Compounds	R.T.	QIon	Response	Conc	Units	Ovalue
44) Dimethylphthalate	13.86	163	164884	7.40	ng/ul	100


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\HPCHEM1\BNA M\DATA\BM050716\
Data File : BM005345.D
Acq On : 08 May 2016 13:58
Operator : UM/SJ
Sample : H2772-19
Misc :
ALS Vial : 65 Sample Multiplier: 1

Instrument :
BNA_M
ClientSampleId :
BD3B6

Quant Time: May 09 04:13:46 2016
Quant Method : Z:\HPCHEM1\BNA M\METHODS\SOM02.2-EPA-BM050516.M
Quant Title : SVOA CALIBRATION
QLast Update : Sat May 07 07:05:19 2016
Response via : Initial Calibration





#44

Dimethylphthalate

Concen: 7.40 ng/ul

RT: 13.86 min Scan# 1900

Delta R.T. -0.01 min

Lab File: BM005345.D

Acq: 08 May 2016 13:58

Instrument :

BNA_M

ClientSampleId :

BD3B6


Tot Ion:163 Resp: 164884

Ion Ratio Lower Upper

163 100

194 4.5 3.4 5.0

164 9.9 7.9 11.9



Abundance Ion 163.00 (162.70 to 163.70): E

Ion 194.00 (193.70 to 194.70): E

Ion 164.00 (163.70 to 164.70): E

