

Data Path : Z:\HPCHEM1\BNA\_M\DATA\BM050916\  
 Data File : BM005360.D  
 Acq On : 09 May 2016 15:00  
 Operator : UM/SJ  
 Sample : H2888-04  
 Misc :  
 ALS Vial : 9 Sample Multiplier: 1

Instrument :  
 BNA\_M  
 ClientSampleId :  
 D9WW1

Quant Time: May 10 04:25:24 2016  
 Quant Method : Z:\HPCHEM1\BNA\_M\METHODS\SOM02.2-EPA-BM050516.M  
 Quant Title : SVOA CALIBRATION  
 QLast Update : Tue May 10 04:23:52 2016  
 Response via : Initial Calibration

| Internal Standards        | R.T.  | QIon | Response | Conc  | Units | Dev(Min) |
|---------------------------|-------|------|----------|-------|-------|----------|
| 1) 1,4-Dichlorobenzene-d4 | 7.77  | 152  | 80245    | 20.00 | ng/ul | 0.00     |
| 18) Naphthalene-d8        | 10.56 | 136  | 375159   | 20.00 | ng/ul | 0.00     |
| 35) Acenaphthene-d10      | 14.41 | 164  | 238934   | 20.00 | ng/ul | 0.00     |
| 61) Phenanthrene-d10      | 17.16 | 188  | 567407   | 20.00 | ng/ul | 0.00     |
| 75) Chrysene-d12          | 21.35 | 240  | 626858   | 20.00 | ng/ul | 0.00     |
| 83) Perylene-d12          | 23.62 | 264  | 534519   | 20.00 | ng/ul | 0.00     |

| System Monitoring Compounds    | R.T.  | QIon | Response | Conc  | Units | Dev(Min) |
|--------------------------------|-------|------|----------|-------|-------|----------|
| 3) 1,4-Dioxane-d8              | 3.27  | 96   | 4447     | 2.61  | ng/uL | 0.00     |
| 5) Phenol-d5                   | 6.94  | 99   | 92802    | 12.75 | ng/ul | 0.00     |
| 7) Bis-(2-Chloroethyl)ether-d  | 7.10  | 67   | 57399    | 13.82 | ng/ul | 0.00     |
| 9) 2-Chlorophenol-d4           | 7.30  | 132  | 75842    | 13.80 | ng/ul | 0.00     |
| 13) 4-Methylphenol-d8          | 8.47  | 113  | 80356    | 13.36 | ng/ul | 0.00     |
| 19) Nitrobenzene-d5            | 8.93  | 128  | 36936    | 13.79 | ng/ul | 0.00     |
| 22) 2-Nitrophenol-d4           | 9.65  | 143  | 42492    | 14.01 | ng/ul | 0.00     |
| 26) 2,4-Dichlorophenol-d3      | 10.18 | 165  | 78683    | 13.96 | ng/ul | 0.00     |
| 29) 4-Chloroaniline-d4         | 10.70 | 131  | 112688   | 16.61 | ng/ul | 0.00     |
| 43) Dimethylphthalate-d6       | 13.82 | 166  | 292709   | 15.28 | ng/ul | 0.00     |
| 46) Acenaphthylene-d8          | 14.10 | 160  | 347620   | 15.48 | ng/ul | 0.00     |
| 51) 4-Nitrophenol-d4           | 14.63 | 143  | 30861    | 8.83  | ng/ul | 0.00     |
| 57) Fluorene-d10               | 15.40 | 176  | 259040   | 15.66 | ng/ul | 0.00     |
| 62) 4,6-Dinitro-2-methylphenol | 15.53 | 200  | 34890    | 10.93 | ng/ul | 0.00     |
| 70) Anthracene-d10             | 17.26 | 188  | 410594   | 16.37 | ng/ul | 0.00     |
| 76) Pyrene-d10                 | 19.56 | 212  | 484763   | 16.75 | ng/ul | 0.00     |
| 87) Benzo(a)pyrene-d12         | 23.47 | 264  | 393749   | 16.64 | ng/ul | 0.00     |


| Target Compounds      | R.T.  | QIon | Response | Conc | Units | Qvalue |
|-----------------------|-------|------|----------|------|-------|--------|
| 44) Dimethylphthalate | 13.86 | 163  | 58823    | 3.07 | ng/ul | 98     |


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\HPCHEM1\BNA\_M\DATA\BM050916\  
Data File : BM005360.D  
Acq On : 09 May 2016 15:00  
Operator : UM/SJ  
Sample : H2888-04  
Misc :  
ALS Vial : 9 Sample Multiplier: 1

Instrument :  
BNA\_M  
ClientSampleId :  
D9WW1

Quant Time: May 10 04:25:24 2016  
Quant Method : Z:\HPCHEM1\BNA\_M\METHODS\SOM02.2-EPA-BM050516.M  
Quant Title : SVOA CALIBRATION  
QLast Update : Tue May 10 04:23:52 2016  
Response via : Initial Calibration





#44

Dimethylphthalate

Concen: 3.07 ng/ul

RT: 13.86 min Scan# 1900

Delta R.T. -0.01 min

Lab File: BM005360.D

Acq: 09 May 2016 15:00

Instrument :

BNA\_M

ClientSampleId :

D9WW1


Tgt Ion:163 Resp: 58823

Ion Ratio Lower Upper

163 100

194 3.9 3.4 5.0

164 9.2 7.9 11.9



Abundance Ion 163.00 (162.70 to 163.70): E

Ion 194.00 (193.70 to 194.70): E

Ion 164.00 (163.70 to 164.70): E

