

Data Path : Z:\svoasrv\HPCHEM1\BNA_M\Data\BM050923\
 Data File : BM039892.D
 Acq On : 09 May 2023 14:08
 Operator : CG/JU
 Sample : 02479-06
 Misc :
 ALS Vial : 7 Sample Multiplier: 1

Instrument :
 BNA_M
 ClientSampleId :
 EW947

Quant Time: May 10 00:26:59 2023
 Quant Method : Z:\SVOASRV\HPCHEM1\BNA_M\METHODS\SFAM-EPA-SIM-BM042723.M
 Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
 QLast Update : Tue May 09 12:11:48 2023
 Response via : Initial Calibration


Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)
Internal Standards						
1) 1,4-Dichlorobenzene-d4	7.775	152	2044	0.400	ng/ul	-0.02
4) Naphthalene-d8	10.578	136	6447	0.400	ng/ul	0.00
9) Acenaphthene-d10	14.437	164	3712	0.400	ng/ul	0.00
13) Phenanthrene-d10	17.191	188	7431	0.400	ng/ul	# 0.00
17) Chrysene-d12	21.396	240	5159	0.400	ng/ul	# 0.00
23) Perylene-d12	23.752	264	5570	0.400	ng/ul	# 0.01
System Monitoring Compounds						
3) 1,4-Dioxane-d8	3.176	96	5854	1.943	ng/ul	0.00
6) 2-Methylnaphthalene-d10	12.173	152	1386	0.168	ng/ul	-0.02
18) Fluoranthene-d10	19.229	212	2879	0.207	ng/ul	0.00
Target Compounds						
					Qvalue	
5) Naphthalene	10.622	128	47592	2.940	ng/ul	98
7) 2-Methylnaphthalene	12.245	142	66086	7.073	ng/ul	97
8) 1-Methylnaphthalene	12.470	142	29847	2.978	ng/ul	100
10) Acenaphthylene	14.154	152	26748	1.862	ng/ul#	95
11) Acenaphthene	14.497	153	8096	0.717	ng/ul	97
12) Fluorene	15.491	166	10031	0.801	ng/ul#	96
14) Pentachlorophenol	16.870	266	120	0.074	ng/ul#	53
15) Phenanthrene	17.233	178	187011	9.552	ng/ul	99
16) Anthracene	17.326	178	40107	2.386	ng/ul	99
19) Fluoranthene	19.262	202	357151	19.405	ng/ul	97
20) Pyrene	19.624	202	298112	14.999	ng/ul	100
21) Benzo(a)anthracene	21.379	228	163762	11.040	ng/ul	96
22) Chrysene	21.431	228	156593	9.329	ng/ul	95
24) Benzo(b)fluoranthene	23.039	252	245960	12.574	ng/ul	96
26) Benzo(a)pyrene	23.647	252	156070	8.886	ng/ul	91
27) Indeno(1,2,3-cd)pyrene	26.194	276	125720	5.661	ng/ul	93
28) Dibenzo(a,h)anthracene	26.194	278	35446	2.056	ng/ul#	72
29) Benzo(g,h,i)perylene	26.949	276	135046	6.979	ng/ul	96


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\svoasrv\HPCHEM1\BNA_M\Data\BM050923\
Data File : BM039892.D
Acq On : 09 May 2023 14:08
Operator : CG/JU
Sample : 02479-06
Misc :
ALS Vial : 7 Sample Multiplier: 1

Instrument :
BNA_M
ClientSampleId :
EW947


Quant Time: May 10 00:26:59 2023
Quant Method : Z:\SVOASRV\HPCHEM1\BNA_M\METHODS\SFAM-EPA-SIM-BM042723.M
Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
QLast Update : Tue May 09 12:11:48 2023
Response via : Initial Calibration








#5
Naphthalene
Concen: 2.940 ng/ul
RT: 10.622 min Scan# 1768
Delta R.T. -0.015 min
Lab File: BM039892.D
Acq: 09 May 2023 14:08

Instrument :
BNA_M
ClientSampleId :
EW947







Tgt Ion:128 Resp: 47592
Ion Ratio Lower Upper
128 100
129 11.4 9.8 14.6
127 13.1 11.1 16.7



#7
2-Methylnaphthalene
Concen: 7.073 ng/ul
RT: 12.245 min Scan# 2063
Delta R.T. -0.021 min
Lab File: BM039892.D
Acq: 09 May 2023 14:08

Tgt Ion:142 Resp: 66086
Ion Ratio Lower Upper
142 100
141 88.9 73.2 109.8









#8
1-Methylnaphthalene
Concen: 2.978 ng/ul
RT: 12.470 min Scan# 2105
Delta R.T. -0.004 min
Lab File: BM039892.D
Acq: 09 May 2023 14:08




Instrument :
BNA_M
ClientSampleId :
EW947


Tgt Ion:142 Resp: 29847
Ion Ratio Lower Upper
142 100
141 91.5 73.4 110.2



#10
Acenaphthylene
Concen: 1.862 ng/ul
RT: 14.154 min Scan# 2436
Delta R.T. -0.003 min
Lab File: BM039892.D
Acq: 09 May 2023 14:08

Tgt Ion:152 Resp: 26748
Ion Ratio Lower Upper
152 100
151 21.2 16.0 24.0
153 17.5 11.2 16.8#









#11
Acenaphthene
Concen: 0.717 ng/ul
RT: 14.497 min Scan# 21
Delta R.T. 0.001 min
Lab File: BM039892.D
Acq: 09 May 2023 14:08




Instrument :
BNA_M
ClientSampleId :
EW947


Tgt Ion:153 Resp: 8096
Ion Ratio Lower Upper
153 100
152 54.0 40.6 61.0
154 87.4 71.9 107.9



#12
Fluorene
Concen: 0.801 ng/ul
RT: 15.491 min Scan# 2725
Delta R.T. -0.003 min
Lab File: BM039892.D
Acq: 09 May 2023 14:08

Tgt Ion:166 Resp: 10031
Ion Ratio Lower Upper
166 100
165 101.5 79.0 118.6
167 20.0 11.8 17.6#









#14
Pentachlorophenol
Concen: 0.074 ng/ul
RT: 16.870 min Scan# 3043
Delta R.T. -0.007 min
Lab File: BM039892.D
Acq: 09 May 2023 14:08




Instrument :
BNA_M
ClientSampleId :
EW947


Tgt Ion:266 Resp: 120
Ion Ratio Lower Upper
266 100
264 0.0 48.8 73.2#
268 50.8 50.4 75.6



#15
Phenanthrene
Concen: 9.552 ng/ul
RT: 17.233 min Scan# 3127
Delta R.T. -0.003 min
Lab File: BM039892.D
Acq: 09 May 2023 14:08

Tgt Ion:178 Resp: 187011
Ion Ratio Lower Upper
178 100
179 15.8 13.0 19.6
176 19.3 15.8 23.8









#16
 Anthracene
 Concen: 2.386 ng/ul
 RT: 17.326 min Scan# 3151
 Delta R.T. -0.007 min
 Lab File: BM039892.D
 Acq: 09 May 2023 14:08




Instrument :
 BNA_M
 ClientSampleId :
 EW947


Tgt Ion:	178	Resp:	40107
Ion Ratio	Lower	Upper	
178	100		
179	17.4	13.8	20.6
176	19.5	15.8	23.8



#19
 Fluoranthene
 Concen: 19.405 ng/ul
 RT: 19.262 min Scan# 3591
 Delta R.T. 0.006 min
 Lab File: BM039892.D
 Acq: 09 May 2023 14:08

Tgt Ion:	202	Resp:	357151
Ion Ratio	Lower	Upper	
202	100		
101	11.2	9.8	14.8
100	8.3	7.3	10.9









#20
 Pyrene
 Concen: 14.999 ng/ul
 RT: 19.624 min Scan# 3669
 Delta R.T. 0.001 min
 Lab File: BM039892.D
 Acq: 09 May 2023 14:08




Instrument :
 BNA_M
 ClientSampleId :
 EW947


Tgt Ion:202 Resp: 298112
 Ion Ratio Lower Upper
 202 100
 101 13.6 10.9 16.3
 100 11.1 8.9 13.3



#21
 Benzo(a)anthracene
 Concen: 11.040 ng/ul
 RT: 21.379 min Scan# 4158
 Delta R.T. -0.001 min
 Lab File: BM039892.D
 Acq: 09 May 2023 14:08

Tgt Ion:228 Resp: 163762
 Ion Ratio Lower Upper
 228 100
 229 21.8 16.2 24.2
 226 29.4 21.6 32.4





#22

Chrysene

Concen: 9.329 ng/ul

RT: 21.431 min Scan# 41

Delta R.T. -0.001 min

Lab File: BM039892.D

Acq: 09 May 2023 14:08

Instrument :

BNA_M

ClientSampleId :

EW947





Tgt Ion:228 Resp: 156593

Ion Ratio Lower Upper

228 100

226 32.4 24.3 36.5

229 23.2 15.9 23.9



#24

Benzo(b)fluoranthene

Concen: 12.574 ng/ul

RT: 23.039 min Scan# 4726

Delta R.T. 0.011 min

Lab File: BM039892.D

Acq: 09 May 2023 14:08




Tgt Ion:252 Resp: 245960


Ion Ratio Lower Upper

252 100

253 24.2 0.0 52.8

125 17.8 0.0 31.6





#26

Benzo(a)pyrene

Concen: 8.886 ng/ul

RT: 23.647 min Scan# 4931

Delta R.T. 0.008 min

Lab File: BM039892.D

Acq: 09 May 2023 14:08

Instrument :

BNA_M

ClientSampleId :

EW947





Tgt Ion:252 Resp: 156070

Ion Ratio Lower Upper

252 100

253 24.8 24.7 37.1

125 18.1 16.5 24.7



#27

Indeno(1,2,3-cd)pyrene

Concen: 5.661 ng/ul

RT: 26.194 min Scan# 5753

Delta R.T. 0.023 min

Lab File: BM039892.D

Acq: 09 May 2023 14:08




Tgt Ion:276 Resp: 125720


Ion Ratio Lower Upper

276 100

138 22.8 21.1 31.7

227 0.1 0.1 0.1









#28
Dibenzo(a,h)anthracene
Concen: 2.056 ng/ul
RT: 26.194 min Scan# 51
Delta R.T. 0.013 min
Lab File: BM039892.D
Acq: 09 May 2023 14:08

Instrument :
BNA_M
ClientSampleId :
EW947

Tgt Ion:278 Resp: 35446
Ion Ratio Lower Upper
278 100
139 40.9 17.0 25.6#
279 39.4 23.4 35.2#



#29
Benzo(g,h,i)perylene
Concen: 6.979 ng/ul
RT: 26.949 min Scan# 5978
Delta R.T. 0.026 min
Lab File: BM039892.D
Acq: 09 May 2023 14:08

Tgt Ion:276 Resp: 135046
Ion Ratio Lower Upper
276 100
138 27.2 20.1 30.1
277 27.0 20.1 30.1

