

Data Path : Z:\SVOASRV\HPCHEM1\BNA M\DATA\BM051021\
 Data File : BM029973.D
 Acq On : 12 May 2021 10:01
 Operator : CG/JU
 Sample : M2194-04
 Misc :
 ALS Vial : 72 Sample Multiplier: 1

Instrument :
 BNA_M
 ClientSampleId :
 YARH5

Manual Integrations
 APPROVED

mohammad
 5/12/2021 2:08:34 PM

Quant Time: May 12 10:38:23 2021
 Quant Method : Z:\SVOASRV\HPCHEM1\BNA_M\METHODS\SFAM-EPA-BM050721.M
 Quant Title : SVOA CALIBRATION
 QLast Update : Tue May 11 15:21:38 2021
 Response via : Initial Calibration

Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) 1,4-Dichlorobenzene-d4	7.54	152	126551	20.00	ng/ul	-0.01
20) Naphthalene-d8	10.32	136	577743	20.00	ng/ul	-0.01
38) Acenaphthene-d10	14.19	164	379859	20.00	ng/ul	-0.01
64) Phenanthrene-d10	16.94	188	728779	20.00	ng/ul	0.00
79) Chrysene-d12	21.13	240	574828	20.00	ng/ul	0.00
88) Perylene-d12	23.28	264	566877	20.00	ng/ul	0.00

System Monitoring Compounds

3) 1,4-Dioxane-d8	3.06	96	16128	5.09	ng/uL	0.00
4) Pyridine-d5	0.00	84	0d	0.00	ng/ul	
7) Phenol-d5	6.73	99	86042	7.31	ng/ul	0.00
9) Bis-(2-Chloroethyl)ether-d	6.89	67	247759	33.95	ng/ul	0.00
11) 2-Chlorophenol-d4	7.08	132	260271	28.65	ng/ul	0.00
15) 4-Methylphenol-d8	8.26	113	168566	17.32	ng/ul	0.00
21) Nitrobenzene-d5	8.70	128	149849	37.64	ng/ul	-0.01
24) 2-Nitrophenol-d4	9.42	143	167811	37.34	ng/ul	0.00
28) 2,4-Dichlorophenol-d3	9.95	165	272448	30.24	ng/ul	0.00
31) 4-Chloroaniline-d4	10.50	131	13772	1.00	ng/ul	0.03
46) Dimethylphthalate-d6	13.61	166	1112183	37.77	ng/ul	-0.01
49) Acenaphthylene-d8	13.88	160	1348212	36.13	ng/ul	-0.01
54) 4-Nitrophenol-d4	14.47	143	17542m	3.66	ng/ul	0.05
60) Fluorene-d10	15.19	176	973481	38.95	ng/ul	0.00
65) 4,6-Dinitro-2-methylphenol	15.33	200	149410	31.56	ng/ul	0.00
73) Anthracene-d10	17.04	188	1555248	42.38	ng/ul	0.00
81) Pyrene-d10	19.33	212	1542600	52.31	ng/ul	-0.01
92) Benzo(a)pyrene-d12	23.14	264	1320333	41.09	ng/ul	0.00

Target Compounds Ovalue

(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\SVOASRV\HPCHEM1\BNA M\DATA\BM051021\
Data File : BM029973.D
Acq On : 12 May 2021 10:01
Operator : CG/JU
Sample : M2194-04
Misc :
ALS Vial : 72 Sample Multiplier: 1

Instrument :
BNA_M
ClientSampleId :
YARH5

Manual Integrations
APPROVED

mohammad
5/12/2021 2:08:34 PM

Quant Time: May 12 10:38:23 2021
Quant Method : Z:\SVOASRV\HPCHEM1\BNA_M\METHODS\SFAM-EPA-BM050721.M
Quant Title : SVOA CALIBRATION
QLast Update : Tue May 11 15:21:38 2021
Response via : Initial Calibration

