

Data Path : Z:\SVOASRV\HPCHEM1\BNA M\DATA\BM051021\
 Data File : BM029936.D
 Acq On : 11 May 2021 10:35
 Operator : CG/JU
 Sample : M2197-03
 Misc :
 ALS Vial : 35 Sample Multiplier: 1

Instrument :
 BNA_M
 ClientSampleId :
 YARG2

Manual Integrations
 APPROVED

mohammad
 5/11/2021 2:34:51 PM

Quant Time: May 11 12:35:47 2021
 Quant Method : Z:\SVOASRV\HPCHEM1\BNA_M\METHODS\SFAM-EPA-BM050721.M
 Quant Title : SVOA CALIBRATION
 QLast Update : Tue May 11 06:44:51 2021
 Response via : Initial Calibration

Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) 1,4-Dichlorobenzene-d4	7.55	152	115245	20.00	ng/ul	0.00
20) Naphthalene-d8	10.32	136	501880	20.00	ng/ul	0.00
38) Acenaphthene-d10	14.20	164	317879	20.00	ng/ul	0.00
64) Phenanthrene-d10	16.94	188	632733	20.00	ng/ul	0.00
79) Chrysene-d12	21.13	240	537192	20.00	ng/ul	0.00
88) Perylene-d12	23.29	264	480519	20.00	ng/ul	0.00
System Monitoring Compounds						
3) 1,4-Dioxane-d8	3.06	96	7353	2.55	ng/uL	0.00
4) Pyridine-d5	0.00	84	0d	0.00	ng/ul	0.00
7) Phenol-d5	6.74	99	83926	7.83	ng/ul	0.00
9) Bis-(2-Chloroethyl)ether-d	6.90	67	228743	34.42	ng/ul	0.00
11) 2-Chlorophenol-d4	7.09	132	236193	28.55	ng/ul	0.00
15) 4-Methylphenol-d8	8.26	113	142897	16.12	ng/ul	0.00
21) Nitrobenzene-d5	8.70	128	122834	35.52	ng/ul	0.00
24) 2-Nitrophenol-d4	9.42	143	133327	34.15	ng/ul	0.00
28) 2,4-Dichlorophenol-d3	9.96	165	222589	28.44	ng/ul	0.00
31) 4-Chloroaniline-d4	10.49	131	25804	2.17	ng/ul	0.02
46) Dimethylphthalate-d6	13.62	166	833954	33.85	ng/ul	0.00
49) Acenaphthylene-d8	13.89	160	1095535	35.09	ng/ul	0.00
54) 4-Nitrophenol-d4	14.46	143	7607m	1.90	ng/ul	0.03
60) Fluorene-d10	15.20	176	753063	36.00	ng/ul	0.00
65) 4,6-Dinitro-2-methylphenol	15.33	200	80160	19.50	ng/ul	0.00
73) Anthracene-d10	17.04	188	1245032	39.08	ng/ul	0.00
81) Pyrene-d10	19.34	212	1342696	48.72	ng/ul	0.00
92) Benzo(a)pyrene-d12	23.15	264	1044484	38.35	ng/ul	0.00
Target Compounds						
47) Dimethylphthalate	13.66	163	39395	1.597	ng/ul	Ovalue 98

(#) = qualifier out of range (m) = manual integration (+) = signals summed


Data Path : Z:\SVOASRV\HPCHEM1\BNA M\DATA\BM051021\
Data File : BM029936.D
Acq On : 11 May 2021 10:35
Operator : CG/JU
Sample : M2197-03
Misc :
ALS Vial : 35 Sample Multiplier: 1


Instrument :
BNA_M
ClientSampleId :
YARG2

Quant Time: May 11 12:35:47 2021
Quant Method : Z:\SVOASRV\HPCHEM1\BNA_M\METHODS\SFAM-EPA-BM050721.M
Quant Title : SVOA CALIBRATION
QLast Update : Tue May 11 06:44:51 2021
Response via : Initial Calibration

Manual Integrations
APPROVED

mohammad
5/11/2021 2:34:51 PM





#47
 Dimethylphthalate
 Concen: 1.597 ng/ul
 RT: 13.66 min Scan# 1832
 Delta R.T. -0.01 min
 Lab File: BM029936.D
 Acq: 11 May 2021 10:35

Instrument :
 BNA_M
 ClientSampleId :
 YARG2

Tot Ion	Ratio	Resp Lower	Upper
163	100		
194	4.6	3.4	5.0
164	9.0	7.8	11.8

Manual Integrations
 APPROVED

mohammad
 5/11/2021 2:34:51 PM

