

Quantitation Report (QT Reviewed)


Data Path : Z:\HPCHEM1\BNA_M\DATA\BM051216\
 Data File : BM005423.D
 Acq On : 12 May 2016 16:59
 Operator : UM/SJ
 Sample : H2853-20
 Misc :
 ALS Vial : 53 Sample Multiplier: 1

Instrument :
 BNA_M
 ClientSampleId :
 D9X13

Manual Integrations
 APPROVED

sohil
 5/13/2016 8:02:41 PM

Quant Time: May 13 04:03:09 2016
 Quant Method : Z:\HPCHEM1\BNA_M\METHODS\SOM02.2-EPA-BM050516.M
 Quant Title : SVOA CALIBRATION
 QLast Update : Fri May 13 03:22:52 2016
 Response via : Initial Calibration






Data Path : Z:\HPCHEM1\BNA_M\DATA\BM051216\
Data File : BM005423.D
Acq On : 12 May 2016 16:59
Operator : UM/SJ
Sample : H2853-20
Misc :
ALS Vial : 53 Sample Multiplier: 1

Instrument :
BNA_M
ClientSampleId :
D9X13

Manual Integrations
APPROVED

sohil
5/13/2016 8:02:41 PM

Quant Time: May 13 03:24:24 2016
Quant Method : Z:\HPCHEM1\BNA_M\METHODS\SOM02.2-EPA-BM050516.M
Quant Title : SVOA CALIBRATION
QLast Update : Fri May 13 03:22:52 2016
Response via : Initial Calibration



(51) 4-Nitrophenol-d4 (S)

14.633min (+0.017) 3.09ng/ul

response 10632

Ion	Exp%	Act%
143.00	100	100
113.00	75.60	81.85
41.00	38.10	42.65
42.00	26.00	25.81

Quantitation Report (Qedit)




Data Path : Z:\HPCHEM1\BNA_M\DATA\BM051216\
 Data File : BM005423.D
 Acq On : 12 May 2016 16:59
 Operator : UM/SJ
 Sample : H2853-20
 Misc :
 ALS Vial : 53 Sample Multiplier: 1

Instrument :
 BNA_M
 ClientSampleId :
 D9X13

Manual Integrations
 APPROVED

sohil
 5/13/2016 8:02:41 PM

Quant Time: May 13 03:24:24 2016
 Quant Method : Z:\HPCHEM1\BNA_M\METHODS\SOM02.2-EPA-BM050516.M
 Quant Title : SVOA CALIBRATION
 QLast Update : Fri May 13 03:22:52 2016
 Response via : Initial Calibration



TIC: BM005423.D

(51) 4-Nitrophenol-d4 (S)

14.633min (+0.017) 3.36ng/ul m

response 11569

Ion	Exp%	Act%
143.00	100	100
113.00	75.60	81.85
41.00	38.10	42.65
42.00	26.00	25.81

> U.M
 05/16/16

Data Path : Z:\HPCHEM1\BNA_M\DATA\BM051216\
 Data File : BM005423.D
 Acq On : 12 May 2016 16:59
 Operator : UM/SJ
 Sample : H2853-20
 Misc :
 ALS Vial : 53 Sample Multiplier: 1

Instrument :
 BNA_M
 ClientSampleId :
 D9X13

Quant Time: May 13 04:03:09 2016
 Quant Method : Z:\HPCHEM1\BNA_M\METHODS\SOM02.2-EPA-BM050516.M
 Quant Title : SVOA CALIBRATION
 QLast Update : Fri May 13 03:22:52 2016
 Response via : Initial Calibration

Manual Integrations
 APPROVED

sohil
 5/13/2016 8:02:41 PM

Internal Standards	R.T.	QIon	Response	Conc	Units	Dev (Min)
1) 1,4-Dichlorobenzene-d4	7.76	152	70959	20.00	ng/ul	0.00
18) Naphthalene-d8	10.55	136	346989	20.00	ng/ul	0.00
35) Acenaphthene-d10	14.40	164	235049	20.00	ng/ul	0.00
61) Phenanthrene-d10	17.15	188	567070	20.00	ng/ul	0.00
75) Chrysene-d12	21.34	240	540818	20.00	ng/ul	0.00
83) Perylene-d12	23.61	264	413102	20.00	ng/ul	0.00

System Monitoring Compounds

3) 1,4-Dioxane-d8	3.26	96	1908	1.26	ng/uL	0.00
5) Phenol-d5	6.93	99	36065	5.60	ng/ul	0.00
7) Bis-(2-Chloroethyl)ether-d	7.09	67	111077	30.25	ng/ul	0.00
9) 2-Chlorophenol-d4	7.29	132	117309	24.13	ng/ul	0.00
13) 4-Methylphenol-d8	8.46	113	79076	14.87	ng/ul	0.00
19) Nitrobenzene-d5	8.92	128	78515	31.69	ng/ul	0.00
22) 2-Nitrophenol-d4	9.63	143	90419	32.24	ng/ul	0.00
26) 2,4-Dichlorophenol-d3	10.17	165	152817	29.31	ng/ul	0.00
29) 4-Chloroaniline-d4	0.00	131	0	0.00	ng/ul	0.00
43) Dimethylphthalate-d6	13.81	166	592303	31.44	ng/ul	0.00
46) Acenaphthylene-d8	14.09	160	706186	31.96	ng/ul	0.00
51) 4-Nitrophenol-d4	14.63	143	11569m	3.36	ng/ul	0.02
57) Fluorene-d10	15.40	176	511649	31.45	ng/ul	0.00
62) 4,6-Dinitro-2-methylphenol	15.53	200	82400	25.83	ng/ul	0.00
70) Anthracene-d10	17.25	188	809838	32.31	ng/ul	0.00
76) Pyrene-d10	19.54	212	900940	36.09	ng/ul	0.00
87) Benzo(a)pyrene-d12	23.47	264	595671	32.58	ng/ul	0.00

U. M
 05/16/16

Target Compounds Qvalue

(#) = qualifier out of range (m) = manual integration (+) = signals summed