

Data Path : Z:\SVOASRV\HPCHEM1\BNA M\DATA\BM051520\
 Data File : BM025989.D
 Acq On : 15 May 2020 15:22
 Operator : MA/SJ
 Sample : L2660-10
 Misc :
 ALS Vial : 8 Sample Multiplier: 1

Instrument :
 BNA_M
 ClientSampleId :
 CB7C7

Quant Time: May 15 15:56:25 2020
 Quant Method : Z:\SVOASRV\HPCHEM1\BNA_M\METHODS\SOM-EPA-BM051320MA.M
 Quant Title : SVOA CALIBRATION
 QLast Update : Fri May 15 12:17:41 2020
 Response via : Initial Calibration

Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) 1,4-Dichlorobenzene-d4	7.50	152	154483	20.00	ng/ul	0.00
18) Naphthalene-d8	10.27	136	609786	20.00	ng/ul	0.00
36) Acenaphthene-d10	14.15	164	343276	20.00	ng/ul	0.00
62) Phenanthrene-d10	16.90	188	722221	20.00	ng/ul	0.00
78) Chrysene-d12	21.10	240	746512	20.00	ng/ul	0.00
86) Perylene-d12	23.22	264	819928	20.00	ng/ul	0.00

System Monitoring Compounds						
3) 1,4-Dioxane-d8	3.08	96	18163	3.55	ng/uL	0.00
5) Phenol-d5	6.69	99	296066	21.13	ng/ul	0.00
7) Bis-(2-Chloroethyl)ether-d	6.86	67	214627	22.14	ng/ul	0.00
9) 2-Chlorophenol-d4	7.05	132	215081	19.61	ng/ul	0.00
13) 4-Methylphenol-d8	8.22	113	223661	21.18	ng/ul	0.00
19) Nitrobenzene-d5	8.65	128	105671	21.26	ng/ul	0.00
22) 2-Nitrophenol-d4	9.36	143	104936	21.34	ng/ul	0.00
26) 2,4-Dichlorophenol-d3	9.90	165	195621	19.81	ng/ul	0.00
29) 4-Chloroaniline-d4	10.41	131	279692	27.93	ng/ul	0.00
44) Dimethylphthalate-d6	13.57	166	610748	22.19	ng/ul	0.00
47) Acenaphthylene-d8	13.84	160	718350	22.03	ng/ul	0.00
52) 4-Nitrophenol-d4	14.36	143	91062	18.68	ng/ul	0.00
58) Fluorene-d10	15.15	176	521905	21.80	ng/ul	0.00
63) 4,6-Dinitro-2-methylphenol	15.27	200	68041	16.16	ng/ul	0.00
71) Anthracene-d10	17.00	188	774804	21.77	ng/ul	0.00
79) Pyrene-d10	19.30	212	874372	22.80	ng/ul	0.00
90) Benzo(a)pyrene-d12	23.09	264	950321	21.78	ng/ul	0.00


Target Compounds					Ovalue	
6) Phenol	6.72	94	18013	1.147	ng/ul	96
45) Dimethylphthalate	13.62	163	268167	9.279	ng/ul	99


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\SVOASRV\HPCHEM1\BNA M\DATA\BM051520\
Data File : BM025989.D
Acq On : 15 May 2020 15:22
Operator : MA/SJ
Sample : L2660-10
Misc :
ALS Vial : 8 Sample Multiplier: 1

Instrument :
BNA_M
ClientSampleId :
CB7C7

Quant Time: May 15 15:56:25 2020
Quant Method : Z:\SVOASRV\HPCHEM1\BNA_M\METHODS\SOM-EPA-BM051320MA.M
Quant Title : SVOA CALIBRATION
QLast Update : Fri May 15 12:17:41 2020
Response via : Initial Calibration









#6

Phenol

Concen: 1.147 ng/ul
 RT: 6.72 min Scan# 652
 Delta R.T. 0.00 min
 Lab File: BM025989.D
 Acq: 15 May 2020 15:22

Instrument :
 BNA_M
 ClientSampleId :
 CB7C7

Tot Ion	Ratio	Lower	Upper
94	100		
65	32.4	25.8	38.8
66	46.5	33.3	49.9



#45

Dimethylphthalate

Concen: 9.279 ng/ul
 RT: 13.62 min Scan# 1824
 Delta R.T. 0.00 min
 Lab File: BM025989.D
 Acq: 15 May 2020 15:22

Tgt Ion	Ratio	Lower	Upper
163	100		
194	4.3	3.2	4.8
164	10.2	8.0	12.0

