

Data Path : Z:\HPCHEM1\BNA M\DATA\BM052016\  
 Data File : BM005534.D  
 Acq On : 21 May 2016 00:44  
 Operator : UM/SJ  
 Sample : H3083-10  
 Misc :  
 ALS Vial : 12 Sample Multiplier: 1

Instrument :  
 BNA\_M  
 ClientSampleId :  
 SVOC-GPC2-BLANK

Quant Time: May 21 04:16:04 2016  
 Quant Method : Z:\HPCHEM1\BNA M\METHODS\SOM02.2-EPA-BM052016.M  
 Quant Title : SVOA CALIBRATION  
 QLast Update : Sat May 21 03:34:00 2016  
 Response via : Initial Calibration

| Internal Standards        | R.T.  | QIon | Response | Conc  | Units | Dev(Min) |
|---------------------------|-------|------|----------|-------|-------|----------|
| 1) 1,4-Dichlorobenzene-d4 | 7.82  | 152  | 75163    | 20.00 | ng/ul | 0.00     |
| 18) Naphthalene-d8        | 10.61 | 136  | 320943   | 20.00 | ng/ul | 0.00     |
| 35) Acenaphthene-d10      | 14.45 | 164  | 200818   | 20.00 | ng/ul | 0.00     |
| 61) Phenanthrene-d10      | 17.19 | 188  | 500600   | 20.00 | ng/ul | 0.00     |
| 75) Chrysene-d12          | 21.37 | 240  | 626859   | 20.00 | ng/ul | 0.00     |
| 83) Perylene-d12          | 23.64 | 264  | 572579   | 20.00 | ng/ul | 0.00     |

## System Monitoring Compounds

|                                |      |     |    |      |       |
|--------------------------------|------|-----|----|------|-------|
| 3) 1,4-Dioxane-d8              | 0.00 | 96  | 0  | 0.00 | ng/uL |
| 5) Phenol-d5                   | 0.00 | 99  | 0  | 0.00 | ng/ul |
| 7) Bis-(2-Chloroethyl)ether-d  | 0.00 | 67  | 0  | 0.00 | ng/ul |
| 9) 2-Chlorophenol-d4           | 0.00 | 132 | 0  | 0.00 | ng/ul |
| 13) 4-Methylphenol-d8          | 0.00 | 113 | 0  | 0.00 | ng/ul |
| 19) Nitrobenzene-d5            | 0.00 | 128 | 0  | 0.00 | ng/ul |
| 22) 2-Nitrophenol-d4           | 0.00 | 143 | 0  | 0.00 | ng/ul |
| 26) 2,4-Dichlorophenol-d3      | 0.00 | 165 | 0  | 0.00 | ng/ul |
| 29) 4-Chloroaniline-d4         | 0.00 | 131 | 0  | 0.00 | ng/ul |
| 43) Dimethylphthalate-d6       | 0.00 | 166 | 0  | 0.00 | ng/ul |
| 46) Acenaphthylene-d8          | 0.00 | 160 | 0  | 0.00 | ng/ul |
| 51) 4-Nitrophenol-d4           | 0.00 | 143 | 0  | 0.00 | ng/ul |
| 57) Fluorene-d10               | 0.00 | 176 | 0d | 0.00 | ng/ul |
| 62) 4,6-Dinitro-2-methylphenol | 0.00 | 200 | 0  | 0.00 | ng/ul |
| 70) Anthracene-d10             | 0.00 | 188 | 0d | 0.00 | ng/ul |
| 76) Pyrene-d10                 | 0.00 | 212 | 0  | 0.00 | ng/ul |
| 87) Benzo(a)pyrene-d12         | 0.00 | 264 | 0d | 0.00 | ng/ul |

Target Compounds Ovalue

-----

(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\HPCHEM1\BNA M\DATA\BM052016\  
Data File : BM005534.D  
Acq On : 21 May 2016 00:44  
Operator : UM/SJ  
Sample : H3083-10  
Misc :  
ALS Vial : 12 Sample Multiplier: 1

Instrument :  
BNA\_M  
ClientSampleId :  
SVOC-GPC2-BLANK

Quant Time: May 21 04:16:04 2016  
Quant Method : Z:\HPCHEM1\BNA M\METHODS\SOM02.2-EPA-BM052016.M  
Quant Title : SVOA CALIBRATION  
QLast Update : Sat May 21 03:34:00 2016  
Response via : Initial Calibration

