

Data Path : Z:\SVOASRV\HPCHEM1\BNA M\DATA\BM052021\
 Data File : BM030099.D
 Acq On : 20 May 2021 20:57
 Operator : CG/JU
 Sample : M2463-10
 Misc :
 ALS Vial : 15 Sample Multiplier: 1

Instrument :
 BNA_M
 ClientSampleId :
 GB3Z3

Manual Integrations
 APPROVED

mohammad
 5/21/2021 3:38:15 PM

Quant Time: May 21 01:29:52 2021
 Quant Method : Z:\SVOASRV\HPCHEM1\BNA_M\METHODS\SFAM-EPA-BM050721.M
 Quant Title : SVOA CALIBRATION
 QLast Update : Thu May 20 12:00:20 2021
 Response via : Initial Calibration

Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) 1,4-Dichlorobenzene-d4	7.51	152	117568	20.00	ng/ul	0.00
20) Naphthalene-d8	10.29	136	504984	20.00	ng/ul	0.00
38) Acenaphthene-d10	14.16	164	315060	20.00	ng/ul	0.00
64) Phenanthrene-d10	16.91	188	579812	20.00	ng/ul	0.00
79) Chrysene-d12	21.10	240	486865	20.00	ng/ul	0.00
88) Perylene-d12	23.24	264	505263	20.00	ng/ul	0.00
System Monitoring Compounds						
3) 1,4-Dioxane-d8	3.04	96	8374	2.84	ng/uL	0.00
4) Pyridine-d5	0.00	84	0d	0.00	ng/ul	
7) Phenol-d5	6.72	99	55549	5.08	ng/ul	0.01
9) Bis-(2-Chloroethyl)ether-d	6.86	67	196317	28.96	ng/ul	0.00
11) 2-Chlorophenol-d4	7.05	132	204376	24.22	ng/ul	0.00
15) 4-Methylphenol-d8	8.23	113	117224	12.96	ng/ul	0.00
21) Nitrobenzene-d5	8.67	128	117832	33.86	ng/ul	0.00
24) 2-Nitrophenol-d4	9.39	143	129842	33.06	ng/ul	0.00
28) 2,4-Dichlorophenol-d3	9.93	165	204111	25.92	ng/ul	0.00
31) 4-Chloroaniline-d4	10.52	131	9785m	0.82	ng/ul	0.08
46) Dimethylphthalate-d6	13.59	166	815330	33.39	ng/ul	0.00
49) Acenaphthylene-d8	13.85	160	1001932	32.37	ng/ul	0.00
54) 4-Nitrophenol-d4	14.49	143	9182m	2.31	ng/ul	0.09
60) Fluorene-d10	15.16	176	710695	34.28	ng/ul	0.00
65) 4,6-Dinitro-2-methylphenol	15.30	200	122567	32.54	ng/ul	0.00
73) Anthracene-d10	17.01	188	1135639	38.90	ng/ul	0.00
81) Pyrene-d10	19.31	212	1190069	47.65	ng/ul	0.00
92) Benzo(a)pyrene-d12	23.11	264	1126783	39.34	ng/ul	0.00
Target Compounds						
47) Dimethylphthalate	13.63	163	29830	1.220	ng/ul	Ovalue 99

(#) = qualifier out of range (m) = manual integration (+) = signals summed


Data Path : Z:\SVOASRV\HPCHEM1\BNA M\DATA\BM052021\
Data File : BM030099.D
Acq On : 20 May 2021 20:57
Operator : CG/JU
Sample : M2463-10
Misc :
ALS Vial : 15 Sample Multiplier: 1


Instrument :
BNA_M
ClientSampleId :
GB3Z3

Manual Integrations
APPROVED

mohammad
5/21/2021 3:38:15 PM

Quant Time: May 21 01:29:52 2021
Quant Method : Z:\SVOASRV\HPCHEM1\BNA_M\METHODS\SFAM-EPA-BM050721.M
Quant Title : SVOA CALIBRATION
QLast Update : Thu May 20 12:00:20 2021
Response via : Initial Calibration






#47
 Dimethylphthalate
 Concen: 1.220 ng/ul
 RT: 13.63 min Scan# 1827
 Delta R.T. 0.00 min
 Lab File: BM030099.D
 Acq: 20 May 2021 20:57

Instrument :
 BNA_M
 ClientSampleId :
 GB3Z3

Tot Ion	Ratio	Resp	Lower	Upper
163	100	29830		
194	4.3		3.4	5.0
164	10.1		7.8	11.8

Manual Integrations
 APPROVED

mohammad
 5/21/2021 3:38:15 PM



Abundance

Ion 163.00 (162.70 to 163.70): E

Ion 194.00 (193.70 to 194.70): E

Ion 164.00 (163.70 to 164.70): E

