

Data Path : Z:\SVOASRV\HPCHEM1\BNA M\DATA\BM052021\
 Data File : BM030141.D
 Acq On : 22 May 2021 09:00
 Operator : CG/JU
 Sample : M2459-07
 Misc :
 ALS Vial : 57 Sample Multiplier: 1

Instrument :
 BNA_M
 ClientSampleId :
 C0GM7

Manual Integrations
 APPROVED

mohammad
 5/24/2021 1:53:48 PM

Quant Time: May 24 01:28:58 2021
 Quant Method : Z:\SVOASRV\HPCHEM1\BNA_M\METHODS\SFAM-EPA-BM050721.M
 Quant Title : SVOA CALIBRATION
 QLast Update : Thu May 20 12:00:20 2021
 Response via : Initial Calibration

Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) 1,4-Dichlorobenzene-d4	7.50	152	160896	20.00	ng/ul	-0.01
20) Naphthalene-d8	10.27	136	728464	20.00	ng/ul	-0.01
38) Acenaphthene-d10	14.16	164	493137	20.00	ng/ul	0.00
64) Phenanthrene-d10	16.91	188	1029384	20.00	ng/ul	0.00
79) Chrysene-d12	21.10	240	1096709	20.00	ng/ul	0.00
88) Perylene-d12	23.24	264	1132557	20.00	ng/ul	-0.01
System Monitoring Compounds						
3) 1,4-Dioxane-d8	3.03	96	12038	2.99	ng/uL	0.00
4) Pyridine-d5	0.00	84	0d	0.00	ng/ul	
7) Phenol-d5	6.70	99	58575	3.91	ng/ul	0.00
9) Bis-(2-Chloroethyl)ether-d	6.86	67	207324	22.34	ng/ul	0.00
11) 2-Chlorophenol-d4	7.05	132	215270	18.64	ng/ul	0.00
15) 4-Methylphenol-d8	8.23	113	125672	10.16	ng/ul	0.00
21) Nitrobenzene-d5	8.66	128	127576	25.41	ng/ul	0.00
24) 2-Nitrophenol-d4	9.38	143	146759	25.90	ng/ul	0.00
28) 2,4-Dichlorophenol-d3	9.92	165	225649	19.86	ng/ul	0.00
31) 4-Chloroaniline-d4	10.50	131	9891m	0.57	ng/ul	0.06
46) Dimethylphthalate-d6	13.58	166	966741	25.29	ng/ul	0.00
49) Acenaphthylene-d8	13.85	160	1190604	24.58	ng/ul	0.00
54) 4-Nitrophenol-d4	14.51	143	10255m	1.65	ng/ul	0.11
60) Fluorene-d10	15.16	176	885512	27.29	ng/ul	0.00
65) 4,6-Dinitro-2-methylphenol	15.30	200	169034	25.28	ng/ul	0.00
73) Anthracene-d10	17.00	188	1570003	30.29	ng/ul	0.00
81) Pyrene-d10	19.30	212	1822774	32.40	ng/ul	0.00
92) Benzo(a)pyrene-d12	23.11	264	1900073	29.60	ng/ul	0.00
Target Compounds						
47) Dimethylphthalate	13.63	163	38405	1.003	ng/ul	Ovalue 99

(#) = qualifier out of range (m) = manual integration (+) = signals summed


Data Path : Z:\SVOASRV\HPCHEM1\BNA M\DATA\BM052021\
Data File : BM030141.D
Acq On : 22 May 2021 09:00
Operator : CG/JU
Sample : M2459-07
Misc :
ALS Vial : 57 Sample Multiplier: 1


Instrument :
BNA_M
ClientSampleId :
C0GM7

Manual Integrations
APPROVED

mohammad
5/24/2021 1:53:48 PM

Quant Time: May 24 01:28:58 2021
Quant Method : Z:\SVOASRV\HPCHEM1\BNA_M\METHODS\SFAM-EPA-BM050721.M
Quant Title : SVOA CALIBRATION
QLast Update : Thu May 20 12:00:20 2021
Response via : Initial Calibration





#47
 Dimethylphthalate
 Concen: 1.003 ng/ul
 RT: 13.63 min Scan# 1826
 Delta R.T. -0.01 min
 Lab File: BM030141.D
 Acq: 22 May 2021 09:00

Instrument :
 BNA_M
 ClientSampleId :
 C0GM7

Tot Ion:	163	Resp:	38405
Ion Ratio	Lower	Upper	
163	100		
194	4.6	3.4	5.0
164	9.7	7.8	11.8

Manual Integrations
 APPROVED

mohammad
 5/24/2021 1:53:48 PM

