

Data Path : Z:\SVOASRV\HPCHEM1\BNA M\DATA\BM052021\
 Data File : BM030143.D
 Acq On : 22 May 2021 10:12
 Operator : CG/JU
 Sample : M2459-01
 Misc :
 ALS Vial : 59 Sample Multiplier: 1

Instrument :
 BNA_M
 ClientSampleId :
 C0GJ7

Manual Integrations
 APPROVED

mohammad
 5/24/2021 1:53:55 PM

Quant Time: May 24 01:44:19 2021
 Quant Method : Z:\SVOASRV\HPCHEM1\BNA_M\METHODS\SFAM-EPA-BM050721.M
 Quant Title : SVOA CALIBRATION
 QLast Update : Thu May 20 12:00:20 2021
 Response via : Initial Calibration

Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) 1,4-Dichlorobenzene-d4	7.50	152	177010	20.00	ng/ul	-0.01
20) Naphthalene-d8	10.27	136	800738	20.00	ng/ul	-0.01
38) Acenaphthene-d10	14.16	164	538471	20.00	ng/ul	0.00
64) Phenanthrene-d10	16.90	188	1129563	20.00	ng/ul	-0.01
79) Chrysene-d12	21.10	240	1215431	20.00	ng/ul	0.00
88) Perylene-d12	23.24	264	1237082	20.00	ng/ul	-0.01
System Monitoring Compounds						
3) 1,4-Dioxane-d8	2.98	96	1623913	366.36	ng/uL	-0.05
4) Pyridine-d5	0.00	84	0d	0.00	ng/ul	
7) Phenol-d5	6.70	99	70981	4.31	ng/ul	0.00
9) Bis-(2-Chloroethyl)ether-d	6.86	67	233370	22.86	ng/ul	0.00
11) 2-Chlorophenol-d4	7.05	132	245122	19.29	ng/ul	0.00
15) 4-Methylphenol-d8	8.23	113	150626	11.06	ng/ul	0.00
21) Nitrobenzene-d5	8.66	128	143267	25.96	ng/ul	0.00
24) 2-Nitrophenol-d4	9.38	143	165034	26.50	ng/ul	0.00
28) 2,4-Dichlorophenol-d3	9.92	165	262682	21.03	ng/ul	0.00
31) 4-Chloroaniline-d4	10.50	131	15558m	0.82	ng/ul	0.06
46) Dimethylphthalate-d6	13.58	166	1131572	27.11	ng/ul	0.00
49) Acenaphthylene-d8	13.85	160	1341907	25.37	ng/ul	0.00
54) 4-Nitrophenol-d4	14.44	143	15968m	2.35	ng/ul	0.04
60) Fluorene-d10	15.16	176	1015259	28.65	ng/ul	0.00
65) 4,6-Dinitro-2-methylphenol	15.30	200	207567	28.29	ng/ul	0.00
73) Anthracene-d10	17.00	188	1849804	32.52	ng/ul	0.00
81) Pyrene-d10	19.30	212	2187703	35.09	ng/ul	0.00
92) Benzo(a)pyrene-d12	23.11	264	2286709	32.61	ng/ul	0.00
Target Compounds						
47) Dimethylphthalate	13.63	163	53862	1.289	ng/ul	Ovalue 100

(#) = qualifier out of range (m) = manual integration (+) = signals summed


Data Path : Z:\SVOASRV\HPCHEM1\BNA M\DATA\BM052021\
Data File : BM030143.D
Acq On : 22 May 2021 10:12
Operator : CG/JU
Sample : M2459-01
Misc :
ALS Vial : 59 Sample Multiplier: 1


Instrument :
BNA_M
ClientSampleId :
C0GJ7

Manual Integrations
APPROVED

mohammad
5/24/2021 1:53:55 PM

Quant Time: May 24 01:44:19 2021
Quant Method : Z:\SVOASRV\HPCHEM1\BNA_M\METHODS\SFAM-EPA-BM050721.M
Quant Title : SVOA CALIBRATION
QLast Update : Thu May 20 12:00:20 2021
Response via : Initial Calibration





#47
 Dimethylphthalate
 Concen: 1.289 ng/ul
 RT: 13.63 min Scan# 1826
 Delta R.T. -0.01 min
 Lab File: BM030143.D
 Acq: 22 May 2021 10:12

Instrument :
 BNA_M
 ClientSampleId :
 C0GJ7

Tot Ion:	163	Resp:	53862
Ion Ratio	Lower	Upper	
163	100		
194	4.1	3.4	5.0
164	10.0	7.8	11.8

Manual Integrations
 APPROVED

mohammad
 5/24/2021 1:53:55 PM

