

Data Path : Z:\SVOASRV\HPCHEM1\BNA_M\DATA\BM052120\
 Data File : BM026053.D
 Acq On : 21 May 2020 12:11
 Operator : MA/SJ
 Sample : L2725-02
 Misc :
 ALS Vial : 6 Sample Multiplier: 1

Instrument :
 BNA_M
 ClientSampleId :
 F9B01

Quant Time: May 21 12:51:06 2020
 Quant Method : Z:\SVOASRV\HPCHEM1\BNA_M\METHODS\SOM-EPA-BM051320MA.M
 Quant Title : SVOA CALIBRATION
 QLast Update : Thu May 21 10:18:34 2020
 Response via : Initial Calibration

Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) 1,4-Dichlorobenzene-d4	7.50	152	152640	20.00	ng/ul	0.00
18) Naphthalene-d8	10.26	136	656266	20.00	ng/ul	0.00
36) Acenaphthene-d10	14.14	164	399773	20.00	ng/ul	0.00
62) Phenanthrene-d10	16.89	188	883269	20.00	ng/ul	0.00
78) Chrysene-d12	21.09	240	916081	20.00	ng/ul	0.00
86) Perylene-d12	23.21	264	961290	20.00	ng/ul	0.00

System Monitoring Compounds

3) 1,4-Dioxane-d8	3.07	96	26761	5.29	ng/uL	0.00
5) Phenol-d5	6.69	99	92855	6.71	ng/ul	0.00
7) Bis-(2-Chloroethyl)ether-d	6.85	67	270698	28.26	ng/ul	0.00
9) 2-Chlorophenol-d4	7.03	132	245577	22.66	ng/ul	0.00
13) 4-Methylphenol-d8	8.21	113	169892	16.28	ng/ul	0.00
19) Nitrobenzene-d5	8.64	128	146571	27.40	ng/ul	0.00
22) 2-Nitrophenol-d4	9.36	143	149498	28.25	ng/ul	0.00
26) 2,4-Dichlorophenol-d3	9.89	165	273606	25.75	ng/ul	0.00
29) 4-Chloroaniline-d4	10.41	131	17506	1.62	ng/ul	0.01
44) Dimethylphthalate-d6	13.56	166	977523	30.49	ng/ul	0.00
47) Acenaphthylene-d8	13.83	160	1086727	28.61	ng/ul	0.00
52) 4-Nitrophenol-d4	14.36	143	32085	5.65	ng/ul	0.00
58) Fluorene-d10	15.14	176	828097	29.70	ng/ul	0.00
63) 4,6-Dinitro-2-methylphenol	15.27	200	136022	26.41	ng/ul	0.00
71) Anthracene-d10	16.99	188	1331305	30.59	ng/ul	0.00
79) Pyrene-d10	19.29	212	1529340	32.50	ng/ul	0.00
90) Benzo(a)pyrene-d12	23.08	264	1640401	32.06	ng/ul	0.00


Target Compounds						Qvalue
45) Dimethylphthalate	13.61	163	98874	2.94	ng/ul	99


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\SVOASRV\HPCHEM1\BNA_M\DATA\BM052120\
Data File : BM026053.D
Acq On : 21 May 2020 12:11
Operator : MA/SJ
Sample : L2725-02
Misc :
ALS Vial : 6 Sample Multiplier: 1

Instrument :
BNA_M
ClientSampleId :
F9B01

Quant Time: May 21 12:51:06 2020
Quant Method : Z:\SVOASRV\HPCHEM1\BNA_M\METHODS\SOM-EPA-BM051320MA.M
Quant Title : SVOA CALIBRATION
QLast Update : Thu May 21 10:18:34 2020
Response via : Initial Calibration





#45

Dimethylphthalate

Concen: 2.94 ng/ul

RT: 13.61 min Scan# 1823

Delta R.T. -0.00 min

Lab File: BM026053.D

Acq: 21 May 2020 12:11

Instrument :

BNA_M

ClientSampleId :

F9B01


Tgt Ion:163 Resp: 98874

Ion Ratio Lower Upper

163 100

194 4.1 3.2 4.8

164 10.4 8.0 12.0



Abundance Ion 163.00 (162.70 to 163.70): E

Ion 194.00 (193.70 to 194.70): E

Ion 164.00 (163.70 to 164.70): E

