

Data Path : Z:\HPCHEM1\BNA M\DATA\BM052217\
 Data File : BM010116.D
 Acq On : 22 May 2017 23:24
 Operator : SJ/MA
 Sample : I3221-06
 Misc :
 ALS Vial : 22 Sample Multiplier: 1

Instrument :
 BNA_M
 ClientSampleId :

Quant Time: May 23 05:32:04 2017
 Quant Method : Z:\HPCHEM1\BNA M\METHODS\8270-BM051917.M
 Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
 QLast Update : Sat May 20 04:25:49 2017
 Response via : Initial Calibration


Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) 1,4-Dichlorobenzene-d4	7.96	152	144726	20.00	ng	-0.01
21) Naphthalene-d8	10.77	136	487940	20.00	ng	-0.02
38) Acenaphthene-d10	14.59	164	311688	20.00	ng	-0.02
63) Phenanthrene-d10	17.34	188	811647	20.00	ng	-0.01
75) Chrysene-d12	21.50	240	1245618	20.00	ng	-0.01
86) Perylene-d12	23.86	264	1382225	20.00	ng	-0.02
System Monitoring Compounds						
5) 2-Fluorophenol	5.54	112	866969	108.18	ng	-0.02
7) Phenol-d6	7.15	99	1076819	104.42	ng	-0.02
23) Nitrobenzene-d5	9.15	82	683256	75.55	ng	-0.02
41) 2,4,6-Tribromophenol	16.09	330	518381	109.50	ng	-0.01
44) 2-Fluorobiphenyl	13.22	172	1712260	70.62	ng	-0.02
78) Terphenyl-d14	19.94	244	3171972	57.90	ng	-0.01
Target Compounds						
49) Dimethylphthalate	14.06	163	283659	10.20	ng	Qvalue # 97


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\HPCHEM1\BNA M\DATA\BM052217\
Data File : BM010116.D
Acq On : 22 May 2017 23:24
Operator : SJ/MA
Sample : I3221-06
Misc :
ALS Vial : 22 Sample Multiplier: 1

Instrument :
BNA_M
ClientSampleId :

Quant Time: May 23 05:32:04 2017
Quant Method : Z:\HPCHEM1\BNA M\METHODS\8270-BM051917.M
Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
QLast Update : Sat May 20 04:25:49 2017
Response via : Initial Calibration









#1

1,4-Dichlorobenzene-d4
Concen: 20.00 ng
RT: 7.96 min Scan# 829
Delta R.T. -0.01 min
Lab File: BM010116.D
Acq: 22 May 2017 23:24

Instrument :
BNA_M
ClientSampleId :




Tot Ion	Ratio	Lower	Upper
152	100		
150	150.8	119.5	179.3
115	60.8	43.0	64.4




#5

2-Fluorophenol
Concen: 108.18 ng
RT: 5.54 min Scan# 417
Delta R.T. -0.02 min
Lab File: BM010116.D
Acq: 22 May 2017 23:24

Tgt Ion	Ratio	Lower	Upper
112	100		
64	61.3	38.6	57.8#
63	36.9	19.3	28.9#





#7

Phenol-d6

Concen: 104.42 ng

RT: 7.15 min Scan# 691

Delta R.T. -0.02 min

Lab File: BM010116.D

Acq: 22 May 2017 23:24

Instrument :

BNA_M

ClientSampleId :


Tot Ion: 99 Resp: 1076819

Ion Ratio Lower Upper

99 100

42 18.3 11.0 16.4#




71 46.3 23.4 35.2#



Abundance Ion 99.00 (98.70 to 99.70): BM010116.D (-677) (-)

Ion 42.00 (41.70 to 42.70): BM010116.D (-677) (-)

Ion 71.00 (70.70 to 71.70): BM010116.D (-677) (-)



#21

Naphthalene-d8

Concen: 20.00 ng

RT: 10.77 min Scan# 1306

Delta R.T. -0.02 min

Lab File: BM010116.D

Acq: 22 May 2017 23:24

Tgt Ion: 136 Resp: 487940


Ion Ratio Lower Upper

136 100

137 11.3 8.7 13.1

54 7.0 4.6 6.8#

68 4.7 3.7 5.5






Abundance Ion 136.00 (135.70 to 136.70): BM010116.D (-1292) (-)

Ion 137.00 (136.70 to 137.70): BM010116.D (-1292) (-)

Ion 54.00 (53.70 to 54.70): BM010116.D (-1292) (-)

Ion 68.00 (67.70 to 68.70): BM010116.D (-1292) (-)





#23

Nitrobenzene-d5

Concen: 75.55 ng

RT: 9.15 min Scan# 1030

Delta R.T. -0.02 min

Lab File: BM010116.D





Acq: 22 May 2017 23:24

Instrument :

BNA_M

ClientSampled :

Tot Ion:	82	Resp:	683256
Ion	Ratio	Lower	Upper
82	100		
128	35.8	32.8	49.2
54	47.4	40.6	60.8



#38

Acenaphthene-d10

Concen: 20.00 ng




RT: 14.59 min Scan# 1956


Delta R.T. -0.02 min

Lab File: BM010116.D

Acq: 22 May 2017 23:24

Tgt Ion:	164	Resp:	311688
Ion	Ratio	Lower	Upper
164	100		
162	99.7	82.4	123.6
160	44.9	35.8	53.6









#41
 2,4,6-Tribromophenol
 Concen: 109.50 ng
 RT: 16.09 min Scan# 2210
 Delta R.T. -0.01 min
 Lab File: BM010116.D
 Acq: 22 May 2017 23:24

Instrument :
 BNA_M
 ClientSampled :

Tot Ion	Ratio	Lower	Upper
330	100		
332	96.6	0.0	0.0#
141	31.7	0.0	0.0#




Abundance Ion 329.80 (329.50 to 330.50): E
 Ion 331.80 (331.50 to 332.50): E
 Ion 141.00 (140.70 to 141.70): E






#44
 2-Fluorobiphenyl
 Concen: 70.62 ng
 RT: 13.22 min Scan# 1722
 Delta R.T. -0.02 min
 Lab File: BM010116.D
 Acq: 22 May 2017 23:24

Tgt Ion	Ratio	Lower	Upper
172	100		
171	35.7	28.5	42.7
170	23.2	18.8	28.2



Abundance Ion 172.00 (171.70 to 172.70): E
 Ion 171.00 (170.70 to 171.70): E
 Ion 170.00 (169.70 to 170.70): E





#49

Dimethylphthalate

Concen: 10.20 ng

RT: 14.06 min Scan# 1865

Delta R.T. -0.02 min

Lab File: BM010116.D

Acq: 22 May 2017 23:24

Instrument :

BNA_M

ClientSampled :


Tot Ion:163 Resp: 283659

Ion Ratio Lower Upper

163 100

194 4.9 2.7 4.1#




164 9.4 8.2 12.2



Abundance Ion 163.00 (162.70 to 163.70): E

Ion 194.00 (193.70 to 194.70): E

Ion 164.00 (163.70 to 164.70): E



#63

Phenanthrene-d10

Concen: 20.00 ng

RT: 17.34 min Scan# 2423

Delta R.T. -0.01 min

Lab File: BM010116.D

Acq: 22 May 2017 23:24


Tgt Ion:188 Resp: 811647

Ion Ratio Lower Upper

188 100

94 5.6 8.7 13.1#



80 7.0 9.3 13.9#




Abundance Ion 188.00 (187.70 to 188.70): E

Ion 94.00 (93.70 to 94.70): BM0

Ion 80.00 (79.70 to 80.70): BM0









#75
 Chrvsene-d12
 Concen: 20.00 ng
 RT: 21.50 min Scan# 3130
 Delta R.T. -0.01 min
 Lab File: BM010116.D
 Acq: 22 May 2017 23:24




Instrument :
 BNA_M
 ClientSampleId :


Tot Ion:240 Resp: 1245618
 Ion Ratio Lower Upper
 240 100
 120 5.9 8.2 12.2#
 236 25.3 20.0 30.0



#78
 Terphenyl-d14
 Concen: 57.90 ng
 RT: 19.94 min Scan# 2865
 Delta R.T. -0.01 min
 Lab File: BM010116.D
 Acq: 22 May 2017 23:24

Tgt Ion:244 Resp: 3171972
 Ion Ratio Lower Upper
 244 100
 212 7.1 4.9 7.3
 122 6.2 6.2 9.4#






#86
 Pervlene-d12
 Concen: 20.00 ng
 RT: 23.86 min Scan# 3532
 Delta R.T. -0.02 min
 Lab File: BM010116.D
 Acq: 22 May 2017 23:24

Instrument :
 BNA_M
 ClientSampleId :

Tot Ion:264 Resp: 1382225

Ion	Ratio	Lower	Upper
264	100		
260	23.7	18.6	27.8
265	22.9	17.3	25.9



Abundance Ion 264.00 (263.70 to 264.70): E
 Ion 260.00 (259.70 to 260.70): E
 Ion 265.00 (264.70 to 265.70): E

