

Data Path : Z:\HPCHEM1\BNA M\DATA\BM052517\
 Data File : BM010240.D
 Acq On : 26 May 2017 04:58
 Operator : SJ/MA
 Sample : I3331-20
 Misc :
 ALS Vial : 27 Sample Multiplier: 1

Instrument :
 BNA_M
 ClientSampleId :

Quant Time: May 26 07:41:31 2017
 Quant Method : Z:\HPCHEM1\BNA M\METHODS\8270-BM051917.M
 Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
 QLast Update : Fri May 26 07:20:25 2017
 Response via : Initial Calibration


Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) 1,4-Dichlorobenzene-d4	7.94	152	108285	20.00	ng	0.00
21) Naphthalene-d8	10.75	136	353177	20.00	ng	0.00
38) Acenaphthene-d10	14.57	164	214144	20.00	ng	0.00
63) Phenanthrene-d10	17.32	188	541825	20.00	ng	0.00
75) Chrysene-d12	21.48	240	880729	20.00	ng	0.00
86) Perylene-d12	23.84	264	951916	20.00	ng	0.00
System Monitoring Compounds						
5) 2-Fluorophenol	5.53	112	880651	146.86	ng	0.00
7) Phenol-d6	7.13	99	986384	127.84	ng	0.00
23) Nitrobenzene-d5	9.13	82	750208	114.60	ng	0.00
41) 2,4,6-Tribromophenol	16.07	330	525898	161.70	ng	0.00
44) 2-Fluorobiphenyl	13.20	172	1852690	111.22	ng	0.00
78) Terphenyl-d14	19.92	244	3669830	94.75	ng	0.00
Target Compounds						
15) Benzyl Alcohol	8.26	79	15828	2.71	ng	Qvalue # 45


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\HPCHEM1\BNA M\DATA\BM052517\
Data File : BM010240.D
Acq On : 26 May 2017 04:58
Operator : SJ/MA
Sample : I3331-20
Misc :
ALS Vial : 27 Sample Multiplier: 1

Instrument :
BNA_M
ClientSampleId :

Quant Time: May 26 07:41:31 2017
Quant Method : Z:\HPCHEM1\BNA M\METHODS\8270-BM051917.M
Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
QLast Update : Fri May 26 07:20:25 2017
Response via : Initial Calibration






#1




1,4-Dichlorobenzene-d4
Concen: 20.00 ng
RT: 7.94 min Scan# 825
Delta R.T. -0.01 min
Lab File: BM010240.D
Acq: 26 May 2017 04:58

Instrument :
BNA_M
ClientSampleId :

Tot Ion	Ratio	Lower	Upper
152	100		
150	160.2	119.5	179.3
115	62.7	43.0	64.4




Abundance Ion 152.00 (151.70 to 152.70): E
Ion 150.00 (149.70 to 150.70): E
Ion 115.00 (114.70 to 115.70): E





#5


2-Fluorophenol
Concen: 146.86 ng
RT: 5.53 min Scan# 415
Delta R.T. -0.00 min
Lab File: BM010240.D
Acq: 26 May 2017 04:58

Tgt Ion	Ratio	Lower	Upper
112	100		
64	62.5	38.6	57.8#
63	38.9	19.3	28.9#



Abundance Ion 112.00 (111.70 to 112.70): E
Ion 64.00 (63.70 to 64.70): BM0
Ion 63.00 (62.70 to 63.70): BM0





#7

Phenol-d6

Concen: 127.84 ng

RT: 7.13 min Scan# 687

Delta R.T. -0.01 min

Lab File: BM010240.D

Acq: 26 May 2017 04:58

Instrument :

BNA_M

ClientSampled :


Tot Ion: 99 Resp: 986384

Ion Ratio Lower Upper

99 100

42 22.2 11.0 16.4#




71 51.9 23.4 35.2#



Abundance Ion 99.00 (98.70 to 99.70): BM010069.D (-686) (-)

Ion 42.00 (41.70 to 42.70): BM010069.D (-686) (-)

Ion 71.00 (70.70 to 71.70): BM010069.D (-686) (-)



#15

Benzyl Alcohol

Concen: 2.71 ng

RT: 8.26 min Scan# 880

Delta R.T. 0.05 min

Lab File: BM010240.D

Acq: 26 May 2017 04:58


Tgt Ion: 79 Resp: 15828

Ion Ratio Lower Upper

79 100

108 57.5 65.0 97.4#



77 137.1 53.0 79.6#




Abundance Ion 79.00 (78.70 to 79.70): BM010069.D (-867) (-)

Ion 108.00 (107.70 to 108.70): BM010069.D (-867) (-)

Ion 77.00 (76.70 to 77.70): BM010069.D (-867) (-)





#21

Naphthalene-d8

Concen: 20.00 ng

RT: 10.75 min Scan# 1303

Delta R.T. -0.00 min

Lab File: BM010240.D

Acq: 26 May 2017 04:58

Instrument :

BNA_M

ClientSampleId :

Tot Ion:136 Resp: 353177


Ion Ratio Lower Upper

136 100

137 10.7 8.7 13.1

54 7.3 4.6 6.8#

68 5.0 3.7 5.5




Abundance Ion 136.00 (135.70 to 136.70): E



Ion 137.00 (136.70 to 137.70): E

Ion 54.00 (53.70 to 54.70): BM

Ion 68.00 (67.70 to 68.70): BM



Time-->



#23

Nitrobenzene-d5

Concen: 114.60 ng

RT: 9.13 min Scan# 1027

Delta R.T. -0.01 min

Lab File: BM010240.D

Acq: 26 May 2017 04:58


Tgt Ion: 82 Resp: 750208

Ion Ratio Lower Upper

82 100

128 33.4 32.8 49.2


54 48.3 40.6 60.8




Abundance Ion 82.00 (81.70 to 82.70): BM


Ion 128.00 (127.70 to 128.70): E

Ion 54.00 (53.70 to 54.70): BM



Time-->





#38

Acenaphthene-d10

Concen: 20.00 ng

RT: 14.57 min Scan# 1953

Delta R.T. -0.01 min

Lab File: BM010240.D

Acq: 26 May 2017 04:58


Instrument :

BNA_M

ClientSampleId :

Tot Ion:164 Resp: 214144

Ion	Ratio	Lower	Upper
164	100		
162	104.6	82.4	123.6
160	47.0	35.8	53.6






Abundance

Ion 164.00 (163.70 to 164.70): E

Ion 162.00 (161.70 to 162.70): E

Ion 160.00 (159.70 to 160.70): E



#41

2,4,6-Tribromophenol

Concen: 161.70 ng

RT: 16.07 min Scan# 2207


Delta R.T. -0.01 min

Lab File: BM010240.D

Acq: 26 May 2017 04:58

Tgt Ion:330 Resp: 525898

Ion	Ratio	Lower	Upper
330	100		
332	96.2	0.0	0.0#
141	35.1	0.0	0.0#





Abundance

Ion 329.80 (329.50 to 330.50): E

Ion 331.80 (331.50 to 332.50): E

Ion 141.00 (140.70 to 141.70): E









#44
2-Fluorobiphenyl
Concen: 111.22 ng
RT: 13.20 min Scan# 1719
Delta R.T. -0.00 min
Lab File: BM010240.D
Acq: 26 May 2017 04:58




Instrument :
BNA_M
ClientSampleId :


Tot Ion:172 Resp: 1852690
Ion Ratio Lower Upper
172 100
171 35.5 28.5 42.7
170 23.1 18.8 28.2



#63
Phenanthrene-d10
Concen: 20.00 ng
RT: 17.32 min Scan# 2420
Delta R.T. -0.01 min
Lab File: BM010240.D
Acq: 26 May 2017 04:58

Tgt Ion:188 Resp: 541825
Ion Ratio Lower Upper
188 100
94 4.7 8.7 13.1#
80 6.8 9.3 13.9#





#75

Chrysene-d12

Concen: 20.00 ng

RT: 21.48 min Scan# 3127

Delta R.T. -0.01 min

Lab File: BM010240.D

Acq: 26 May 2017 04:58

Instrument :

BNA_M

ClientSampleId :


Tot Ion:240 Resp: 880729

Ion Ratio Lower Upper

240 100

120 5.1 8.2 12.2#




236 25.4 20.0 30.0



Abundance Ion 240.00 (239.70 to 240.70): E

Ion 120.00 (119.70 to 120.70): E

Ion 236.00 (235.70 to 236.70): E



#78

Terphenyl-d14

Concen: 94.75 ng

RT: 19.92 min Scan# 2862

Delta R.T. -0.01 min

Lab File: BM010240.D

Acq: 26 May 2017 04:58


Tgt Ion:244 Resp: 3669830

Ion Ratio Lower Upper

244 100

212 7.6 4.9 7.3#



122 6.3 6.2 9.4




Abundance Ion 244.00 (243.70 to 244.70): E

Ion 212.00 (211.70 to 212.70): E

Ion 122.00 (121.70 to 122.70): E





#86
 Pervlene-d12
 Concen: 20.00 ng
 RT: 23.84 min Scan# 3528
 Delta R.T. -0.01 min
 Lab File: BM010240.D
 Acq: 26 May 2017 04:58

Instrument :
 BNA_M
 ClientSampleId :

Tot Ion	Ratio	Lower	Upper
264	100		
260	24.5	18.6	27.8
265	23.5	17.3	25.9

