

Data Path : Z:\HPCHEM1\BNA_M\DATA\BM052517\
 Data File : BM010232.D
 Acq On : 26 May 2017 00:10
 Operator : SJ/MA
 Sample : PB99276BL
 Misc :
 ALS Vial : 19 Sample Multiplier: 1

Instrument :
 BNA_M
 ClientSampleId :
 PB99276BL

Quant Time: May 26 07:43:32 2017
 Quant Method : Z:\HPCHEM1\BNA_M\METHODS\8270-BM051917.M
 Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
 QLast Update : Sat May 20 04:25:49 2017
 Response via : Initial Calibration

Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) 1,4-Dichlorobenzene-d4	7.95	152	121927	20.00	ng	-0.03
21) Naphthalene-d8	10.75	136	384040	20.00	ng	-0.04
38) Acenaphthene-d10	14.57	164	234838	20.00	ng	-0.04
63) Phenanthrene-d10	17.32	188	567388	20.00	ng	-0.03
75) Chrysene-d12	21.48	240	897297	20.00	ng	-0.03
86) Perylene-d12	23.84	264	902279	20.00	ng	-0.05
System Monitoring Compounds						
5) 2-Fluorophenol	5.53	112	858698	127.18	ng	-0.03
7) Phenol-d6	7.13	99	974725	112.19	ng	-0.04
23) Nitrobenzene-d5	9.13	82	684209	96.12	ng	-0.04
41) 2,4,6-Tribromophenol	16.07	330	426591	119.60	ng	-0.03
44) 2-Fluorobiphenyl	13.20	172	1683744	92.17	ng	-0.04
78) Terphenyl-d14	19.92	244	2851485	72.26	ng	-0.03


Target Compounds	Qvalue
------------------	--------


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\HPCHEM1\BNA_M\DATA\BM052517\
Data File : BM010232.D
Acq On : 26 May 2017 00:10
Operator : SJ/MA
Sample : PB99276BL
Misc :
ALS Vial : 19 Sample Multiplier: 1

Instrument :
BNA_M
ClientSampleId :
PB99276BL

Quant Time: May 26 07:43:32 2017
Quant Method : Z:\HPCHEM1\BNA_M\METHODS\8270-BM051917.M
Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
QLast Update : Sat May 20 04:25:49 2017
Response via : Initial Calibration






#1




1,4-Dichlorobenzene-d4
Concen: 20.00 ng
RT: 7.95 min Scan# 826
Delta R.T. -0.03 min
Lab File: BM010232.D
Acq: 26 May 2017 00:10

Instrument :
BNA_M
ClientSampleId :
PB99276BL

Tgt Ion	Ratio	Lower	Upper
152	100		
150	149.1	119.5	179.3
115	58.2	43.0	64.4




Abundance Ion 152.00 (151.70 to 152.70): E
Ion 150.00 (149.70 to 150.70): E
Ion 115.00 (114.70 to 115.70): E





#5


2-Fluorophenol
Concen: 127.18 ng
RT: 5.53 min Scan# 415
Delta R.T. -0.03 min
Lab File: BM010232.D
Acq: 26 May 2017 00:10

Tgt Ion	Ratio	Lower	Upper
112	100		
64	61.8	38.6	57.8#
63	37.6	19.3	28.9#



Abundance Ion 112.00 (111.70 to 112.70): E
Ion 64.00 (63.70 to 64.70): BM0
Ion 63.00 (62.70 to 63.70): BM0





#7

Phenol-d6

Concen: 112.19 ng

RT: 7.13 min Scan# 688

Delta R.T. -0.04 min

Lab File: BM010232.D

Acq: 26 May 2017 00:10

Instrument :

BNA_M

ClientSampleId :

PB99276BL


Tgt Ion: 99 Resp: 974725

Ion Ratio Lower Upper

99 100

42 20.5 11.0 16.4#




71 48.3 23.4 35.2#



Abundance Ion 99.00 (98.70 to 99.70): BM010069.D (-686) (-)

Ion 42.00 (41.70 to 42.70): BM010069.D (-686) (-)

Ion 71.00 (70.70 to 71.70): BM010069.D (-686) (-)



#21

Naphthalene-d8

Concen: 20.00 ng

RT: 10.75 min Scan# 1303

Delta R.T. -0.04 min

Lab File: BM010232.D

Acq: 26 May 2017 00:10

Tgt Ion: 136 Resp: 384040


Ion Ratio Lower Upper

136 100

137 10.3 8.7 13.1

54 6.9 4.6 6.8#

68 4.7 3.7 5.5






Abundance Ion 136.00 (135.70 to 136.70): BM010069.D (-1300) (-)

Ion 137.00 (136.70 to 137.70): BM010069.D (-1300) (-)

Ion 54.00 (53.70 to 54.70): BM010069.D (-1300) (-)

Ion 68.00 (67.70 to 68.70): BM010069.D (-1300) (-)









#23
 Nitrobenzene-d5
 Concen: 96.12 ng
 RT: 9.13 min Scan# 1027
 Delta R.T. -0.04 min
 Lab File: BM010232.D
 Acq: 26 May 2017 00:10




Instrument :
 BNA_M
 ClientSampleId :
 PB99276BL


Tgt Ion	Ratio	Lower	Upper
82	100		
128	34.5	32.8	49.2
54	47.4	40.6	60.8



#38
 Acenaphthene-d10
 Concen: 20.00 ng
 RT: 14.57 min Scan# 1953
 Delta R.T. -0.04 min
 Lab File: BM010232.D
 Acq: 26 May 2017 00:10

Tgt Ion	Ratio	Lower	Upper
164	100		
162	106.8	82.4	123.6
160	45.9	35.8	53.6









#41
 2,4,6-Tribromophenol
 Concen: 119.60 ng
 RT: 16.07 min Scan# 2207
 Delta R.T. -0.03 min
 Lab File: BM010232.D
 Acq: 26 May 2017 00:10

Instrument :
 BNA_M
 ClientSampleId :
 PB99276BL

Tgt Ion	Ratio	Lower	Upper
330	100		
332	96.5	0.0	0.0#
141	34.3	0.0	0.0#




Abundance Ion 329.80 (329.50 to 330.50): E
 Ion 331.80 (331.50 to 332.50): E
 Ion 141.00 (140.70 to 141.70): E






#44
 2-Fluorobiphenyl
 Concen: 92.17 ng
 RT: 13.20 min Scan# 1719
 Delta R.T. -0.04 min
 Lab File: BM010232.D
 Acq: 26 May 2017 00:10

Tgt Ion	Ratio	Lower	Upper
172	100		
171	35.8	28.5	42.7
170	23.5	18.8	28.2



Abundance Ion 172.00 (171.70 to 172.70): E
 Ion 171.00 (170.70 to 171.70): E
 Ion 170.00 (169.70 to 170.70): E





#63

Phenanthrene-d10

Concen: 20.00 ng

RT: 17.32 min Scan# 2420

Delta R.T. -0.03 min

Lab File: BM010232.D

Acq: 26 May 2017 00:10

Instrument :

BNA_M

ClientSampled :

PB99276BL


Tgt Ion:188 Resp: 567388

Ion Ratio Lower Upper

188 100

94 4.9 8.7 13.1#




80 6.7 9.3 13.9#



Abundance Ion 188.00 (187.70 to 188.70): E

Ion 94.00 (93.70 to 94.70): BM0

Ion 80.00 (79.70 to 80.70): BM0



#75

Chrysene-d12

Concen: 20.00 ng

RT: 21.48 min Scan# 3127

Delta R.T. -0.03 min

Lab File: BM010232.D

Acq: 26 May 2017 00:10


Tgt Ion:240 Resp: 897297

Ion Ratio Lower Upper

240 100

120 4.7 8.2 12.2#



236 24.2 20.0 30.0




Abundance Ion 240.00 (239.70 to 240.70): E

Ion 120.00 (119.70 to 120.70): E

Ion 236.00 (235.70 to 236.70): E





#78

Terphenyl-d14

Concen: 72.26 ng

RT: 19.92 min Scan# 2862

Delta R.T. -0.03 min

Lab File: BM010232.D

Acq: 26 May 2017 00:10

Instrument :

BNA_M

ClientSampleId :

PB99276BL


Tgt Ion:244 Resp: 2851485

Ion Ratio Lower Upper

244 100

212 7.8 4.9 7.3#




122 6.3 6.2 9.4



Abundance Ion 244.00 (243.70 to 244.70): E

Ion 212.00 (211.70 to 212.70): E

Ion 122.00 (121.70 to 122.70): E



#86

Perylene-d12

Concen: 20.00 ng

RT: 23.84 min Scan# 3528

Delta R.T. -0.05 min

Lab File: BM010232.D

Acq: 26 May 2017 00:10


Tgt Ion:264 Resp: 902279

Ion Ratio Lower Upper

264 100

260 23.5 18.6 27.8

265 22.1 17.3 25.9



Abundance Ion 264.00 (263.70 to 264.70): E

Ion 260.00 (259.70 to 260.70): E

Ion 265.00 (264.70 to 265.70): E

