

Data Path : Z:\svoasrv\HPCHEM1\BNA_M\Data\BM052622\
 Data File : BM035279.D
 Acq On : 26 May 2022 21:53
 Operator : CG/JU
 Sample : N2968-09DL 5X
 Misc :
 ALS Vial : 17 Sample Multiplier: 1

Instrument :
 BNA_M
 ClientSampleId :
 MW-39DL

Quant Time: May 27 03:35:48 2022
 Quant Method : Z:\svoasrv\HPCHEM1\BNA_M\Methods\8270-BM052622.M
 Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
 QLast Update : Thu May 26 18:41:37 2022
 Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)


Internal Standards						
1) 1,4-Dichlorobenzene-d4	7.881	152	107101	20.000	ng	0.00
21) Naphthalene-d8	10.680	136	457341	20.000	ng	# 0.00
39) Acenaphthene-d10	14.515	164	345008	20.000	ng	0.00
64) Phenanthrene-d10	17.262	188	837923	20.000	ng	# 0.00
76) Chrysene-d12	21.444	240	993278	20.000	ng	# 0.00
86) Perylene-d12	23.815	264	1045395	20.000	ng	0.00
System Monitoring Compounds						
5) 2-Fluorophenol	5.463	112	56269	10.154	ng	0.00
7) Phenol-d6	7.051	99	50234	6.529	ng	0.00
23) Nitrobenzene-d5	9.039	82	125722	15.847	ng	0.00
42) 2,4,6-Tribromophenol	16.004	330	155539	27.569	ng	0.00
45) 2-Fluorobiphenyl	13.145	172	436212	17.964	ng	0.00
79) Terphenyl-d14	19.886	244	887741	17.503	ng	0.00
Target Compounds						
						Qvalue
27) 2,4-Dimethylphenol	9.863	122	27763	4.907	ng	98
31) Naphthalene	10.733	128	1040162	46.256	ng	100
37) 2-Methylnaphthalene	12.345	142	394405	23.361	ng	98
38) 1-Methylnaphthalene	12.563	142	294244	17.695	ng	100


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\svoasrv\HPCHEM1\BNA_M\Data\BM052622\
Data File : BM035279.D
Acq On : 26 May 2022 21:53
Operator : CG/JU
Sample : N2968-09DL 5X
Misc :
ALS Vial : 17 Sample Multiplier: 1

Instrument :
BNA_M
ClientSampleId :
MW-39DL

Quant Time: May 27 03:35:48 2022
Quant Method : Z:\svoasrv\HPCHEM1\BNA_M\Methods\8270-BM052622.M
Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
QLast Update : Thu May 26 18:41:37 2022
Response via : Initial Calibration









#1
1,4-Dichlorobenzene-d4
Concen: 20.000 ng
RT: 7.881 min Scan# 815
Delta R.T. -0.000 min
Lab File: BM035279.D
Acq: 26 May 2022 21:53




Instrument :
BNA_M
ClientSampleId :
MW-39DL


Tgt Ion:152 Resp: 107101
Ion Ratio Lower Upper
152 100
150 154.1 124.9 187.3
115 55.7 47.9 71.9



#5
2-Fluorophenol
Concen: 10.154 ng
RT: 5.463 min Scan# 404
Delta R.T. 0.006 min
Lab File: BM035279.D
Acq: 26 May 2022 21:53

Tgt Ion:112 Resp: 56269
Ion Ratio Lower Upper
112 100
64 50.8 47.8 71.6
63 26.3 26.6 40.0#









#7
Phenol-d6
Concen: 6.529 ng
RT: 7.051 min Scan# 61
Delta R.T. -0.006 min
Lab File: BM035279.D
Acq: 26 May 2022 21:53




Instrument :
BNA_M
ClientSampleId :
MW-39DL


Tgt Ion: 99 Resp: 50234
Ion Ratio Lower Upper
99 100
42 18.5 18.8 28.2#
71 39.8 30.2 45.2



#21
Naphthalene-d8
Concen: 20.000 ng
RT: 10.680 min Scan# 1291
Delta R.T. -0.000 min
Lab File: BM035279.D
Acq: 26 May 2022 21:53

Tgt Ion: 136 Resp: 457341
Ion Ratio Lower Upper
136 100
137 10.7 8.9 13.3
54 5.8 7.0 10.4#
68 4.0 4.3 6.5#





#23

Nitrobenzene-d5

Concen: 15.847 ng

RT: 9.039 min Scan# 1013

Delta R.T. -0.006 min

Lab File: BM035279.D

Acq: 26 May 2022 21:53

Instrument :

BNA_M

ClientSampleId :

MW-39DL





Tgt Ion: 82 Resp: 125722

Ion Ratio Lower Upper

82 100

128 46.5 33.7 50.5

54 49.1 43.2 64.8



#27

2,4-Dimethylphenol

Concen: 4.907 ng

RT: 9.863 min Scan# 1152

Delta R.T. -0.000 min

Lab File: BM035279.D

Acq: 26 May 2022 21:53




Tgt Ion: 122 Resp: 27763


Ion Ratio Lower Upper

122 100

107 113.6 92.4 138.6

121 61.7 47.4 71.0









#31
Naphthalene
Concen: 46.256 ng
RT: 10.733 min Scan# 11
Delta R.T. -0.000 min
Lab File: BM035279.D
Acq: 26 May 2022 21:53




Instrument :
BNA_M
ClientSampleId :
MW-39DL


Tgt Ion:128 Resp: 1040162
Ion Ratio Lower Upper
128 100
129 11.2 8.7 13.1
127 13.3 10.6 16.0



#37
2-Methylnaphthalene
Concen: 23.361 ng
RT: 12.345 min Scan# 1574
Delta R.T. -0.000 min
Lab File: BM035279.D
Acq: 26 May 2022 21:53

Tgt Ion:142 Resp: 394405
Ion Ratio Lower Upper
142 100
141 90.6 72.4 108.6
115 33.3 29.6 44.4









#38
1-Methylnaphthalene
Concen: 17.695 ng
RT: 12.563 min Scan# 1
Delta R.T. -0.000 min
Lab File: BM035279.D
Acq: 26 May 2022 21:53




Instrument :
BNA_M
ClientSampleId :
MW-39DL


Tgt Ion:142 Resp: 294244
Ion Ratio Lower Upper
142 100
141 93.7 75.0 112.4
116 4.5 3.4 5.2



#39
Acenaphthene-d10
Concen: 20.000 ng
RT: 14.515 min Scan# 1943
Delta R.T. -0.007 min
Lab File: BM035279.D
Acq: 26 May 2022 21:53

Tgt Ion:164 Resp: 345008
Ion Ratio Lower Upper
164 100
162 105.3 83.0 124.6
160 45.6 37.0 55.4









#42
2,4,6-Tribromophenol
Concen: 27.569 ng
RT: 16.004 min Scan# 2197
Delta R.T. -0.006 min
Lab File: BM035279.D
Acq: 26 May 2022 21:53




Instrument :
BNA_M
ClientSampleId :
MW-39DL


Tgt Ion:330 Resp: 155539
Ion Ratio Lower Upper
330 100
332 95.8 77.0 115.4
141 27.0 35.3 52.9#



#45
2-Fluorobiphenyl
Concen: 17.964 ng
RT: 13.145 min Scan# 1710
Delta R.T. -0.000 min
Lab File: BM035279.D
Acq: 26 May 2022 21:53

Tgt Ion:172 Resp: 436212
Ion Ratio Lower Upper
172 100
171 34.6 28.5 42.7
170 22.6 18.7 28.1





#64

Phenanthrene-d10

Concen: 20.000 ng

RT: 17.262 min Scan# 2410

Delta R.T. -0.001 min

Lab File: BM035279.D

Acq: 26 May 2022 21:53

Instrument :

BNA_M

ClientSampleId :

MW-39DL





Tgt Ion:188 Resp: 837923

Ion Ratio Lower Upper

188 100

94 6.3 7.0 10.4#

80 6.9 7.6 11.4#



#76

Chrysene-d12

Concen: 20.000 ng

RT: 21.444 min Scan# 3121

Delta R.T. -0.006 min

Lab File: BM035279.D

Acq: 26 May 2022 21:53




Tgt Ion:240 Resp: 993278


Ion Ratio Lower Upper

240 100

120 7.4 9.4 14.0#

236 24.6 20.6 30.8









#79
 Terphenyl-d14
 Concen: 17.503 ng
 RT: 19.886 min Scan# 21
 Delta R.T. -0.006 min
 Lab File: BM035279.D
 Acq: 26 May 2022 21:53

Instrument :
 BNA_M
 ClientSampleId :
 MW-39DL

Tgt Ion:244 Resp: 887741
 Ion Ratio Lower Upper
 244 100
 212 6.5 6.2 9.4
 122 7.3 8.3 12.5#



#86
 Perylene-d12
 Concen: 20.000 ng
 RT: 23.815 min Scan# 3524
 Delta R.T. -0.006 min
 Lab File: BM035279.D
 Acq: 26 May 2022 21:53

Tgt Ion:264 Resp: 1045395
 Ion Ratio Lower Upper
 264 100
 260 23.0 18.9 28.3
 265 22.0 17.5 26.3

