

Data Path : Z:\HPCHEM1\BNA M\DATA\BM052717\
 Data File : BM010298.D
 Acq On : 28 May 2017 04:44
 Operator : SJ/MA
 Sample : I3162-17
 Misc :
 ALS Vial : 30 Sample Multiplier: 1

Instrument :
 BNA_M
 ClientSampleId :

Quant Time: May 29 06:54:32 2017
 Quant Method : Z:\HPCHEM1\BNA M\METHODS\SOM-EPA-BM052717.M
 Quant Title : SVOA CALIBRATION
 QLast Update : Mon May 29 06:51:20 2017
 Response via : Initial Calibration

Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) 1,4-Dichlorobenzene-d4	7.93	152	382454	20.00	ng/ul	0.00
18) Naphthalene-d8	10.73	136	1394723	20.00	ng/ul	0.00
35) Acenaphthene-d10	14.56	164	804047	20.00	ng/ul	0.00
61) Phenanthrene-d10	17.31	188	1866859	20.00	ng/ul	0.00
75) Chrysene-d12	21.47	240	2669194	20.00	ng/ul	0.00
83) Perylene-d12	23.82	264	2847749	20.00	ng/ul	0.00

System Monitoring Compounds	R.T.	QIon	Response	Conc	Units	Dev(Min)
3) 1,4-Dioxane-d8	3.39	96	21294	2.28	ng/uL	0.00
5) Phenol-d5	7.12	99	352916	12.18	ng/ul	0.00
7) Bis-(2-Chloroethyl)ether-d	7.27	67	201814	12.39	ng/ul	0.00
9) 2-Chlorophenol-d4	7.47	132	295002	12.77	ng/ul	0.00
13) 4-Methylphenol-d8	8.65	113	268202	11.47	ng/ul	0.00
19) Nitrobenzene-d5	9.11	128	131536	12.87	ng/ul	0.00
22) 2-Nitrophenol-d4	9.83	143	153181	12.94	ng/ul	0.00
26) 2,4-Dichlorophenol-d3	10.36	165	293906	12.09	ng/ul	0.00
29) 4-Chloroaniline-d4	10.97	131	768	0.03	ng/ul	0.08
43) Dimethylphthalate-d6	13.97	166	955577	14.30	ng/ul	0.00
46) Acenaphthylene-d8	14.26	160	1088905	13.97	ng/ul	0.00
51) 4-Nitrophenol-d4	14.81	143	104158	10.42	ng/ul	0.01
57) Fluorene-d10	15.55	176	804703	13.70	ng/ul	0.00
62) 4,6-Dinitro-2-methylphenol	15.67	200	141370	10.69	ng/ul	0.00
70) Anthracene-d10	17.40	188	1164205	12.82	ng/ul	0.00
76) Pyrene-d10	19.69	212	1573579	14.26	ng/ul	0.00
87) Benzo(a)pyrene-d12	23.67	264	1774766	13.39	ng/ul	0.00


Target Compounds	R.T.	QIon	Response	Conc	Units	Ovalue
44) Dimethylphthalate	14.02	163	368104	5.60	ng/ul	99


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\HPCHEM1\BNA M\DATA\BM052717\
Data File : BM010298.D
Acq On : 28 May 2017 04:44
Operator : SJ/MA
Sample : I3162-17
Misc :
ALS Vial : 30 Sample Multiplier: 1

Instrument :
BNA_M
ClientSampleId :

Quant Time: May 29 06:54:32 2017
Quant Method : Z:\HPCHEM1\BNA M\METHODS\SOM-EPA-BM052717.M
Quant Title : SVOA CALIBRATION
QLast Update : Mon May 29 06:51:20 2017
Response via : Initial Calibration





#44

Dimethylphthalate

Concen: 5.60 ng/ul

RT: 14.02 min Scan# 1859

Delta R.T. -0.00 min

Lab File: BM010298.D

Acq: 28 May 2017 04:44

Instrument :

BNA_M

ClientSampleId :


Tot Ion:163 Resp: 368104

Ion Ratio Lower Upper

163 100

194 4.5 3.5 5.3

164 10.0 8.2 12.4



Abundance Ion 163.00 (162.70 to 163.70): E

Ion 194.00 (193.70 to 194.70): E

Ion 164.00 (163.70 to 164.70): E

