

Data Path : Z:\svoasrv\HPCHEM1\BNA_M\Data\BM052722\
 Data File : BM035300.D
 Acq On : 27 May 2022 21:53
 Operator : CG/JU
 Sample : N2930-01
 Misc :
 ALS Vial : 19 Sample Multiplier: 1

Instrument :
 BNA_M
 ClientSampleId :
 P002-SS003-0006-01

Quant Time: May 28 05:14:06 2022
 Quant Method : Z:\svoasrv\HPCHEM1\BNA_M\Methods\8270-BM052722.M
 Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
 QLast Update : Fri May 27 16:44:39 2022
 Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)


Internal Standards						
1) 1,4-Dichlorobenzene-d4	7.875	152	125436	20.000	ng	0.00
21) Naphthalene-d8	10.675	136	481068	20.000	ng	0.00
39) Acenaphthene-d10	14.510	164	292647	20.000	ng	0.00
64) Phenanthrene-d10	17.257	188	602304	20.000	ng	0.00
76) Chrysene-d12	21.433	240	606445	20.000	ng	# 0.00
86) Perylene-d12	23.797	264	648337	20.000	ng	-0.01
System Monitoring Compounds						
5) 2-Fluorophenol	5.457	112	743853	109.492	ng	0.00
7) Phenol-d6	7.051	99	934716	106.256	ng	0.00
23) Nitrobenzene-d5	9.034	82	609785	69.777	ng	0.00
42) 2,4,6-Tribromophenol	15.998	330	367720	96.858	ng	0.00
45) 2-Fluorobiphenyl	13.139	172	1412212	66.920	ng	0.00
79) Terphenyl-d14	19.880	244	2043355	59.706	ng	0.00
Target Compounds						
32) Benzoic acid	9.986	122	69	2.917	ng	# 73


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\svoasrv\HPCHEM1\BNA_M\Data\BM052722\
Data File : BM035300.D
Acq On : 27 May 2022 21:53
Operator : CG/JU
Sample : N2930-01
Misc :
ALS Vial : 19 Sample Multiplier: 1

Instrument :
BNA_M
ClientSampleId :
P002-SS003-0006-01

Quant Time: May 28 05:14:06 2022
Quant Method : Z:\svoasrv\HPCHEM1\BNA_M\Methods\8270-BM052722.M
Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
QLast Update : Fri May 27 16:44:39 2022
Response via : Initial Calibration









#1
1,4-Dichlorobenzene-d4
Concen: 20.000 ng
RT: 7.875 min Scan# 814
Delta R.T. -0.000 min
Lab File: BM035300.D
Acq: 27 May 2022 21:53




Instrument :
BNA_M
ClientSampleId :
P002-SS003-0006-01


Tgt Ion:152 Resp: 125436
Ion Ratio Lower Upper
152 100
150 159.1 124.9 187.3
115 59.9 47.9 71.9



#5
2-Fluorophenol
Concen: 109.492 ng
RT: 5.457 min Scan# 403
Delta R.T. 0.000 min
Lab File: BM035300.D
Acq: 27 May 2022 21:53

Tgt Ion:112 Resp: 743853
Ion Ratio Lower Upper
112 100
64 58.7 47.8 71.6
63 32.7 26.6 40.0









#7
Phenol-d6
Concen: 106.256 ng
RT: 7.051 min Scan# 61
Delta R.T. 0.000 min
Lab File: BM035300.D
Acq: 27 May 2022 21:53




Instrument :
BNA_M
ClientSampleId :
P002-SS003-0006-01


Tgt Ion: 99 Resp: 934716
Ion Ratio Lower Upper
99 100
42 20.7 18.8 28.2
71 37.0 30.2 45.2



#21
Naphthalene-d8
Concen: 20.000 ng
RT: 10.675 min Scan# 1290
Delta R.T. -0.000 min
Lab File: BM035300.D
Acq: 27 May 2022 21:53

Tgt Ion: 136 Resp: 481068
Ion Ratio Lower Upper
136 100
137 10.7 8.9 13.3
54 7.4 7.0 10.4
68 5.0 4.3 6.5









#23
Nitrobenzene-d5
Concen: 69.777 ng
RT: 9.034 min Scan# 1011
Delta R.T. -0.000 min
Lab File: BM035300.D
Acq: 27 May 2022 21:53




Instrument :
BNA_M
ClientSampleId :
P002-SS003-0006-01


Tgt Ion: 82 Resp: 609785
Ion Ratio Lower Upper
82 100
128 43.6 33.7 50.5
54 51.1 43.2 64.8



#32
Benzoic acid
Concen: 2.917 ng
RT: 9.986 min Scan# 1173
Delta R.T. -0.024 min
Lab File: BM035300.D
Acq: 27 May 2022 21:53

Tgt Ion:122 Resp: 69
Ion Ratio Lower Upper
122 100
105 104.6 105.7 145.7#
77 137.1 80.0 120.0#









#39
Acenaphthene-d10
Concen: 20.000 ng
RT: 14.510 min Scan# 1943
Delta R.T. -0.005 min
Lab File: BM035300.D
Acq: 27 May 2022 21:53




Instrument :
BNA_M
ClientSampleId :
P002-SS003-0006-01


Tgt Ion:164 Resp: 292647
Ion Ratio Lower Upper
164 100
162 103.5 83.0 124.6
160 45.5 37.0 55.4



#42
2,4,6-Tribromophenol
Concen: 96.858 ng
RT: 15.998 min Scan# 2195
Delta R.T. -0.006 min
Lab File: BM035300.D
Acq: 27 May 2022 21:53

Tgt Ion:330 Resp: 367720
Ion Ratio Lower Upper
330 100
332 96.2 77.0 115.4
141 38.4 35.3 52.9









#45
2-Fluorobiphenyl
Concen: 66.920 ng
RT: 13.139 min Scan# 1
Delta R.T. 0.000 min
Lab File: BM035300.D
Acq: 27 May 2022 21:53




Instrument :
BNA_M
ClientSampleId :
P002-SS003-0006-01


Tgt Ion:172 Resp: 1412212
Ion Ratio Lower Upper
172 100
171 35.8 28.5 42.7
170 23.7 18.7 28.1



#64
Phenanthrene-d10
Concen: 20.000 ng
RT: 17.257 min Scan# 2409
Delta R.T. 0.000 min
Lab File: BM035300.D
Acq: 27 May 2022 21:53

Tgt Ion:188 Resp: 602304
Ion Ratio Lower Upper
188 100
94 7.1 7.0 10.4
80 8.0 7.6 11.4





#76

Chrysene-d12

Concen: 20.000 ng

RT: 21.433 min Scan# 31

Delta R.T. -0.006 min

Lab File: BM035300.D

Acq: 27 May 2022 21:53

Instrument :

BNA_M

ClientSampleId :

P002-SS003-0006-01





Tgt Ion:240 Resp: 606445

Ion Ratio Lower Upper

240 100

120 9.2 9.4 14.0#

236 25.6 20.6 30.8



#79

Terphenyl-d14

Concen: 59.706 ng

RT: 19.880 min Scan# 2855

Delta R.T. -0.000 min

Lab File: BM035300.D

Acq: 27 May 2022 21:53




Tgt Ion:244 Resp: 2043355


Ion Ratio Lower Upper

244 100

212 7.2 6.2 9.4

122 9.0 8.3 12.5





#86

Perylene-d12

Concen: 20.000 ng

RT: 23.797 min Scan# 3

Delta R.T. -0.012 min

Lab File: BM035300.D


Acq: 27 May 2022 21:53

Instrument :

BNA_M

ClientSampleId :

P002-SS003-0006-01



Tgt Ion:264 Resp: 648337

Ion Ratio Lower Upper

264 100

260 23.8 18.9 28.3

265 22.3 17.5 26.3

