

Data Path : Z:\svoasrv\HPCHEM1\BNA_M\Data\BM052822\
 Data File : BM035313.D
 Acq On : 28 May 2022 17:14
 Operator : CG/JU
 Sample : N2927-11
 Misc :
 ALS Vial : 12 Sample Multiplier: 1

Instrument :
 BNA_M
 ClientSampleId :
 P010-SS005-0006-01

Quant Time: May 29 00:33:54 2022
 Quant Method : Z:\svoasrv\HPCHEM1\BNA_M\Methods\8270-BM052722.M
 Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
 QLast Update : Fri May 27 16:44:39 2022
 Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)


Internal Standards						
1) 1,4-Dichlorobenzene-d4	7.875	152	105853	20.000	ng	0.00
21) Naphthalene-d8	10.675	136	382984	20.000	ng	# 0.00
39) Acenaphthene-d10	14.510	164	244939	20.000	ng	0.00
64) Phenanthrene-d10	17.257	188	574391	20.000	ng	0.00
76) Chrysene-d12	21.433	240	675895	20.000	ng	# 0.00
86) Perylene-d12	23.803	264	712675	20.000	ng	0.00
System Monitoring Compounds						
5) 2-Fluorophenol	5.457	112	639439	111.536	ng	0.00
7) Phenol-d6	7.051	99	792979	106.820	ng	0.00
23) Nitrobenzene-d5	9.034	82	492792	70.831	ng	0.00
42) 2,4,6-Tribromophenol	15.998	330	380148	119.635	ng	0.00
45) 2-Fluorobiphenyl	13.133	172	1170041	66.243	ng	0.00
79) Terphenyl-d14	19.880	244	2383942	62.500	ng	0.00
Target Compounds						
84) Bis(2-ethylhexyl)phtha...	21.356	149	215015	8.967	ng	# 99
85) Di-n-octyl phthalate	22.274	149	138976	3.493	ng	# 96


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\svoasrv\HPCHEM1\BNA_M\Data\BM052822\
Data File : BM035313.D
Acq On : 28 May 2022 17:14
Operator : CG/JU
Sample : N2927-11
Misc :
ALS Vial : 12 Sample Multiplier: 1

Instrument :
BNA_M
ClientSampleId :
P010-SS005-0006-01

Quant Time: May 29 00:33:54 2022
Quant Method : Z:\svoasrv\HPCHEM1\BNA_M\Methods\8270-BM052722.M
Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
QLast Update : Fri May 27 16:44:39 2022
Response via : Initial Calibration









#1
1,4-Dichlorobenzene-d4
Concen: 20.000 ng
RT: 7.875 min Scan# 814
Delta R.T. -0.000 min
Lab File: BM035313.D
Acq: 28 May 2022 17:14




Instrument :
BNA_M
ClientSampleId :
P010-SS005-0006-01


Tgt Ion:152 Resp: 105853
Ion Ratio Lower Upper
152 100
150 157.0 124.9 187.3
115 55.8 47.9 71.9



#5
2-Fluorophenol
Concen: 111.536 ng
RT: 5.457 min Scan# 403
Delta R.T. 0.000 min
Lab File: BM035313.D
Acq: 28 May 2022 17:14

Tgt Ion:112 Resp: 639439
Ion Ratio Lower Upper
112 100
64 55.8 47.8 71.6
63 29.4 26.6 40.0









#7
Phenol-d6
Concen: 106.820 ng
RT: 7.051 min Scan# 61
Delta R.T. 0.000 min
Lab File: BM035313.D
Acq: 28 May 2022 17:14




Instrument :
BNA_M
ClientSampleId :
P010-SS005-0006-01


Tgt Ion: 99 Resp: 792979
Ion Ratio Lower Upper
99 100
42 18.7 18.8 28.2#
71 35.3 30.2 45.2



#21
Naphthalene-d8
Concen: 20.000 ng
RT: 10.675 min Scan# 1290
Delta R.T. -0.000 min
Lab File: BM035313.D
Acq: 28 May 2022 17:14

Tgt Ion:136 Resp: 382984
Ion Ratio Lower Upper
136 100
137 11.1 8.9 13.3
54 6.8 7.0 10.4#
68 5.2 4.3 6.5









#23
Nitrobenzene-d5
Concen: 70.831 ng
RT: 9.034 min Scan# 1011
Delta R.T. -0.000 min
Lab File: BM035313.D
Acq: 28 May 2022 17:14




Instrument :
BNA_M
ClientSampleId :
P010-SS005-0006-01


Tgt Ion: 82 Resp: 492792
Ion Ratio Lower Upper
82 100
128 45.5 33.7 50.5
54 49.0 43.2 64.8



#39
Acenaphthene-d10
Concen: 20.000 ng
RT: 14.510 min Scan# 1942
Delta R.T. -0.005 min
Lab File: BM035313.D
Acq: 28 May 2022 17:14

Tgt Ion: 164 Resp: 244939
Ion Ratio Lower Upper
164 100
162 100.7 83.0 124.6
160 44.7 37.0 55.4









#42
2,4,6-Tribromophenol
Concen: 119.635 ng
RT: 15.998 min Scan# 2195
Delta R.T. -0.006 min
Lab File: BM035313.D
Acq: 28 May 2022 17:14




Instrument :
BNA_M
ClientSampleId :
P010-SS005-0006-01


Tgt Ion:330 Resp: 380148
Ion Ratio Lower Upper
330 100
332 97.1 77.0 115.4
141 32.9 35.3 52.9#



#45
2-Fluorobiphenyl
Concen: 66.243 ng
RT: 13.133 min Scan# 1708
Delta R.T. -0.006 min
Lab File: BM035313.D
Acq: 28 May 2022 17:14

Tgt Ion:172 Resp: 1170041
Ion Ratio Lower Upper
172 100
171 35.8 28.5 42.7
170 23.1 18.7 28.1









#64
Phenanthrene-d10
Concen: 20.000 ng
RT: 17.257 min Scan# 24
Delta R.T. 0.000 min
Lab File: BM035313.D
Acq: 28 May 2022 17:14




Instrument :
BNA_M
ClientSampleId :
P010-SS005-0006-01


Tgt Ion:188 Resp: 574391
Ion Ratio Lower Upper
188 100
94 7.1 7.0 10.4
80 7.9 7.6 11.4



#76
Chrysene-d12
Concen: 20.000 ng
RT: 21.433 min Scan# 3119
Delta R.T. -0.006 min
Lab File: BM035313.D
Acq: 28 May 2022 17:14

Tgt Ion:240 Resp: 675895
Ion Ratio Lower Upper
240 100
120 9.3 9.4 14.0#
236 25.9 20.6 30.8









#79
 Terphenyl-d14
 Concen: 62.500 ng
 RT: 19.880 min Scan# 21
 Delta R.T. -0.000 min
 Lab File: BM035313.D
 Acq: 28 May 2022 17:14




Instrument :
 BNA_M
 ClientSampleId :
 P010-SS005-0006-01


Tgt Ion:244 Resp: 2383942
 Ion Ratio Lower Upper
 244 100
 212 6.9 6.2 9.4
 122 8.3 8.3 12.5#



#84
 Bis(2-ethylhexyl)phthalate
 Concen: 8.967 ng
 RT: 21.356 min Scan# 3106
 Delta R.T. 0.000 min
 Lab File: BM035313.D
 Acq: 28 May 2022 17:14

Tgt Ion:149 Resp: 215015
 Ion Ratio Lower Upper
 149 100
 167 25.8 21.1 31.7
 279 4.7 2.8 4.2#









#85
Di-n-octyl phthalate
Concen: 3.493 ng
RT: 22.274 min Scan# 31
Delta R.T. 0.000 min
Lab File: BM035313.D
Acq: 28 May 2022 17:14

Instrument :
BNA_M
ClientSampleId :
P010-SS005-0006-01

Tgt Ion:149 Resp: 138976
Ion Ratio Lower Upper
149 100
167 6.1 1.3 1.9#
43 11.9 8.6 12.8



#86
Perylene-d12
Concen: 20.000 ng
RT: 23.803 min Scan# 3522
Delta R.T. -0.006 min
Lab File: BM035313.D
Acq: 28 May 2022 17:14

Tgt Ion:264 Resp: 712675
Ion Ratio Lower Upper
264 100
260 23.5 18.9 28.3
265 22.4 17.5 26.3

