

Data Path : Z:\SVOASRV\HPCHEM1\BNA M\DATA\BM052919\
 Data File : BM020588.D
 Acq On : 28 May 2019 22:18
 Operator : JU/SJ
 Sample : K2692-14
 Misc :
 ALS Vial : 8 Sample Multiplier: 1

Instrument :
 BNA_M
 ClientSampleId :

Quant Time: May 29 00:33:13 2019
 Quant Method : Z:\SVOASRV\HPCHEM1\BNA_M\METHODS\SOM-EPA-BM051619MA.M
 Quant Title : SVOA CALIBRATION
 QLast Update : Tue May 28 19:33:38 2019
 Response via : Initial Calibration

Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) 1,4-Dichlorobenzene-d4	7.63	152	47071	20.00	ng/ul	0.00
18) Naphthalene-d8	10.42	136	204822	20.00	ng/ul	0.00
35) Acenaphthene-d10	14.29	164	156201	20.00	ng/ul	0.00
61) Phenanthrene-d10	17.04	188	428294	20.00	ng/ul	0.00
77) Chrysene-d12	21.24	240	541319	20.00	ng/ul	0.00
85) Perylene-d12	23.47	264	630762	20.00	ng/ul	0.00

System Monitoring Compounds	R.T.	QIon	Response	Conc	Units	Dev(Min)
3) 1,4-Dioxane-d8	3.10	96	7065	5.54	ng/uL	0.00
5) Phenol-d5	6.82	99	53988	14.38	ng/ul	0.00
7) Bis-(2-Chloroethyl)ether-d	6.98	67	45197	18.93	ng/ul	0.00
9) 2-Chlorophenol-d4	7.16	132	60258	21.88	ng/ul	0.00
13) 4-Methylphenol-d8	8.36	113	44658	16.33	ng/ul	0.00
19) Nitrobenzene-d5	8.80	128	23517	17.65	ng/ul	0.00
22) 2-Nitrophenol-d4	9.52	143	28569	19.44	ng/ul	0.00
26) 2,4-Dichlorophenol-d3	10.06	165	52455	16.88	ng/ul	0.00
29) 4-Chloroaniline-d4	10.60	131	51001	15.89	ng/ul	0.00
43) Dimethylphthalate-d6	13.70	166	280117	24.93	ng/ul	0.00
46) Acenaphthylene-d8	13.99	160	314503	22.37	ng/ul	0.00
51) 4-Nitrophenol-d4	14.59	143	1776	1.09	ng/ul	-0.01
57) Fluorene-d10	15.29	176	256606	25.67	ng/ul	0.00
62) 4,6-Dinitro-2-methylphenol	15.44	200	25890	10.61	ng/ul	0.00
70) Anthracene-d10	17.14	188	425531	23.16	ng/ul	0.00
78) Pyrene-d10	19.44	212	581122	22.29	ng/ul	0.00
89) Benzo(a)pyrene-d12	23.33	264	678749	23.68	ng/ul	0.00


Target Compounds	R.T.	QIon	Response	Conc	Units	Ovalue
44) Dimethylphthalate	13.76	163	93056	8.370	ng/ul	98


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\SVOASRV\HPCHEM1\BNA M\DATA\BM052919\
Data File : BM020588.D
Acq On : 28 May 2019 22:18
Operator : JU/SJ
Sample : K2692-14
Misc :
ALS Vial : 8 Sample Multiplier: 1

Instrument :
BNA_M
ClientSampleId :

Quant Time: May 29 00:33:13 2019
Quant Method : Z:\SVOASRV\HPCHEM1\BNA_M\METHODS\SOM-EPA-BM051619MA.M
Quant Title : SVOA CALIBRATION
QLast Update : Tue May 28 19:33:38 2019
Response via : Initial Calibration





#44

Dimethylphthalate

Concen: 8.370 ng/ul

RT: 13.76 min Scan# 1831

Delta R.T. -0.00 min

Lab File: BM020588.D

Acq: 28 May 2019 22:18

Instrument :

BNA_M

ClientSampleId :


Tot Ion:163 Resp: 93056

Ion Ratio Lower Upper

163 100

194 4.4 3.3 4.9

164 10.8 8.0 12.0



Abundance Ion 163.00 (162.70 to 163.70): E

Ion 194.00 (193.70 to 194.70): E

Ion 164.00 (163.70 to 164.70): E

