

Data Path : Z:\SVOASRV\HPCHEM1\BNA M\DATA\BM052919\
 Data File : BM020594.D
 Acq On : 29 May 2019 01:57
 Operator : JU/SJ
 Sample : K2692-26
 Misc :
 ALS Vial : 14 Sample Multiplier: 1

Instrument :
 BNA_M
 ClientSampleId :
 A5187

Manual Integrations
 APPROVED

Sohil
 5/29/2019 6:39:00 AM

Quant Time: May 29 02:38:18 2019
 Quant Method : Z:\SVOASRV\HPCHEM1\BNA_M\METHODS\SOM-EPA-BM051619MA.M
 Quant Title : SVOA CALIBRATION
 QLast Update : Tue May 28 19:33:38 2019
 Response via : Initial Calibration

Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) 1,4-Dichlorobenzene-d4	7.63	152	49060m	20.00	ng/ul	0.00
18) Naphthalene-d8	10.42	136	203868	20.00	ng/ul	0.00
35) Acenaphthene-d10	14.29	164	153495	20.00	ng/ul	0.00
61) Phenanthrene-d10	17.04	188	413925	20.00	ng/ul	0.00
77) Chrysene-d12	21.24	240	536295	20.00	ng/ul	0.00
85) Perylene-d12	23.47	264	643032	20.00	ng/ul	0.00

System Monitoring Compounds						
3) 1,4-Dioxane-d8	3.10	96	7853	5.91	ng/uL	0.00
5) Phenol-d5	6.81	99	82596	21.10	ng/ul	0.00
7) Bis-(2-Chloroethyl)ether-d	6.97	67	56498	22.71	ng/ul	0.00
9) 2-Chlorophenol-d4	7.16	132	71681	24.97	ng/ul	0.00
13) 4-Methylphenol-d8	8.35	113	58199m	20.42	ng/ul	0.00
19) Nitrobenzene-d5	8.80	128	30126	22.71	ng/ul	0.00
22) 2-Nitrophenol-d4	9.52	143	36119	24.69	ng/ul	0.00
26) 2,4-Dichlorophenol-d3	10.05	165	76180m	24.63	ng/ul	0.00
29) 4-Chloroaniline-d4	10.58	131	76694m	24.00	ng/ul	-0.01
43) Dimethylphthalate-d6	13.70	166	329899	29.87	ng/ul	0.00
46) Acenaphthylene-d8	13.98	160	378372	27.39	ng/ul	0.00
51) 4-Nitrophenol-d4	14.60	143	16654m	10.39	ng/ul	0.00
57) Fluorene-d10	15.29	176	295865	30.12	ng/ul	0.00
62) 4,6-Dinitro-2-methylphenol	15.43	200	36892m	15.65	ng/ul	0.00
70) Anthracene-d10	17.14	188	466357	26.27	ng/ul	0.00
78) Pyrene-d10	19.44	212	697893	27.02	ng/ul	0.00
89) Benzo(a)pyrene-d12	23.33	264	819629	28.05	ng/ul	0.00

Target Compounds					Ovalue	
44) Dimethylphthalate	13.75	163	99480	9.106	ng/ul	98

(#) = qualifier out of range (m) = manual integration (+) = signals summed


Data Path : Z:\SVOASRV\HPCHEM1\BNA M\DATA\BM052919\
Data File : BM020594.D
Acq On : 29 May 2019 01:57
Operator : JU/SJ
Sample : K2692-26
Misc :
ALS Vial : 14 Sample Multiplier: 1


Instrument :
BNA_M
ClientSampleId :
A5187

Quant Time: May 29 02:38:18 2019
Quant Method : Z:\SVOASRV\HPCHEM1\BNA_M\METHODS\SOM-EPA-BM051619MA.M
Quant Title : SVOA CALIBRATION
QLast Update : Tue May 28 19:33:38 2019
Response via : Initial Calibration

Manual Integrations
APPROVED

Sohil
5/29/2019 6:39:00 AM





#44

Dimethylphthalate

Concen: 9.106 ng/ul

RT: 13.75 min Scan# 1830

Delta R.T. -0.01 min

Lab File: BM020594.D

Acq: 29 May 2019 01:57

Instrument :

BNA_M


ClientSampleId :

A5187

Tot Ion:	163	Resp:	99480
Ion Ratio	Lower	Upper	
163	100		
194	4.7	3.3	4.9
164	10.6	8.0	12.0

Manual Integrations
APPROVED

Sohil
5/29/2019 6:39:00 AM



Abundance

Ion 163.00 (162.70 to 163.70): E

Ion 194.00 (193.70 to 194.70): E

Ion 164.00 (163.70 to 164.70): E

