

Data File : BM010366.D
Acq On : 01 Jun 2017 21:35
Operator : SJ/MA
Sample : I3163-14
Misc :
ALS Vial : 20 Sample Multiplier: 1

Instrument :
BNA_M
ClientSampleId :
JHSG3

Quant Time: Jun 02 01:57:14 2017
Quant Method : Z:\HPCHEM1\BNA_M\METHODS\SOM-EPA-BM052717.M
Quant Title : SVOA CALIBRATION
QLast Update : Fri Jun 02 01:55:54 2017
Response via : Initial Calibration

Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) 1,4-Dichlorobenzene-d4	7.92	152	366276	20.00	ng/ul	0.00
18) Naphthalene-d8	10.72	136	1297912	20.00	ng/ul	0.00
35) Acenaphthene-d10	14.55	164	772339	20.00	ng/ul	0.00
61) Phenanthrene-d10	17.30	188	1791776	20.00	ng/ul	0.00
75) Chrysene-d12	21.46	240	2584100	20.00	ng/ul	0.00
83) Perylene-d12	23.82	264	2645866	20.00	ng/ul	0.00

System Monitoring Compounds

3) 1,4-Dioxane-d8	3.39	96	19016	2.13	ng/uL	0.00
5) Phenol-d5	7.10	99	471503	16.99	ng/ul	0.00
7) Bis-(2-Chloroethyl)ether-d	7.26	67	255578	16.38	ng/ul	0.00
9) 2-Chlorophenol-d4	7.46	132	393607	17.79	ng/ul	0.00
13) 4-Methylphenol-d8	8.64	113	349007	15.58	ng/ul	0.00
19) Nitrobenzene-d5	9.10	128	178723	18.80	ng/ul	0.00
22) 2-Nitrophenol-d4	9.82	143	221086	20.07	ng/ul	0.00
26) 2,4-Dichlorophenol-d3	10.35	165	432655	19.12	ng/ul	0.00
29) 4-Chloroaniline-d4	10.91	131	7761	0.36	ng/ul	0.02
43) Dimethylphthalate-d6	13.97	166	1360582	21.20	ng/ul	0.00
46) Acenaphthylene-d8	14.25	160	1531648	20.46	ng/ul	0.00
51) 4-Nitrophenol-d4	14.80	143	161965	16.87	ng/ul	0.00
57) Fluorene-d10	15.55	176	1151766	20.42	ng/ul	0.00
62) 4,6-Dinitro-2-methylphenol	15.67	200	213022	16.78	ng/ul	0.00
70) Anthracene-d10	17.40	188	1807104	20.73	ng/ul	0.00
76) Pyrene-d10	19.69	212	2602366	24.35	ng/ul	0.00
87) Benzo(a)pyrene-d12	23.66	264	2918243	23.69	ng/ul	0.00

Target Compounds					Qvalue
44) Dimethylphthalate	14.02	163	262879	4.17 ng/ul	98

(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data File : BM010366.D

Acq On : 01 Jun 2017 21:35

Operator : SJ/MA

Sample : I3163-14

Misc :

ALS Vial : 20 Sample Multiplier: 1

Instrument :

BNA_M

ClientSampleId :

JHSG3


Quant Time: Jun 02 01:57:14 2017


Quant Method : Z:\HPCHEM1\BNA_M\METHODS\SOM-EPA-BM052717.M

Quant Title : SVOA CALIBRATION

QLast Update : Fri Jun 02 01:55:54 2017

Response via : Initial Calibration





#44

Dimethylphthalate

Concen: 4.17 ng/ul

RT: 14.02 min Scan# 1858

Delta R.T. 0.00 min

Lab File: BM010366.D

Acq: 01 Jun 2017 21:35

Instrument :

BNA_M

ClientSampleId :

JHSG3

Tgt Ion:163 Resp: 262879

Ion Ratio Lower Upper

163 100

194 4.7 3.5 5.3

164 9.5 8.2 12.4

