

Data Path : Z:\HPCHEM1\BNA_M\DATA\BM060215\
 Data File : BM001531.D
 Acq On : 03 Jun 2015 02:00
 Operator : TP/IZ
 Sample : G2434-02
 Misc :
 ALS Vial : 17 Sample Multiplier: 1

Instrument :
 BNA_M
 ClientSampleId :
 052915-P20-F-D-S

Manual Integrations
 APPROVED

apatel
 6/3/2015 5:28:52 PM

Quant Time: Jun 03 09:11:10 2015
 Quant Method : Z:\HPCHEM1\BNA_M\METHODS\SIM-BM060215.M
 Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
 QLast Update : Wed Jun 03 02:19:00 2015
 Response via : Initial Calibration

Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) 1,4-Dichlorobenzene-d4	7.71	152	16562	5.00	ng	0.00
6) Naphthalene-d8	10.49	136	55453	5.00	ng	0.00
12) Acenaphthene-d10	14.36	164	25265	5.00	ng	0.00
18) Phenanthrene-d10	17.09	188	76741	5.00	ng	0.00
25) Chrysene-d12	21.28	240	42296	5.00	ng	-0.01
32) Perylene-d12	23.53	264	40448	5.00	ng	0.00
System Monitoring Compounds						
4) 2-Fluorophenol	5.28	112	19505	5.39	ng	-0.02
5) Phenol-d6	6.86	99	17025	3.80	ng	0.00
7) Nitrobenzene-d5	8.87	82	31894	9.24	ng	0.00
13) 2,4,6-Tribromophenol	15.83	330	7780	16.51	ng	0.00
14) 2-Fluorobiphenyl	12.98	172	67874	8.95	ng	0.00
27) Terphenyl-d14	19.73	244	53795	10.32	ng	0.00

Target Compounds	Qvalue
------------------	--------

(#) = qualifier out of range (m) = manual integration (+) = signals summed


Data Path : Z:\HPCHEM1\BNA_M\DATA\BM060215\
Data File : BM001531.D
Acq On : 03 Jun 2015 02:00
Operator : TP/IZ
Sample : G2434-02
Misc :
ALS Vial : 17 Sample Multiplier: 1


Instrument :
BNA_M
ClientSampleId :
052915-P20-F-D-S

Manual Integrations
APPROVED

apatel
6/3/2015 5:28:52 PM

Quant Time: Jun 03 09:11:10 2015
Quant Method : Z:\HPCHEM1\BNA_M\METHODS\SIM-BM060215.M
Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
QLast Update : Wed Jun 03 02:19:00 2015
Response via : Initial Calibration





#1

1,4-Dichlorobenzene-d4

Concen: 5.00 ng

RT: 7.71 min Scan# 326

Delta R.T. -0.00 min

Lab File: BM001531.D


Acq: 03 Jun 2015 02:00

Instrument :

BNA_M

ClientSampleId :




052915-P20-F-D-S



Tgt Ion:	152	Resp:	16562
Ion Ratio	Lower	Upper	
152	100		
150	151.0	119.0	178.6
115	59.2	41.8	62.8

Manual Integrations
APPROVED

apatel
6/3/2015 5:28:52 PM



#4

2-Fluorophenol

Concen: 5.39 ng




RT: 5.28 min Scan# 169




Delta R.T. -0.02 min

Lab File: BM001531.D

Acq: 03 Jun 2015 02:00

Tgt Ion:	112	Resp:	19505
Ion Ratio	Lower	Upper	
112	100		
64	66.8	51.7	77.5
63	36.8	29.7	44.5





#5

Phenol-d6

Concen: 3.80 ng

RT: 6.86 min Scan# 271

Delta R.T. -0.00 min

Lab File: BM001531.D

Acq: 03 Jun 2015 02:00

Tgt Ion:	99	Resp:	17025
Ion Ratio	Lower	Upper	
99	100		
42	24.6	21.8	32.6
71	35.4	29.2	43.8

Instrument :





BNA_M

ClientSampleId :

052915-P20-F-D-S

Manual Integrations
APPROVED

apatel
6/3/2015 5:28:52 PM



#6

Naphthalene-d8

Concen: 5.00 ng


RT: 10.49 min Scan# 553


Delta R.T. -0.00 min

Lab File: BM001531.D

Acq: 03 Jun 2015 02:00

Tgt Ion:	136	Resp:	55453
Ion Ratio	Lower	Upper	
136	100		
137	10.5	9.1	13.7
54	11.0	4.3	6.5#
68	6.5	2.6	4.0#





#7

Nitrobenzene-d5

Concen: 9.24 ng

RT: 8.87 min Scan# 423

Delta R.T. -0.00 min

Lab File: BM001531.D


Acq: 03 Jun 2015 02:00

Instrument :

BNA_M

ClientSampleId :

052915-P20-F-D-S



Tgt Ion: 82 Resp: 31894

Ion Ratio Lower Upper




82 100

128 40.1 30.2 45.4

54 51.2 52.9 79.3#

Manual Integrations
APPROVED

apatel
6/3/2015 5:28:52 PM



#12

Acenaphthene-d10

Concen: 5.00 ng

RT: 14.36 min Scan# 881

Delta R.T. -0.01 min

Lab File: BM001531.D

Acq: 03 Jun 2015 02:00




Tgt Ion: 164 Resp: 25265


Ion Ratio Lower Upper

164 100

162 100.4 83.4 125.2

160 43.8 36.9 55.3









#13
 2,4,6-Tribromophenol
 Concen: 16.51 ng
 RT: 15.83 min Scan# 943
 Delta R.T. -0.01 min
 Lab File: BM001531.D
 Acq: 03 Jun 2015 02:00

Instrument :
 BNA_M
 ClientSampleId :
 052915-P20-F-D-S

Tgt Ion	Ratio	Resp	Lower	Upper
330	100	7780		
332	85.7	90.3	135.5#	
141	50.2	0.0	0.0#	




Manual Integrations
 APPROVED


apatel
 6/3/2015 5:28:52 PM



#14
 2-Fluorobiphenyl
 Concen: 8.95 ng
 RT: 12.98 min Scan# 761
 Delta R.T. -0.01 min
 Lab File: BM001531.D
 Acq: 03 Jun 2015 02:00

Tgt Ion	Ratio	Resp	Lower	Upper
172	100	67874		
171	33.0	29.4	44.0	
170	21.1	20.2	30.4	





#18

Phenanthrene-d10

Concen: 5.00 ng

RT: 17.09 min Scan# 980

Delta R.T. -0.01 min

Lab File: BM001531.D


Acq: 03 Jun 2015 02:00

Instrument :

BNA_M

ClientSampleId :




052915-P20-F-D-S



Tgt Ion	Ratio	Resp	Lower	Upper
188	100	76741		
94	3.9		3.0	4.4
80	3.3		2.5	3.7

Manual Integrations
APPROVED

apatel
6/3/2015 5:28:52 PM



#25

Chrysene-d12

Concen: 5.00 ng




RT: 21.28 min Scan# 1252


Delta R.T. -0.01 min

Lab File: BM001531.D

Acq: 03 Jun 2015 02:00

Tgt Ion	Ratio	Resp	Lower	Upper
240	100	42296		
120	16.9		9.7	14.5#
236	31.6		24.8	37.2









#27
 Terphenyl-d14
 Concen: 10.32 ng
 RT: 19.73 min Scan# 1137
 Delta R.T. -0.01 min
 Lab File: BM001531.D
 Acq: 03 Jun 2015 02:00

Instrument :
 BNA_M
 ClientSampleId :
 052915-P20-F-D-S

Tgt Ion	Ratio	Resp Lower	Resp Upper
244	100		
212	11.5	7.2	10.8#
122	21.2	5.1	7.7#

Manual Integrations
 APPROVED

apatel
 6/3/2015 5:28:52 PM



#32
 Perylene-d12
 Concen: 5.00 ng
 RT: 23.53 min Scan# 1445
 Delta R.T. -0.01 min
 Lab File: BM001531.D
 Acq: 03 Jun 2015 02:00

Tgt Ion	Ratio	Resp Lower	Resp Upper
264	100		
260	25.6	20.1	30.1
265	22.2	17.1	25.7

