

Data Path : Z:\SVOASRV\HPCHEM1\BNA M\DATA\BM060618\
 Data File : BM015494.D
 Acq On : 06 Jun 2018 18:05
 Operator : SJ/JU
 Sample : J3271-02
 Misc :
 ALS Vial : 11 Sample Multiplier: 1

Instrument :
 BNA_M
 ClientSampleId :
 TP-7A-WC-1

Quant Time: Jun 06 18:41:32 2018
 Quant Method : Z:\SVOASRV\HPCHEM1\BNA M\METHODS\8270-BM052518.M
 Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
 QLast Update : Wed Jun 06 14:01:06 2018
 Response via : Initial Calibration

Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) 1,4-Dichlorobenzene-d4	8.36	152	142719	20.00	ng	0.00
21) Naphthalene-d8	11.19	136	556056	20.00	ng	0.00
38) Acenaphthene-d10	14.97	164	290263	20.00	ng	0.00
63) Phenanthrene-d10	17.69	188	642285	20.00	ng	0.00
75) Chrysene-d12	21.80	240	620860	20.00	ng	0.00
86) Perylene-d12	24.22	264	657032	20.00	ng	0.00
System Monitoring Compounds						
5) 2-Fluorophenol	5.85	112	1160084	138.27	ng	0.00
7) Phenol-d6	7.50	99	1391907	109.76	ng	0.00
23) Nitrobenzene-d5	9.55	82	1025981	100.36	ng	0.00
41) 2,4,6-Tribromophenol	16.45	330	621109	148.90	ng	0.00
44) 2-Fluorobiphenyl	13.60	172	2091007	96.72	ng	0.00
78) Terphenyl-d14	20.25	244	3587933	133.39	ng	0.00


Target Compounds Qvalue


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\SVOASRV\HPCHEM1\BNA M\DATA\BM060618\
Data File : BM015494.D
Acq On : 06 Jun 2018 18:05
Operator : SJ/JU
Sample : J3271-02
Misc :
ALS Vial : 11 Sample Multiplier: 1

Instrument :
BNA_M
ClientSampleId :
TP-7A-WC-1

Quant Time: Jun 06 18:41:32 2018
Quant Method : Z:\SVOASRV\HPCHEM1\BNA M\METHODS\8270-BM052518.M
Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
QLast Update : Wed Jun 06 14:01:06 2018
Response via : Initial Calibration






#1




1,4-Dichlorobenzene-d4
Concen: 20.000 ng
RT: 8.36 min Scan# 862
Delta R.T. 0.00 min
Lab File: BM015494.D
Acq: 06 Jun 2018 18:05

Instrument :
BNA_M
ClientSampleId :
TP-7A-WC-1

Tot Ion:152 Resp: 142719
Ion Ratio Lower Upper
152 100
150 155.9 119.5 179.3
115 62.3 43.0 64.4




Abundance Ion 152.00 (151.70 to 152.70): E
Ion 150.00 (149.70 to 150.70): E
Ion 115.00 (114.70 to 115.70): E





#5


2-Fluorophenol
Concen: 138.266 ng
RT: 5.85 min Scan# 436
Delta R.T. 0.00 min
Lab File: BM015494.D
Acq: 06 Jun 2018 18:05

Tgt Ion:112 Resp: 1160084
Ion Ratio Lower Upper
112 100
64 63.4 38.6 57.8#
63 35.2 19.3 28.9#



Abundance Ion 112.00 (111.70 to 112.70): E
Ion 64.00 (63.70 to 64.70): BM0
Ion 63.00 (62.70 to 63.70): BM0





#7

Phenol-d6

Concen: 109.760 ng

RT: 7.50 min Scan# 717

Delta R.T. 0.00 min

Lab File: BM015494.D

Acq: 06 Jun 2018 18:05

Instrument :

BNA_M

ClientSampled :

TP-7A-WC-1


Tot Ion: 99 Resp: 1391907

Ion Ratio Lower Upper

99 100

42 24.7 11.0 16.4#




71 38.3 23.4 35.2#



Abundance Ion 99.00 (98.70 to 99.70): BM015494.D (-715) (-)

Ion 42.00 (41.70 to 42.70): BM015494.D (-715) (-)

Ion 71.00 (70.70 to 71.70): BM015494.D (-715) (-)



#21

Naphthalene-d8

Concen: 20.000 ng

RT: 11.19 min Scan# 1343

Delta R.T. -0.01 min

Lab File: BM015494.D

Acq: 06 Jun 2018 18:05

Tgt Ion: 136 Resp: 556056


Ion Ratio Lower Upper

136 100

137 10.4 8.7 13.1

54 9.1 4.6 6.8#

68 5.8 3.7 5.5#






Abundance Ion 136.00 (135.70 to 136.70): BM015494.D (-1343) (-)

Ion 137.00 (136.70 to 137.70): BM015494.D (-1343) (-)

Ion 54.00 (53.70 to 54.70): BM015494.D (-1343) (-)

Ion 68.00 (67.70 to 68.70): BM015494.D (-1343) (-)





#23

Nitrobenzene-d5

Concen: 100.361 ng

RT: 9.55 min Scan# 1064

Delta R.T. 0.00 min

Lab File: BM015494.D

Acq: 06 Jun 2018 18:05

Instrument :


BNA_M

ClientSampleId :

TP-7A-WC-1

Tot Ion: 82 Resp: 1025981

Ion	Ratio	Lower	Upper
82	100		
128	42.2	32.8	49.2
54	55.4	40.6	60.8






Abundance

Ion 82.00 (81.70 to 82.70): BM015319.D (-1063) (-)

Ion 128.00 (127.70 to 128.70): BM015319.D (-1063) (-)

Ion 54.00 (53.70 to 54.70): BM015319.D (-1063) (-)



#38

Acenaphthene-d10

Concen: 20.000 ng

RT: 14.97 min Scan# 1987


Delta R.T. 0.00 min

Lab File: BM015494.D

Acq: 06 Jun 2018 18:05

Tgt Ion:164 Resp: 290263

Ion	Ratio	Lower	Upper
164	100		
162	104.9	82.4	123.6
160	47.0	35.8	53.6






Abundance

Ion 164.00 (163.70 to 164.70): BM015319.D (-1986) (-)

Ion 162.00 (161.70 to 162.70): BM015319.D (-1986) (-)

Ion 160.00 (159.70 to 160.70): BM015319.D (-1986) (-)









#41
 2,4,6-Tribromophenol
 Concen: 148.901 ng
 RT: 16.45 min Scan# 2238
 Delta R.T. 0.00 min
 Lab File: BM015494.D
 Acq: 06 Jun 2018 18:05

Instrument :
 BNA_M
 ClientSampleId :
 TP-7A-WC-1

Tot Ion:330 Resp: 621109
 Ion Ratio Lower Upper
 330 100
 332 96.5 0.0 0.0#
 141 40.7 0.0 0.0#




Abundance Ion 329.80 (329.50 to 330.50): E
 Ion 331.80 (331.50 to 332.50): E
 Ion 141.00 (140.70 to 141.70): E






#44
 2-Fluorobiphenyl
 Concen: 96.723 ng
 RT: 13.60 min Scan# 1754
 Delta R.T. 0.00 min
 Lab File: BM015494.D
 Acq: 06 Jun 2018 18:05

Tgt Ion:172 Resp: 2091007
 Ion Ratio Lower Upper
 172 100
 171 35.5 28.5 42.7
 170 23.5 18.8 28.2



Abundance Ion 172.00 (171.70 to 172.70): E
 Ion 171.00 (170.70 to 171.70): E
 Ion 170.00 (169.70 to 170.70): E









#63
Phenanthrene-d10
Concen: 20.000 ng
RT: 17.69 min Scan# 2449
Delta R.T. -0.01 min
Lab File: BM015494.D
Acq: 06 Jun 2018 18:05

Instrument :
BNA_M
ClientSampleId :
TP-7A-WC-1

Tot Ion:188 Resp: 642285
Ion Ratio Lower Upper
188 100
94 8.8 8.7 13.1
80 10.9 9.3 13.9




Abundance Ion 188.00 (187.70 to 188.70): E
Ion 94.00 (93.70 to 94.70): BMO
Ion 80.00 (79.70 to 80.70): BMO






#75
Chrysene-d12
Concen: 20.000 ng
RT: 21.80 min Scan# 3147
Delta R.T. -0.01 min
Lab File: BM015494.D
Acq: 06 Jun 2018 18:05

Tgt Ion:240 Resp: 620860
Ion Ratio Lower Upper
240 100
120 10.4 8.2 12.2
236 26.1 20.0 30.0



Abundance Ion 240.00 (239.70 to 240.70): E
Ion 120.00 (119.70 to 120.70): E
Ion 236.00 (235.70 to 236.70): E





#78

Terphenyl-d14

Concen: 133.389 ng

RT: 20.25 min Scan# 2884

Delta R.T. -0.01 min

Lab File: BM015494.D

Acq: 06 Jun 2018 18:05

Instrument :

BNA_M

ClientSampleId :

TP-7A-WC-1


Tot Ion:244 Resp: 3587933

Ion Ratio Lower Upper




244 100

212 7.7 4.9 7.3#

122 11.9 6.2 9.4#



Abundance Ion 244.00 (243.70 to 244.70): E
Ion 212.00 (211.70 to 212.70): E
Ion 122.00 (121.70 to 122.70): E



#86

Perylene-d12

Concen: 20.000 ng

RT: 24.22 min Scan# 3559

Delta R.T. -0.01 min

Lab File: BM015494.D

Acq: 06 Jun 2018 18:05


Tgt Ion:264 Resp: 657032

Ion Ratio Lower Upper

264 100

260 24.4 18.6 27.8

265 22.5 17.3 25.9



Abundance Ion 264.00 (263.70 to 264.70): E
Ion 260.00 (259.70 to 260.70): E
Ion 265.00 (264.70 to 265.70): E

