

Data Path : Z:\SVOASRV\HPCHEM1\BNA M\DATA\BM060618\
 Data File : BM015496.D
 Acq On : 06 Jun 2018 19:19
 Operator : SJ/JU
 Sample : J3271-06
 Misc :
 ALS Vial : 13 Sample Multiplier: 1

Instrument :
 BNA_M
 ClientSampleId :
 TP-7A-WC-3

Quant Time: Jun 06 19:50:31 2018
 Quant Method : Z:\SVOASRV\HPCHEM1\BNA M\METHODS\8270-BM052518.M
 Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
 QLast Update : Wed Jun 06 14:01:06 2018
 Response via : Initial Calibration

Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) 1,4-Dichlorobenzene-d4	8.36	152	133716	20.00	ng	0.00
21) Naphthalene-d8	11.19	136	511422	20.00	ng	0.00
38) Acenaphthene-d10	14.97	164	266935	20.00	ng	0.00
63) Phenanthrene-d10	17.69	188	578805	20.00	ng	0.00
75) Chrysene-d12	21.80	240	584032	20.00	ng	0.00
86) Perylene-d12	24.22	264	600078	20.00	ng	-0.01
System Monitoring Compounds						
5) 2-Fluorophenol	5.85	112	1085661	138.11	ng	0.00
7) Phenol-d6	7.50	99	1279435	107.68	ng	0.00
23) Nitrobenzene-d5	9.54	82	981664	104.41	ng	0.00
41) 2,4,6-Tribromophenol	16.45	330	557736	145.39	ng	0.00
44) 2-Fluorobiphenyl	13.60	172	1966652	98.92	ng	0.00
78) Terphenyl-d14	20.25	244	3238910	128.01	ng	0.00


Target Compounds Qvalue


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\SVOASRV\HPCHEM1\BNA M\DATA\BM060618\
Data File : BM015496.D
Acq On : 06 Jun 2018 19:19
Operator : SJ/JU
Sample : J3271-06
Misc :
ALS Vial : 13 Sample Multiplier: 1

Instrument :
BNA_M
ClientSampleId :
TP-7A-WC-3

Quant Time: Jun 06 19:50:31 2018
Quant Method : Z:\SVOASRV\HPCHEM1\BNA M\METHODS\8270-BM052518.M
Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
QLast Update : Wed Jun 06 14:01:06 2018
Response via : Initial Calibration






#1




1,4-Dichlorobenzene-d4
Concen: 20.000 ng
RT: 8.36 min Scan# 862
Delta R.T. 0.00 min
Lab File: BM015496.D
Acq: 06 Jun 2018 19:19

Instrument :
BNA_M
ClientSampleId :
TP-7A-WC-3

Tot Ion:152 Resp: 133716
Ion Ratio Lower Upper
152 100
150 159.5 119.5 179.3
115 62.3 43.0 64.4




Abundance Ion 152.00 (151.70 to 152.70): E
Ion 150.00 (149.70 to 150.70): E
Ion 115.00 (114.70 to 115.70): E





#5


2-Fluorophenol
Concen: 138.108 ng
RT: 5.85 min Scan# 436
Delta R.T. 0.00 min
Lab File: BM015496.D
Acq: 06 Jun 2018 19:19

Tgt Ion:112 Resp: 1085661
Ion Ratio Lower Upper
112 100
64 63.4 38.6 57.8#
63 34.7 19.3 28.9#



Abundance Ion 112.00 (111.70 to 112.70): E
Ion 64.00 (63.70 to 64.70): BM0
Ion 63.00 (62.70 to 63.70): BM0





#7

Phenol-d6

Concen: 107.684 ng

RT: 7.50 min Scan# 716

Delta R.T. -0.01 min

Lab File: BM015496.D

Acq: 06 Jun 2018 19:19

Instrument :

BNA_M

ClientSampleId :

TP-7A-WC-3





Tot Ion: 99 Resp: 1279435

Ion Ratio Lower Upper

99 100

42 25.6 11.0 16.4#

71 38.4 23.4 35.2#



#21

Naphthalene-d8

Concen: 20.000 ng

RT: 11.19 min Scan# 1343

Delta R.T. -0.01 min

Lab File: BM015496.D

Acq: 06 Jun 2018 19:19

Tgt Ion: 136 Resp: 511422




Ion Ratio Lower Upper


136 100

137 10.3 8.7 13.1

54 8.9 4.6 6.8#

68 5.8 3.7 5.5#





#23

Nitrobenzene-d5

Concen: 104.407 ng

RT: 9.54 min Scan# 1063

Delta R.T. -0.01 min

Lab File: BM015496.D

Acq: 06 Jun 2018 19:19

Instrument :

BNA_M

ClientSampleId :

TP-7A-WC-3





Tot Ion: 82 Resp: 981664

Ion Ratio Lower Upper

82 100

128 40.3 32.8 49.2

54 55.0 40.6 60.8



#38

Acenaphthene-d10

Concen: 20.000 ng

RT: 14.97 min Scan# 1987

Delta R.T. 0.00 min

Lab File: BM015496.D

Acq: 06 Jun 2018 19:19




Tgt Ion:164 Resp: 266935


Ion Ratio Lower Upper

164 100

162 104.9 82.4 123.6

160 47.2 35.8 53.6









#41
 2,4,6-Tribromophenol
 Concen: 145.393 ng
 RT: 16.45 min Scan# 2238
 Delta R.T. 0.00 min
 Lab File: BM015496.D
 Acq: 06 Jun 2018 19:19




Instrument :
 BNA_M
 ClientSampleId :
 TP-7A-WC-3


Tot Ion:330 Resp: 557736
 Ion Ratio Lower Upper
 330 100
 332 96.5 0.0 0.0#
 141 40.9 0.0 0.0#



#44
 2-Fluorobiphenyl
 Concen: 98.921 ng
 RT: 13.60 min Scan# 1754
 Delta R.T. 0.00 min
 Lab File: BM015496.D
 Acq: 06 Jun 2018 19:19

Tgt Ion:172 Resp: 1966652
 Ion Ratio Lower Upper
 172 100
 171 36.1 28.5 42.7
 170 23.8 18.8 28.2





#63

Phenanthrene-d10

Concen: 20.000 ng

RT: 17.69 min Scan# 2449

Delta R.T. -0.01 min

Lab File: BM015496.D

Acq: 06 Jun 2018 19:19

Instrument :

BNA_M

ClientSampleId :

TP-7A-WC-3


Tot Ion:188 Resp: 578805

Ion Ratio Lower Upper

188 100

94 9.3 8.7 13.1


80 11.2 9.3 13.9





Abundance Ion 188.00 (187.70 to 188.70): E

Ion 94.00 (93.70 to 94.70): BM0

Ion 80.00 (79.70 to 80.70): BM0



Time--> 17.60 17.70



#75

Chrysene-d12

Concen: 20.000 ng

RT: 21.80 min Scan# 3147

Delta R.T. -0.01 min

Lab File: BM015496.D

Acq: 06 Jun 2018 19:19


Tgt Ion:240 Resp: 584032

Ion Ratio Lower Upper

240 100

120 10.8 8.2 12.2


236 26.0 20.0 30.0




Abundance Ion 240.00 (239.70 to 240.70): E


Ion 120.00 (119.70 to 120.70): E

Ion 236.00 (235.70 to 236.70): E



Time--> 21.70 21.80 21.90





#78

Terphenyl-d14

Concen: 128.006 ng

RT: 20.25 min Scan# 2884

Delta R.T. -0.01 min

Lab File: BM015496.D

Acq: 06 Jun 2018 19:19

Instrument :


BNA_M

ClientSampleId :

TP-7A-WC-3

Tot Ion:244 Resp: 3238910




Ion	Ratio	Lower	Upper
244	100		
212	7.8	4.9	7.3#
122	11.9	6.2	9.4#



Abundance Ion 244.00 (243.70 to 244.70): E

Ion 212.00 (211.70 to 212.70): E

Ion 122.00 (121.70 to 122.70): E



#86

Perylene-d12

Concen: 20.000 ng

RT: 24.22 min Scan# 3558


Delta R.T. -0.01 min

Lab File: BM015496.D

Acq: 06 Jun 2018 19:19

Tgt Ion:264 Resp: 600078

Ion	Ratio	Lower	Upper
264	100		
260	24.1	18.6	27.8
265	22.1	17.3	25.9



Abundance Ion 264.00 (263.70 to 264.70): E

Ion 260.00 (259.70 to 260.70): E

Ion 265.00 (264.70 to 265.70): E

