

Data Path : Z:\SVOASRV\HPCHEM1\BNA M\DATA\BM060618\
 Data File : BM015520.D
 Acq On : 07 Jun 2018 10:48
 Operator : SJ/JU
 Sample : J3321-02
 Misc :
 ALS Vial : 35 Sample Multiplier: 1

Instrument :
 BNA_M
 ClientSampleId :
 060118-JETT-F-D-M

Quant Time: Jun 07 12:15:49 2018
 Quant Method : Z:\SVOASRV\HPCHEM1\BNA M\METHODS\8270-BM052518.M
 Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
 QLast Update : Wed Jun 06 14:01:06 2018
 Response via : Initial Calibration

Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) 1,4-Dichlorobenzene-d4	8.35	152	142151	20.00	ng	0.00
21) Naphthalene-d8	11.18	136	533696	20.00	ng	-0.01
38) Acenaphthene-d10	14.97	164	281467	20.00	ng	0.00
63) Phenanthrene-d10	17.69	188	604996	20.00	ng	-0.01
75) Chrysene-d12	21.79	240	596993	20.00	ng	-0.01
86) Perylene-d12	24.21	264	643298	20.00	ng	-0.02
System Monitoring Compounds						
5) 2-Fluorophenol	5.85	112	318659	38.13	ng	0.00
7) Phenol-d6	7.49	99	243457	19.27	ng	-0.01
23) Nitrobenzene-d5	9.54	82	1027744	104.75	ng	0.00
41) 2,4,6-Tribromophenol	16.44	330	349253	86.34	ng	0.00
44) 2-Fluorobiphenyl	13.60	172	2138485	102.01	ng	0.00
78) Terphenyl-d14	20.24	244	2681161	103.66	ng	-0.01


Target Compounds Qvalue


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\SVOASRV\HPCHEM1\BNA M\DATA\BM060618\
Data File : BM015520.D
Acq On : 07 Jun 2018 10:48
Operator : SJ/JU
Sample : J3321-02
Misc :
ALS Vial : 35 Sample Multiplier: 1

Instrument :
BNA_M
ClientSampleId :
060118-JETT-F-D-M

Quant Time: Jun 07 12:15:49 2018
Quant Method : Z:\SVOASRV\HPCHEM1\BNA M\METHODS\8270-BM052518.M
Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
QLast Update : Wed Jun 06 14:01:06 2018
Response via : Initial Calibration






#1




1,4-Dichlorobenzene-d4
Concen: 20.000 ng
RT: 8.35 min Scan# 861
Delta R.T. -0.01 min
Lab File: BM015520.D
Acq: 07 Jun 2018 10:48

Instrument :
BNA_M
ClientSampleId :
060118-JETT-F-D-M

Tot Ion	152	Resp	142151
Ion Ratio	Lower	Upper	
152	100		
150	154.6	119.5	179.3
115	62.3	43.0	64.4




Abundance Ion 152.00 (151.70 to 152.70): E
Ion 150.00 (149.70 to 150.70): E
Ion 115.00 (114.70 to 115.70): E





#5


2-Fluorophenol
Concen: Below ng
RT: 5.85 min Scan# 435
Delta R.T. -0.01 min
Lab File: BM015520.D
Acq: 07 Jun 2018 10:48

Tgt Ion	112	Resp	318659
Ion Ratio	Lower	Upper	
112	100		
64	62.7	38.6	57.8#
63	35.2	19.3	28.9#



Abundance Ion 112.00 (111.70 to 112.70): E
Ion 64.00 (63.70 to 64.70): BM0
Ion 63.00 (62.70 to 63.70): BM0





#7

Phenol-d6

Concen: N.D. ng

RT: 7.49 min Scan# 715

Delta R.T. -0.01 min

Lab File: BM015520.D

Acq: 07 Jun 2018 10:48

Instrument :

BNA_M

ClientSampleId :

060118-JETT-F-D-M


Tot Ion: 99 Resp: 243457

Ion Ratio Lower Upper

99 100

42 26.3 11.0 16.4#

71 39.0 23.4 35.2#






Abundance Ion 99.00 (98.70 to 99.70): BM015319.D (-715) (-)

Ion 42.00 (41.70 to 42.70): BM015319.D (-715) (-)

Ion 71.00 (70.70 to 71.70): BM015319.D (-715) (-)

Time-->



#21

Naphthalene-d8

Concen: 20.000 ng

RT: 11.18 min Scan# 1342

Delta R.T. -0.01 min

Lab File: BM015520.D

Acq: 07 Jun 2018 10:48

Tgt Ion: 136 Resp: 533696


Ion Ratio Lower Upper

136 100

137 11.1 8.7 13.1

54 9.3 4.6 6.8#

68 6.3 3.7 5.5#





Abundance Ion 136.00 (135.70 to 136.70): BM015319.D (-1343) (-)


Ion 137.00 (136.70 to 137.70): BM015319.D (-1343) (-)

Ion 54.00 (53.70 to 54.70): BM015319.D (-1343) (-)

Ion 68.00 (67.70 to 68.70): BM015319.D (-1343) (-)

Time-->









#23
Nitrobenzene-d5
Concen: N.D. ng
RT: 9.54 min Scan# 1063
Delta R.T. -0.01 min
Lab File: BM015520.D
Acq: 07 Jun 2018 10:48




Instrument :
BNA_M
ClientSampleId :
060118-JETT-F-D-M


Tot Ion: 82 Resp: 1027744
Ion Ratio Lower Upper
82 100
128 41.0 32.8 49.2
54 54.8 40.6 60.8



#38
Acenaphthene-d10
Concen: 20.000 ng
RT: 14.97 min Scan# 1986
Delta R.T. -0.01 min
Lab File: BM015520.D
Acq: 07 Jun 2018 10:48

Tgt Ion: 164 Resp: 281467
Ion Ratio Lower Upper
164 100
162 103.4 82.4 123.6
160 47.3 35.8 53.6









#41
 2,4,6-Tribromophenol
 Concen: N.D. ng
 RT: 16.44 min Scan# 2237
 Delta R.T. -0.01 min
 Lab File: BM015520.D
 Acq: 07 Jun 2018 10:48




Instrument :
 BNA_M
 ClientSampleId :
 060118-JETT-F-D-M


Tot Ion	Ratio	Lower	Upper
330	100		
332	96.6	0.0	0.0#
141	42.2	0.0	0.0#



#44
 2-Fluorobiphenyl
 Concen: N.D. ng
 RT: 13.60 min Scan# 1753
 Delta R.T. -0.01 min
 Lab File: BM015520.D
 Acq: 07 Jun 2018 10:48

Tgt Ion	Ratio	Lower	Upper
172	100		
171	35.4	28.5	42.7
170	23.7	18.8	28.2









#63
Phenanthrene-d10
Concen: 20.000 ng
RT: 17.69 min Scan# 2448
Delta R.T. -0.01 min
Lab File: BM015520.D
Acq: 07 Jun 2018 10:48




Instrument :
BNA_M
ClientSampleId :
060118-JETT-F-D-M


Tot Ion:188 Resp: 604996
Ion Ratio Lower Upper
188 100
94 8.9 8.7 13.1
80 10.6 9.3 13.9



#75
Chrysene-d12
Concen: 20.000 ng
RT: 21.79 min Scan# 3146
Delta R.T. -0.01 min
Lab File: BM015520.D
Acq: 07 Jun 2018 10:48

Tgt Ion:240 Resp: 596993
Ion Ratio Lower Upper
240 100
120 10.0 8.2 12.2
236 26.4 20.0 30.0





#78

Terphenyl-d14

Concen: Below na

RT: 20.24 min Scan# 2883

Delta R.T. -0.01 min

Lab File: BM015520.D

Acq: 07 Jun 2018 10:48

Instrument :

BNA_M

ClientSampleId :

060118-JETT-F-D-M


Tot Ion:244 Resp: 2681161

Ion Ratio Lower Upper

244 100

212 7.8 4.9 7.3#




122 11.3 6.2 9.4#



Abundance Ion 244.00 (243.70 to 244.70): E

Ion 212.00 (211.70 to 212.70): E

Ion 122.00 (121.70 to 122.70): E



#86

Perylene-d12

Concen: 20.000 ng

RT: 24.21 min Scan# 3557

Delta R.T. -0.02 min

Lab File: BM015520.D

Acq: 07 Jun 2018 10:48


Tgt Ion:264 Resp: 643298

Ion Ratio Lower Upper

264 100

260 24.8 18.6 27.8

265 22.5 17.3 25.9



Abundance Ion 264.00 (263.70 to 264.70): E

Ion 260.00 (259.70 to 260.70): E

Ion 265.00 (264.70 to 265.70): E

