

Data Path : Z:\HPCHEM1\BNA M\DATA\BM060716\
 Data File : BM005702.D
 Acq On : 07 Jun 2016 21:02
 Operator : UM/SJ
 Sample : H3411-22
 Misc :
 ALS Vial : 14 Sample Multiplier: 1

Instrument :
 BNA_M
 ClientSampleId :
 D9XS0

Manual Integrations
 APPROVED

sohil
 6/8/2016 7:16:36 PM

Quant Time: Jun 08 01:55:33 2016
 Quant Method : Z:\HPCHEM1\BNA M\METHODS\SOM02.2-EPA-BM060216.M
 Quant Title : SVOA CALIBRATION
 QLast Update : Wed Jun 08 01:24:32 2016
 Response via : Initial Calibration

Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) 1,4-Dichlorobenzene-d4	7.75	152	181139	20.00	ng/ul	0.00
7) Naphthalene-d8	10.55	136	874920	20.00	ng/ul	0.00
15) Acenaphthene-d10	14.40	164	486867	20.00	ng/ul	0.00
23) Phenanthrene-d10	17.14	188	998754	20.00	ng/ul	0.00
29) Chrysene-d12	21.33	240	695977	20.00	ng/ul	0.00
34) Perylene-d12	23.59	264	657678	20.00	ng/ul	0.00

System Monitoring Compounds

2) 1,4-Dioxane-d8	3.20	96	3654	0.85	ng/uL	0.00
3) Phenol-d5	6.93	99	188539	11.84	ng/ul	0.00
4) Bis-(2-Chloroethyl)ether-d	7.09	67	120288	12.41	ng/ul	0.00
5) 2-Chlorophenol-d4	7.29	132	167922	12.78	ng/ul	0.00
6) 4-Methylphenol-d8	8.47	113	128508	10.20	ng/ul	0.00
8) Nitrobenzene-d5	8.91	128	84460	12.57	ng/ul	0.00
9) 2-Nitrophenol-d4	9.63	143	91308	12.70	ng/ul	0.00
10) 2,4-Dichlorophenol-d3	10.17	165	168878	13.22	ng/ul	0.00
12) 4-Chloroaniline-d4	10.69	131	132955	8.76	ng/ul	0.00
16) Dimethylphthalate-d6	13.80	166	518810	13.86	ng/ul	0.00
17) Acenaphthylene-d8	14.09	160	671961	13.80	ng/ul	0.00
20) 4-Nitrophenol-d4	14.63	143	38143	7.12	ng/ul	0.00
21) Fluorene-d10	15.39	176	461822	14.37	ng/ul	0.00
24) 4,6-Dinitro-2-methylphenol	15.53	200	28820	6.13	ng/ul	0.00
26) Anthracene-d10	17.24	188	660530	13.93	ng/ul	0.00
30) Pyrene-d10	19.54	212	583603	16.68	ng/ul	0.00
37) Benzo(a)pyrene-d12	23.44	264	410837	13.57	ng/ul	0.00

Target Compounds

						Ovalue
25) Phenanthrene	17.19	178	165871	3.01	ng/ul	98
28) Fluoranthene	19.20	202	315313	5.60	ng/ul	99
31) Pyrene	19.57	202	283553	6.46	ng/ul	98
32) Benzo(a)anthracene	21.31	228	138209	3.39	ng/ul	94
33) Chrysene	21.36	228	139851	3.63	ng/ul	98
35) Benzo(b)fluoranthene	22.91	252	217550	5.49	ng/ul#	96
36) Benzo(k)fluoranthene	22.95	252	61163m	1.64	ng/ul	
38) Benzo(a)pyrene	23.49	252	144811	3.79	ng/ul#	95
39) Indeno(1,2,3-cd)pyrene	25.88	276	117821	2.61	ng/ul#	91
40) Dibenzo(a,h)anthracene	25.87	278	39791m	1.05	ng/ul	
41) Benzo(g,h,i)perylene	26.59	276	133209	3.52	ng/ul#	94

(#) = qualifier out of range (m) = manual integration (+) = signals summed


Data Path : Z:\HPCHEM1\BNA M\DATA\BM060716\
Data File : BM005702.D
Acq On : 07 Jun 2016 21:02
Operator : UM/SJ
Sample : H3411-22
Misc :
ALS Vial : 14 Sample Multiplier: 1


Instrument :
BNA_M
ClientSampled :
D9XS0

Manual Integrations
APPROVED

sohil
6/8/2016 7:16:36 PM

Quant Time: Jun 08 01:55:33 2016
Quant Method : Z:\HPCHEM1\BNA M\METHODS\SOM02.2-EPA-BM060216.M
Quant Title : SVOA CALIBRATION
QLast Update : Wed Jun 08 01:24:32 2016
Response via : Initial Calibration









#25
Phenanthrene
Concen: 3.01 ng/ul
RT: 17.19 min Scan# 2482
Delta R.T. -0.01 min
Lab File: BM005702.D
Acq: 07 Jun 2016 21:02

Instrument :
BNA_M
ClientSampleId :
D9XS0

Tot Ion	Ratio	Lower	Upper
178	100		
179	15.4	11.8	17.8
176	19.6	14.8	22.2




Manual Integrations
APPROVED


sohil
6/8/2016 7:16:36 PM



#28
Fluoranthene
Concen: 5.60 ng/ul
RT: 19.20 min Scan# 2825
Delta R.T. 0.00 min
Lab File: BM005702.D
Acq: 07 Jun 2016 21:02

Tgt Ion	Ratio	Lower	Upper
202	100		
101	11.5	8.9	13.3
100	8.2	7.0	10.4





#31

Pvrene

Concen: 6.46 ng/ul

RT: 19.57 min Scan# 2887

Delta R.T. 0.00 min

Lab File: BM005702.D

Acq: 07 Jun 2016 21:02

Instrument :

BNA_M


ClientSampled :

D9XS0




Tot Ion:	202	Resp:	283553
Ion Ratio	Lower	Upper	
202	100		
101	13.1	9.8	14.8
100	10.5	9.3	13.9

Manual Integrations
APPROVED

sohil
6/8/2016 7:16:36 PM



Abundance Ion 202.00 (201.70 to 202.70): E
Ion 101.00 (100.70 to 101.70): E
Ion 100.00 (99.70 to 100.70): B



#32

Benzo(a)anthracene

Concen: 3.39 ng/ul

RT: 21.31 min Scan# 3183




Delta R.T. -0.01 min


Lab File: BM005702.D

Acq: 07 Jun 2016 21:02

Tgt Ion:	228	Resp:	138209
Ion Ratio	Lower	Upper	
228	100		
229	22.1	16.6	25.0
226	30.3	21.0	31.4

Abundance Ion 228.00 (227.70 to 228.70): E
Ion 229.00 (228.70 to 229.70): E
Ion 226.00 (225.70 to 226.70): E









#33
Chrysene
Concen: 3.63 ng/ul
RT: 21.36 min Scan# 3192
Delta R.T. -0.01 min
Lab File: BM005702.D
Acq: 07 Jun 2016 21:02

Instrument :
BNA_M
ClientSampleId :
D9XS0

Tot Ion	Ratio	Resp	Lower	Upper
228	100	139851		
226	29.9	23.4	35.2	
229	22.3	16.2	24.2	




Manual Integrations
APPROVED


sohil
6/8/2016 7:16:36 PM



#35
Benzo(b)fluoranthene
Concen: 5.49 ng/ul
RT: 22.91 min Scan# 3455
Delta R.T. -0.01 min
Lab File: BM005702.D
Acq: 07 Jun 2016 21:02

Tgt Ion	Ratio	Resp	Lower	Upper
252	100	217550		
253	23.8	18.1	27.1	
125	12.5	7.6	11.4	





#36

Benzo(k)fluoranthene

Concen: 1.64 ng/ul m

RT: 22.95 min Scan# 3462

Delta R.T. -0.01 min

Lab File: BM005702.D

Acq: 07 Jun 2016 21:02

Instrument :

BNA_M


ClientSampleId :

D9XS0




Tot Ion:	252	Resp:	61163
Ion Ratio	Lower	Upper	
252	100		
253	25.8	17.8	26.8
125	13.0	7.7	11.5#

Manual Integrations
APPROVED

sohil
6/8/2016 7:16:36 PM



Abundance Ion 252.00 (251.70 to 252.70): E
Ion 253.00 (252.70 to 253.70): E
Ion 125.00 (124.70 to 125.70): E



#38

Benzo(a)pyrene

Concen: 3.79 ng/ul

RT: 23.49 min Scan# 3554




Delta R.T. -0.01 min


Lab File: BM005702.D

Acq: 07 Jun 2016 21:02

Tgt Ion:	252	Resp:	144811
Ion Ratio	Lower	Upper	
252	100		
253	24.1	17.4	26.0
125	12.4	8.2	12.2#

Abundance Ion 252.00 (251.70 to 252.70): E
Ion 253.00 (252.70 to 253.70): E
Ion 125.00 (124.70 to 125.70): E









#39
 Indeno(1,2,3-cd)pyrene
 Concen: 2.61 ng/ul
 RT: 25.88 min Scan# 3960
 Delta R.T. -0.01 min
 Lab File: BM005702.D
 Acq: 07 Jun 2016 21:02

Instrument :
 BNA_M
 ClientSampleId :
 D9XS0

Tot Ion	Ratio	Lower	Upper
276	100		
138	24.9	15.8	23.6#
277	27.2	19.0	28.6




Manual Integrations
 APPROVED




sohil
 6/8/2016 7:16:36 PM



#40
 Dibenzo(a,h)anthracene
 Concen: 1.05 ng/ul m
 RT: 25.87 min Scan# 3958
 Delta R.T. -0.02 min
 Lab File: BM005702.D
 Acq: 07 Jun 2016 21:02

Tgt Ion	Ratio	Lower	Upper
278	100		
139	25.3	12.1	18.1#
279	35.2	19.8	29.8#





#41

Benzo(a,h,i)perylene

Concen: 3.52 ng/ul

RT: 26.59 min Scan# 4080

Delta R.T. -0.01 min

Lab File: BM005702.D

Acq: 07 Jun 2016 21:02

Tot Ion:	276	Resp:	133209
Ion Ratio	Lower	Upper	
276	100		
138	24.1	13.9	20.9#
277	24.8	19.8	29.6

Instrument :

BNA_M

ClientSampleId :

D9XS0

Manual Integrations
APPROVED

sohil
6/8/2016 7:16:36 PM

