

Data Path : Z:\HPCHEM1\BNA_M\DATA\BM060717\
 Data File : BM010429.D
 Acq On : 07 Jun 2017 12:20
 Operator : SJ/MA
 Sample : I3490-01
 Misc :
 ALS Vial : 5 Sample Multiplier: 1

Instrument :
 BNA_M
 ClientSampleId :
 B0AC8

Quant Time: Jun 08 01:35:30 2017
 Quant Method : Z:\HPCHEM1\BNA_M\METHODS\SOM-EPA-BM052717.M
 Quant Title : SVOA CALIBRATION
 QLast Update : Thu Jun 08 01:22:27 2017
 Response via : Initial Calibration


Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) 1,4-Dichlorobenzene-d4	7.91	152	218323	20.00	ng/ul	0.00
18) Naphthalene-d8	10.71	136	725830	20.00	ng/ul	0.00
35) Acenaphthene-d10	14.55	164	417669	20.00	ng/ul	0.00
61) Phenanthrene-d10	17.29	188	930176	20.00	ng/ul	0.00
75) Chrysene-d12	21.46	240	1404761	20.00	ng/ul	0.00
83) Perylene-d12	23.80	264	1690166	20.00	ng/ul	0.00
System Monitoring Compounds						
3) 1,4-Dioxane-d8	3.38	96	23698	4.45	ng/uL	0.00
5) Phenol-d5	7.10	99	444001	26.84	ng/ul	0.00
7) Bis-(2-Chloroethyl)ether-d	7.25	67	242315	26.06	ng/ul	0.00
9) 2-Chlorophenol-d4	7.45	132	399685	30.31	ng/ul	0.00
13) 4-Methylphenol-d8	8.63	113	344921	25.84	ng/ul	0.00
19) Nitrobenzene-d5	9.09	128	167296	31.47	ng/ul	0.00
22) 2-Nitrophenol-d4	9.81	143	197045	31.99	ng/ul	0.00
26) 2,4-Dichlorophenol-d3	10.34	165	384810	30.41	ng/ul	0.00
29) 4-Chloroaniline-d4	10.88	131	228085	18.68	ng/ul	0.00
43) Dimethylphthalate-d6	13.96	166	1115879	32.16	ng/ul	0.00
46) Acenaphthylene-d8	14.25	160	1263395	31.21	ng/ul	0.00
51) 4-Nitrophenol-d4	14.79	143	114658	22.08	ng/ul	0.00
57) Fluorene-d10	15.54	176	931599	30.54	ng/ul	0.00
62) 4,6-Dinitro-2-methylphenol	15.66	200	145093	22.02	ng/ul	0.00
70) Anthracene-d10	17.39	188	1450795	32.05	ng/ul	0.00
76) Pyrene-d10	19.68	212	1798468	30.96	ng/ul	0.00
87) Benzo(a)pyrene-d12	23.65	264	2444073	31.06	ng/ul	0.00
Target Compounds						
6) Phenol	7.12	94	19313	1.139	ng/ul#	83
44) Dimethylphthalate	14.00	163	406730	11.918	ng/ul	99


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\HPCHEM1\BNA_M\DATA\BM060717\
Data File : BM010429.D
Acq On : 07 Jun 2017 12:20
Operator : SJ/MA
Sample : I3490-01
Misc :
ALS Vial : 5 Sample Multiplier: 1

Instrument :
BNA_M
ClientSampleId :
B0AC8

Quant Time: Jun 08 01:35:30 2017
Quant Method : Z:\HPCHEM1\BNA_M\METHODS\SOM-EPA-BM052717.M
Quant Title : SVOA CALIBRATION
QLast Update : Thu Jun 08 01:22:27 2017
Response via : Initial Calibration





#6

Phenol

Concen: 1.139 ng/ul

RT: 7.12 min Scan# 686

Delta R.T. 0.00 min

Lab File: BM010429.D

Acq: 07 Jun 2017 12:20

Instrument :

BNA_M

ClientSampleId :

B0AC8


Tgt Ion: 94 Resp: 19313

Ion Ratio Lower Upper

94 100

65 37.9 28.2 42.4




66 77.8 47.2 70.8#



Abundance Ion 94.00 (93.70 to 94.70): BM010426.D (-679) (-)

Ion 65.00 (64.70 to 65.70): BM010426.D (-679) (-)

Ion 66.00 (65.70 to 66.70): BM010426.D (-679) (-)



#44

Dimethylphthalate

Concen: 11.918 ng/ul

RT: 14.00 min Scan# 1856

Delta R.T. -0.01 min

Lab File: BM010429.D

Acq: 07 Jun 2017 12:20


Tgt Ion: 163 Resp: 406730

Ion Ratio Lower Upper

163 100

194 4.2 3.5 5.3

164 10.5 8.2 12.4



Abundance Ion 163.00 (162.70 to 163.70): BM010426.D (-1850) (-)

Ion 194.00 (193.70 to 194.70): BM010426.D (-1850) (-)

Ion 164.00 (163.70 to 164.70): BM010426.D (-1850) (-)

