

Data Path : Z:\HPCHEM1\BNA_M\DATA\BM060917\
 Data File : BM010460.D
 Acq On : 09 Jun 2017 19:04
 Operator : SJ/MA
 Sample : I3520-08
 Misc :
 ALS Vial : 15 Sample Multiplier: 1

Instrument :
 BNA_M
 ClientSampleId :
 F5A40

Quant Time: Jun 10 02:33:10 2017
 Quant Method : Z:\HPCHEM1\BNA_M\Methods\SOM-EPA-BM052717.M
 Quant Title : SVOA CALIBRATION
 QLast Update : Sat Jun 10 02:32:05 2017
 Response via : Initial Calibration


Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) 1,4-Dichlorobenzene-d4	7.90	152	241664	20.00	ng/ul	0.00
18) Naphthalene-d8	10.70	136	931197	20.00	ng/ul	0.00
35) Acenaphthene-d10	14.54	164	646128	20.00	ng/ul	0.00
61) Phenanthrene-d10	17.39	188	2108445	20.00	ng/ul	0.10
75) Chrysene-d12	21.45	240	1900054	20.00	ng/ul	0.00
83) Perylene-d12	23.79	264	1649111	20.00	ng/ul	0.00
System Monitoring Compounds						
3) 1,4-Dioxane-d8	3.37	96	21929	3.72	ng/uL	0.00
5) Phenol-d5	7.09	99	366135	19.99	ng/ul	0.00
7) Bis-(2-Chloroethyl)ether-d	7.25	67	218024	21.18	ng/ul	0.00
9) 2-Chlorophenol-d4	7.45	132	328912	22.53	ng/ul	0.00
13) 4-Methylphenol-d8	8.62	113	312928	21.18	ng/ul	0.00
19) Nitrobenzene-d5	9.09	128	159178	23.34	ng/ul	0.00
22) 2-Nitrophenol-d4	9.80	143	198377	25.11	ng/ul	0.00
26) 2,4-Dichlorophenol-d3	10.33	165	403749	24.87	ng/ul	0.00
29) 4-Chloroaniline-d4	10.87	131	417396	26.65	ng/ul	0.00
43) Dimethylphthalate-d6	13.96	166	1422759	26.50	ng/ul	0.00
46) Acenaphthylene-d8	14.24	160	1568985	25.05	ng/ul	0.00
51) 4-Nitrophenol-d4	14.78	143	154307	19.21	ng/ul	0.00
57) Fluorene-d10	15.53	176	1263773	26.78	ng/ul	0.00
62) 4,6-Dinitro-2-methylphenol	15.66	200	242345	16.23	ng/ul	0.00
70) Anthracene-d10	17.39	188	2107708	20.54	ng/ul	0.00
76) Pyrene-d10	19.67	212	2576635	32.79	ng/ul	0.00
87) Benzo(a)pyrene-d12	23.64	264	2009700	26.18	ng/ul	0.00
Target Compounds						
6) Phenol	7.12	94	29433	1.568	ng/ul#	76
15) N-Nitroso-di-n-propylamine	8.63	70	14570	1.209	ng/ul#	1
44) Dimethylphthalate	14.00	163	484438	9.176	ng/ul	99


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\HPCHEM1\BNA_M\DATA\BM060917\
Data File : BM010460.D
Acq On : 09 Jun 2017 19:04
Operator : SJ/MA
Sample : I3520-08
Misc :
ALS Vial : 15 Sample Multiplier: 1

Instrument :
BNA_M
ClientSampleId :
F5A40

Quant Time: Jun 10 02:33:10 2017
Quant Method : Z:\HPCHEM1\BNA_M\Methods\SOM-EPA-BM052717.M
Quant Title : SVOA CALIBRATION
QLast Update : Sat Jun 10 02:32:05 2017
Response via : Initial Calibration





#6

Phenol

Concen: 1.568 ng/ul

RT: 7.12 min Scan# 685

Delta R.T. -0.00 min

Lab File: BM010460.D

Acq: 09 Jun 2017 19:04

Instrument :

BNA_M

ClientSampleId :

F5A40


Tgt Ion: 94 Resp: 29433

Ion Ratio Lower Upper

94 100

65 44.5 28.2 42.4#




66 81.1 47.2 70.8#



Abundance Ion 94.00 (93.70 to 94.70): BM010458.D (-678) (-)

Ion 65.00 (64.70 to 65.70): BM010458.D (-678) (-)

Ion 66.00 (65.70 to 66.70): BM010458.D (-678) (-)



#15

N-Nitroso-di-n-propylamine

Concen: 1.209 ng/ul

RT: 8.63 min Scan# 942

Delta R.T. -0.08 min

Lab File: BM010460.D

Acq: 09 Jun 2017 19:04

Tgt Ion: 70 Resp: 14570


Ion Ratio Lower Upper

70 100

42 193.6 41.1 61.7#

101 0.0 6.7 10.1#

130 0.0 14.6 22.0#






Abundance Ion 70.00 (69.70 to 70.70): BM010458.D (-948) (-)

Ion 42.00 (41.70 to 42.70): BM010458.D (-948) (-)

Ion 101.00 (100.70 to 101.70): BM010458.D (-948) (-)

Ion 130.00 (129.70 to 130.70): BM010458.D (-948) (-)





#44

Dimethylphthalate

Concen: 9.176 ng/ul

RT: 14.00 min Scan# 1856

Delta R.T. -0.00 min

Lab File: BM010460.D

Acq: 09 Jun 2017 19:04

Instrument :

BNA_M

ClientSampleId :

F5A40


Tgt Ion:163 Resp: 484438

Ion Ratio Lower Upper

163 100

194 4.6 3.5 5.3

164 9.6 8.2 12.4



Abundance Ion 163.00 (162.70 to 163.70): E

Ion 194.00 (193.70 to 194.70): E

Ion 164.00 (163.70 to 164.70): E

