

Data Path : Z:\svoasrv\HPCHEM1\BNA_M\Data\BM060925\
 Data File : BM050250.D
 Acq On : 09 Jun 2025 20:19
 Operator : RC/JU
 Sample : Q2226-04MS
 Misc :
 ALS Vial : 7 Sample Multiplier: 1

Instrument :
 BNA_M
 ClientSampleId :
 TP06-MHI-WCMS

Manual Integrations
 APPROVED

Reviewed By :Rahul
 Chavli

06/10/2025

Supervised By :Jagrit

Upadhyay

06/10/2025

Quant Time: Jun 10 01:26:30 2025
 Quant Method : Z:\svoasrv\HPCHEM1\BNA_M\Methods\8270-BM060525.M
 Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
 QLast Update : Mon Jun 09 11:54:38 2025
 Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)

Internal Standards						
1) 1,4-Dichlorobenzene-d4	7.769	152	392950	20.000	ng	0.00
21) Naphthalene-d8	10.558	136	1521763	20.000	ng	0.00
39) Acenaphthene-d10	14.398	164	827375	20.000	ng	0.00
64) Phenanthrene-d10	17.139	188	1462387	20.000	ng	0.00
76) Chrysene-d12	21.369	240	1332936	20.000	ng	0.00
86) Perylene-d12	24.345	264	1379954	20.000	ng	0.00
System Monitoring Compounds						
5) 2-Fluorophenol	5.358	112	2937446	124.700	ng	0.00
7) Phenol-d6	6.934	99	3430486	110.627	ng	0.00
23) Nitrobenzene-d5	8.916	82	2445053	83.563	ng	0.00
42) 2,4,6-Tribromophenol	15.881	330	1247878	132.601	ng	0.00
45) 2-Fluorobiphenyl	13.028	172	4888299	79.988	ng	0.00
79) Terphenyl-d14	19.763	244	5857343	83.273	ng	0.00
Target Compounds						Qvalue
2) 1,4-Dioxane	3.293	88	388538	37.629	ng	# 73
3) Pyridine	3.682	79	966583	36.148	ng	96
4) n-Nitrosodimethylamine	3.587	42	245837	44.460	ng	97
6) Aniline	7.099	93	721210	17.593	ng	98
8) 2-Chlorophenol	7.334	128	1168140	45.083	ng	98
9) Benzaldehyde	6.905	77	453430	22.999	ng	96
10) Phenol	6.964	94	1296102	39.503	ng	99
11) bis(2-Chloroethyl)ether	7.193	93	1187468	44.996	ng	98
12) 1,3-Dichlorobenzene	7.658	146	1166230	40.261	ng	98
13) 1,4-Dichlorobenzene	7.805	146	1214259	40.289	ng	99
14) 1,2-Dichlorobenzene	8.122	146	1179906	41.067	ng	99
15) Benzyl Alcohol	8.005	79	994445	44.963	ng	97
16) 2,2'-oxybis(1-Chloropr...	8.299	45	905020	49.367	ng	95
17) 2-Methylphenol	8.205	107	938045	43.331	ng	99
18) Hexachloroethane	8.852	117	461080	42.245	ng	99
19) n-Nitroso-di-n-propyla...	8.575	70	842877	44.418	ng	97
20) 3+4-Methylphenols	8.534	107	1243110	42.920	ng	99
22) Acetophenone	8.587	105	1692937	44.530	ng	# 99
24) Nitrobenzene	8.958	77	1256342	47.211	ng	97
25) Isophorone	9.487	82	2303628	45.614	ng	99
26) 2-Nitrophenol	9.669	139	547550	47.667	ng	97
27) 2,4-Dimethylphenol	9.734	122	1078632	45.700	ng	100
28) bis(2-Chloroethoxy)met...	9.969	93	1539341	46.658	ng	99
29) 2,4-Dichlorophenol	10.205	162	1002287	45.889	ng	99
30) 1,2,4-Trichlorobenzene	10.416	180	1063647	43.762	ng	100
31) Naphthalene	10.605	128	3430345	43.600	ng	100
32) Benzoic acid	9.858	122	630781	42.526	ng	97
33) 4-Chloroaniline	10.710	127	306819	9.147	ng	98
34) Hexachlorobutadiene	10.899	225	619791	42.871	ng	100
35) Caprolactam	11.481	113	238482	34.440	ng	90
36) 4-Chloro-3-methylphenol	11.834	107	1028377	44.125	ng	99
37) 2-Methylnaphthalene	12.216	142	2119896	44.663	ng	98
38) 1-Methylnaphthalene	12.440	142	2209544	43.860	ng	99
40) 1,2,4,5-Tetrachloroben...	12.587	216	1122982	47.004	ng	99
41) Hexachlorocyclopentadiene	12.581	237	1415330	97.547	ng	97
43) 2,4,6-Trichlorophenol	12.828	196	760650	48.414	ng	99

Data Path : Z:\svoasrv\HPCHEM1\BNA_M\Data\BM060925\
 Data File : BM050250.D
 Acq On : 09 Jun 2025 20:19
 Operator : RC/JU
 Sample : Q2226-04MS
 Misc :
 ALS Vial : 7 Sample Multiplier: 1

Instrument :
 BNA_M
 ClientSampleId :
 TP06-MHI-WCMS

Manual Integrations
 APPROVED

Reviewed By :Rahul
 Chavli
 06/10/2025
 Supervised By :Jagrut
 Upadhyay
 06/10/2025

Quant Time: Jun 10 01:26:30 2025
 Quant Method : Z:\svoasrv\HPCHEM1\BNA_M\Methods\8270-BM060525.M
 Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
 QLast Update : Mon Jun 09 11:54:38 2025
 Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)
44) 2,4,5-Trichlorophenol	12.899	196	832691	48.272	ng	98
46) 1,1'-Biphenyl	13.234	154	2928102	47.263	ng	99
47) 2-Chloronaphthalene	13.275	162	2248213	46.678	ng	99
48) 2-Nitroaniline	13.469	65	562921	53.110	ng	94
49) Acenaphthylene	14.116	152	3621022	46.481	ng	100
50) Dimethylphthalate	13.863	163	2619856	46.821	ng	100
51) 2,6-Dinitrotoluene	13.969	165	557207	49.379	ng	96
52) Acenaphthene	14.463	154	2154317	44.212	ng	99
53) 3-Nitroaniline	14.293	138	339356	26.984	ng	100
54) 2,4-Dinitrophenol	14.498	184	609950	94.097	ng	95
55) Dibenzofuran	14.798	168	3304639	46.357	ng	100
56) 4-Nitrophenol	14.598	139	978143	91.379	ng	97
57) 2,4-Dinitrotoluene	14.751	165	767682	51.572	ng	97
58) Fluorene	15.445	166	2523640	46.221	ng	99
59) 2,3,4,6-Tetrachlorophenol	15.022	232	700206m	46.916	ng	
60) Diethylphthalate	15.228	149	2611641	47.041	ng	99
61) 4-Chlorophenyl-phenyle...	15.445	204	1219957	46.231	ng	98
62) 4-Nitroaniline	15.457	138	537036	45.560	ng	99
63) Azobenzene	15.734	77	2612861	47.085	ng	98
65) 4,6-Dinitro-2-methylph...	15.516	198	385706	48.290	ng	99
66) n-Nitrosodiphenylamine	15.657	169	2213402	48.171	ng	100
67) 4-Bromophenyl-phenylether	16.334	248	768128	49.256	ng	100
68) Hexachlorobenzene	16.445	284	884845	48.564	ng	99
69) Atrazine	16.610	200	734379	50.160	ng	100
70) Pentachlorophenol	16.787	266	1177160	99.373	ng	99
71) Phenanthrene	17.181	178	3861939	46.228	ng	99
72) Anthracene	17.269	178	3937922	47.119	ng	100
73) Carbazole	17.534	167	3576865	46.979	ng	100
74) Di-n-butylphthalate	18.116	149	4215930	50.890	ng	100
75) Fluoranthene	19.192	202	4091775	46.445	ng	99
77) Benzidine	19.375	184	358876	9.574	ng	99
78) Pyrene	19.557	202	4304284	47.910	ng	99
80) Butylbenzylphthalate	20.469	149	1632985	54.492	ng	99
81) Benzo(a)anthracene	21.351	228	3990464	47.298	ng	100
82) 3,3'-Dichlorobenzidine	21.275	252	824418	32.043	ng	99
83) Chrysene	21.416	228	3797384	47.317	ng	99
84) Bis(2-ethylhexyl)phtha...	21.298	149	2525715	54.716	ng	99
85) Di-n-octyl phthalate	22.433	149	3901373	56.957	ng	100
87) Indeno(1,2,3-cd)pyrene	27.703	276	4771886	53.706	ng	# 94
88) Benzo(b)fluoranthene	23.410	252	3868153	48.213	ng	99
89) Benzo(k)fluoranthene	23.474	252	3920735	47.870	ng	100
90) Benzo(a)pyrene	24.204	252	3723908	49.366	ng	100
91) Dibenzo(a,h)anthracene	27.768	278	3892102	53.966	ng	99
92) Benzo(g,h,i)perylene	28.745	276	3923152	54.349	ng	100

(#) = qualifier out of range (m) = manual integration (+) = signals summed


Data Path : Z:\svoasrv\HPCHEM1\BNA_M\Data\BM060925\
Data File : BM050250.D
Acq On : 09 Jun 2025 20:19
Operator : RC/JU
Sample : Q2226-04MS
Misc :
ALS Vial : 7 Sample Multiplier: 1

Instrument :
BNA_M
ClientSampleId :
TP06-MHI-WCMS

Quant Time: Jun 10 01:26:30 2025
Quant Method : Z:\svoasrv\HPCHEM1\BNA_M\Methods\8270-BM060525.M
Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
QLast Update : Mon Jun 09 11:54:38 2025
Response via : Initial Calibration

Manual Integrations
APPROVED

Reviewed By :Rahul
Chavli
06/10/2025
Supervised By :Jagrut
Upadhyay
06/10/2025




Data Path : Z:\svoasrv\HPCHEM1\BNA_M\Data\BM060925\
Data File : BM050250.D
Acq On : 09 Jun 2025 20:19
Operator : RC/JU
Sample : Q2226-04MS
Misc :
ALS Vial : 7 Sample Multiplier: 1


Instrument :
BNA_M
ClientSampleId :
TP06-MHI-WCMS

Quant Time: Jun 10 01:26:30 2025
Quant Method : Z:\svoasrv\HPCHEM1\BNA_M\Methods\8270-BM060525.M
Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
QLast Update : Mon Jun 09 11:54:38 2025
Response via : Initial Calibration

Manual Integrations
APPROVED


Reviewed By :Rahul
Chavli
06/10/2025
Supervised By :Jagrit
Upadhyay
06/10/2025





#1
1,4-Dichlorobenzene-d4
Concen: 20.000 ng
RT: 7.769 min Scan# 817
Delta R.T. 0.000 min
Lab File: BM050250.D
Acq: 09 Jun 2025 20:19

Instrument :
BNA_M
ClientSampleId :
TP06-MHI-WCMS






Tgt Ion:152 Resp: 392950
Ion Ratio Lower Upper
152 100
150 156.6 122.2 183.4
115 59.5 46.3 69.5

Manual Integrations
APPROVED




Reviewed By :Rahul
Chavli
06/10/2025


Supervised By :Jagrut
Upadhyay
06/10/2025



#2
1,4-Dioxane
Concen: 37.629 ng
RT: 3.293 min Scan# 52
Delta R.T. 0.012 min
Lab File: BM050250.D
Acq: 09 Jun 2025 20:19


Tgt Ion: 88 Resp: 388538
Ion Ratio Lower Upper
88 100
58 58.7 42.9 64.3
43 56.7 11.0 16.6





#3
 Pyridine
 Concen: 36.148 ng
 RT: 3.682 min Scan# 118
 Delta R.T. 0.012 min
 Lab File: BM050250.D
 Acq: 09 Jun 2025 20:19




Instrument :
 BNA_M
 ClientSampleId :
 TP06-MHI-WCMS




Tgt Ion: 79 Resp: 96658
 Ion Ratio Lower Upper
 79 100
 52 43.6 32.1 48.1
 51 20.0 15.4 23.0

Manual Integrations
 APPROVED



Reviewed By :Rahul
 Chavli
 06/10/2025
 Supervised By :Jagrut
 Upadhyay
 06/10/2025




#4
 n-Nitrosodimethylamine
 Concen: 44.460 ng
 RT: 3.587 min Scan# 102
 Delta R.T. 0.006 min
 Lab File: BM050250.D
 Acq: 09 Jun 2025 20:19



Tgt Ion: 42 Resp: 245837
 Ion Ratio Lower Upper
 42 100
 74 282.9 222.0 333.0
 44 10.4 7.0 10.6





#5
2-Fluorophenol
Concen: 124.700 ng
RT: 5.358 min Scan# 405
Delta R.T. 0.001 min
Lab File: BM050250.D
Acq: 09 Jun 2025 20:19





Instrument :
BNA_M
ClientSampleId :
TP06-MHI-WCMS

Tgt Ion:112 Resp: 2937440
Ion Ratio Lower Upper
112 100
64 50.7 39.8 59.6
63 25.6 19.8 29.8

Manual Integrations
APPROVED




Reviewed By :Rahul
Chavli
06/10/2025


Supervised By :Jagrut
Upadhyay
06/10/2025



#6
Aniline
Concen: 17.593 ng
RT: 7.099 min Scan# 699
Delta R.T. 0.006 min
Lab File: BM050250.D
Acq: 09 Jun 2025 20:19

Tgt Ion: 93 Resp: 721210
Ion Ratio Lower Upper
93 100
66 35.5 27.4 41.2
65 17.8 13.6 20.4









#7
Phenol-d6
Concen: 110.627 ng
RT: 6.934 min Scan# 61
Delta R.T. 0.001 min
Lab File: BM050250.D
Acq: 09 Jun 2025 20:19

Instrument :
BNA_M
ClientSampleId :
TP06-MHI-WCMS

Tgt Ion: 99 Resp: 343048
Ion Ratio Lower Upper
99 100
42 8.6 6.9 10.3
71 32.5 25.3 37.9




Manual Integrations
APPROVED


Reviewed By :Rahul
Chavli
06/10/2025
Supervised By :Jagrut
Upadhyay
06/10/2025



#8
2-Chlorophenol
Concen: 45.083 ng
RT: 7.334 min Scan# 739
Delta R.T. 0.001 min
Lab File: BM050250.D
Acq: 09 Jun 2025 20:19


Tgt Ion:128 Resp: 1168140
Ion Ratio Lower Upper
128 100
130 32.4 12.6 52.6
64 41.5 19.8 59.8





#9
Benzaldehyde
Concen: 22.999 ng
RT: 6.905 min Scan# 609
Delta R.T. -0.005 min
Lab File: BM050250.D
Acq: 09 Jun 2025 20:19

Instrument :
BNA_M
ClientSampleId :
TP06-MHI-WCMS






Tgt Ion: 77 Resp: 453430
Ion Ratio Lower Upper
77 100
105 96.4 80.9 120.9
106 94.4 77.1 117.1

Manual Integrations
APPROVED




Reviewed By :Rahul
Chavli
06/10/2025


Supervised By :Jagrut
Upadhyay
06/10/2025



#10
Phenol
Concen: 39.503 ng
RT: 6.964 min Scan# 676
Delta R.T. 0.006 min
Lab File: BM050250.D
Acq: 09 Jun 2025 20:19


Tgt Ion: 94 Resp: 1296102
Ion Ratio Lower Upper
94 100
65 25.0 4.3 44.3
66 32.4 12.9 52.9





#11
bis(2-Chloroethyl)ether
Concen: 44.996 ng
RT: 7.193 min Scan# 718
Delta R.T. 0.001 min
Lab File: BM050250.D
Acq: 09 Jun 2025 20:19

Instrument :
BNA_M
ClientSampleId :
TP06-MHI-WCMS






Tgt Ion: 93 Resp: 1187468
Ion Ratio Lower Upper
93 100
63 66.6 43.9 83.9
95 32.4 12.7 52.7

Manual Integrations
APPROVED




Reviewed By :Rahul
Chavli
06/10/2025


Supervised By :Jagrut
Upadhyay
06/10/2025



#12
1,3-Dichlorobenzene
Concen: 40.261 ng
RT: 7.658 min Scan# 794
Delta R.T. 0.001 min
Lab File: BM050250.D
Acq: 09 Jun 2025 20:19

Tgt Ion:146 Resp: 1166230
Ion Ratio Lower Upper
146 100
148 63.3 51.9 77.9
75 31.1 23.4 35.0





#13
1,4-Dichlorobenzene
Concen: 40.289 ng
RT: 7.805 min Scan# 819
Delta R.T. 0.001 min
Lab File: BM050250.D
Acq: 09 Jun 2025 20:19





Instrument :
BNA_M
ClientSampleId :
TP06-MHI-WCMS

Tgt Ion:146 Resp: 1214259
Ion Ratio Lower Upper
146 100
148 64.0 51.4 77.0
111 39.8 32.3 48.5

Manual Integrations
APPROVED




Reviewed By :Rahul
Chavli
06/10/2025

Supervised By :Jagrut
Upadhyay
06/10/2025



#14
1,2-Dichlorobenzene
Concen: 41.067 ng
RT: 8.122 min Scan# 873
Delta R.T. 0.001 min
Lab File: BM050250.D
Acq: 09 Jun 2025 20:19


Tgt Ion:146 Resp: 1179906
Ion Ratio Lower Upper
146 100
148 63.8 50.4 75.6
111 42.1 34.3 51.5





#15
Benzyl Alcohol
Concen: 44.963 ng
RT: 8.005 min Scan# 801
Delta R.T. 0.001 min
Lab File: BM050250.D
Acq: 09 Jun 2025 20:19

Instrument :
BNA_M
ClientSampleId :
TP06-MHI-WCMS






Tgt Ion: 79 Resp: 994445
Ion Ratio Lower Upper
79 100
108 77.6 64.0 96.0
77 63.2 52.2 78.2


Manual Integrations
APPROVED

Reviewed By :Rahul
Chavli
06/10/2025



Supervised By :Jagrut
Upadhyay
06/10/2025




#16
2,2'-oxybis(1-Chloropropane)
Concen: 49.367 ng
RT: 8.299 min Scan# 903
Delta R.T. 0.006 min
Lab File: BM050250.D
Acq: 09 Jun 2025 20:19




Tgt Ion: 45 Resp: 905020
Ion Ratio Lower Upper
45 100
77 26.4 8.7 48.7
79 20.0 2.7 42.7





#17
2-Methylphenol
Concen: 43.331 ng
RT: 8.205 min Scan# 81
Delta R.T. 0.001 min
Lab File: BM050250.D
Acq: 09 Jun 2025 20:19

Instrument :
BNA_M
ClientSampleId :
TP06-MHI-WCMS





Tgt Ion:107 Resp: 93804

Ion	Ratio	Lower	Upper
107	100		
108	114.1	90.8	136.2
77	45.7	35.7	53.5
79	43.7	35.0	52.4

Manual Integrations
APPROVED

Reviewed By :Rahul
Chavli
06/10/2025




Supervised By :Jagrut
Upadhyay
06/10/2025




#18
Hexachloroethane
Concen: 42.245 ng
RT: 8.852 min Scan# 997
Delta R.T. 0.001 min
Lab File: BM050250.D
Acq: 09 Jun 2025 20:19

Tgt Ion:117 Resp: 461080


Ion	Ratio	Lower	Upper
117	100		
119	95.6	77.0	115.6
201	91.5	74.6	111.8





#19
n-Nitroso-di-n-propylamine
Concen: 44.418 ng
RT: 8.575 min Scan# 91
Delta R.T. 0.001 min
Lab File: BM050250.D
Acq: 09 Jun 2025 20:19




Instrument :
BNA_M
ClientSampleId :
TP06-MHI-WCMS




Tgt Ion: 70 Resp: 84287
Ion Ratio Lower Upper
70 100
42 27.3 22.6 33.8
101 9.0 8.3 12.5
130 20.1 17.4 26.2

Manual Integrations
APPROVED



Reviewed By :Rahul
Chavli
06/10/2025
Supervised By :Jagrut
Upadhyay
06/10/2025




#20
3+4-Methylphenols
Concen: 42.920 ng
RT: 8.534 min Scan# 943
Delta R.T. 0.001 min
Lab File: BM050250.D
Acq: 09 Jun 2025 20:19



Tgt Ion:107 Resp: 1243110
Ion Ratio Lower Upper
107 100
108 90.7 70.4 110.4
77 32.7 12.2 52.2
79 28.9 7.7 47.7






#21
Naphthalene-d8
Concen: 20.000 ng
RT: 10.558 min Scan# 1287
Delta R.T. 0.001 min
Lab File: BM050250.D
Acq: 09 Jun 2025 20:19

Instrument :

BNA_M

ClientSampleId :

TP06-MHI-WCMS



Tgt Ion:136 Resp: 152176
Ion Ratio Lower Upper
136 100
137 10.6 8.6 13.0
54 5.0 3.8 5.8
68 6.2 4.9 7.3

Manual Integrations

APPROVED

Reviewed By :Rahul




Chavli

06/10/2025


Supervised By :Jagrut

Upadhyay



06/10/2025




#22
Acetophenone
Concen: 44.530 ng
RT: 8.587 min Scan# 952
Delta R.T. 0.001 min
Lab File: BM050250.D
Acq: 09 Jun 2025 20:19



Tgt Ion:105 Resp: 1692937
Ion Ratio Lower Upper
105 100
71 4.5 5.0 7.4#
51 14.6 11.4 17.2
120 22.9 18.2 27.4






#23
Nitrobenzene-d5
Concen: 83.563 ng
RT: 8.916 min Scan# 1008
Delta R.T. 0.001 min
Lab File: BM050250.D
Acq: 09 Jun 2025 20:19

Instrument :

BNA_M

ClientSampleId :

TP06-MHI-WCMS



Tgt Ion: 82 Resp: 244505
Ion Ratio Lower Upper
82 100
128 42.9 35.2 52.8
54 32.0 24.5 36.7

Manual Integrations

APPROVED

Reviewed By :Rahul




Chavli

06/10/2025

Supervised By :Jagrut




Upadhyay


06/10/2025



#24
Nitrobenzene
Concen: 47.211 ng
RT: 8.958 min Scan# 1015
Delta R.T. -0.005 min
Lab File: BM050250.D
Acq: 09 Jun 2025 20:19


Tgt Ion: 77 Resp: 1256342
Ion Ratio Lower Upper
77 100
123 45.4 38.2 57.2
65 12.3 9.5 14.3





#25
Isophorone
Concen: 45.614 ng
RT: 9.487 min Scan# 1105
Delta R.T. 0.001 min
Lab File: BM050250.D
Acq: 09 Jun 2025 20:19




Instrument :
BNA_M
ClientSampleId :
TP06-MHI-WCMS



Tgt Ion: 82 Resp: 2303628
Ion Ratio Lower Upper
82 100
95 6.9 5.7 8.5
138 17.2 14.2 21.2




Manual Integrations
APPROVED


Reviewed By :Rahul
Chavli
06/10/2025
Supervised By :Jagrut
Upadhyay
06/10/2025



#26
2-Nitrophenol
Concen: 47.667 ng
RT: 9.669 min Scan# 1136
Delta R.T. 0.001 min
Lab File: BM050250.D
Acq: 09 Jun 2025 20:19


Tgt Ion:139 Resp: 547550
Ion Ratio Lower Upper
139 100
109 29.3 23.3 34.9
65 46.8 35.2 52.8





#27
2,4-Dimethylphenol
Concen: 45.700 ng
RT: 9.734 min Scan# 1150
Delta R.T. 0.001 min
Lab File: BM050250.D
Acq: 09 Jun 2025 20:19

Instrument :
BNA_M
ClientSampleId :
TP06-MHI-WCMS






Tgt Ion:122 Resp: 107863
Ion Ratio Lower Upper
122 100
107 113.5 91.0 136.6
121 57.7 45.8 68.6

Manual Integrations
APPROVED




Reviewed By :Rahul
Chavli
06/10/2025


Supervised By :Jagrut
Upadhyay
06/10/2025



#28
bis(2-Chloroethoxy)methane
Concen: 46.658 ng
RT: 9.969 min Scan# 1187
Delta R.T. 0.001 min
Lab File: BM050250.D
Acq: 09 Jun 2025 20:19


Tgt Ion: 93 Resp: 1539341
Ion Ratio Lower Upper
93 100
95 32.2 26.2 39.4
123 11.0 8.9 13.3





#29
2,4-Dichlorophenol
Concen: 45.889 ng
RT: 10.205 min Scan# 1227
Delta R.T. 0.006 min
Lab File: BM050250.D
Acq: 09 Jun 2025 20:19

Instrument :
BNA_M
ClientSampleId :
TP06-MHI-WCMS






Tgt Ion:162 Resp: 100228
Ion Ratio Lower Upper
162 100
164 64.6 45.0 85.0
98 37.4 16.3 56.3

Manual Integrations
APPROVED




Reviewed By :Rahul
Chavli
06/10/2025


Supervised By :Jagrut
Upadhyay
06/10/2025



#30
1,2,4-Trichlorobenzene
Concen: 43.762 ng
RT: 10.416 min Scan# 1263
Delta R.T. -0.005 min
Lab File: BM050250.D
Acq: 09 Jun 2025 20:19


Tgt Ion:180 Resp: 1063647
Ion Ratio Lower Upper
180 100
182 95.3 76.6 114.8
145 30.6 24.2 36.4





#31
Naphthalene
Concen: 43.600 ng
RT: 10.605 min Scan# 1168
Delta R.T. 0.001 min
Lab File: BM050250.D
Acq: 09 Jun 2025 20:19

Instrument :
BNA_M
ClientSampleId :
TP06-MHI-WCMS






Tgt Ion:128 Resp: 3430349
Ion Ratio Lower Upper
128 100
129 10.9 8.6 12.8
127 12.9 10.2 15.4

Manual Integrations
APPROVED




Reviewed By :Rahul
Chavli
06/10/2025


Supervised By :Jagrut
Upadhyay
06/10/2025



#32
Benzoic acid
Concen: 42.526 ng
RT: 9.858 min Scan# 1168
Delta R.T. 0.012 min
Lab File: BM050250.D
Acq: 09 Jun 2025 20:19


Tgt Ion:122 Resp: 630781
Ion Ratio Lower Upper
122 100
105 125.8 103.4 143.4
77 94.5 70.3 110.3





#33
4-Chloroaniline
Concen: 9.147 ng
RT: 10.710 min Scan# 1313
Delta R.T. 0.001 min
Lab File: BM050250.D
Acq: 09 Jun 2025 20:19

Instrument :
BNA_M
ClientSampleId :
TP06-MHI-WCMS






Tgt Ion:127 Resp: 306819

Ion	Ratio	Lower	Upper
127	100		
129	29.9	25.4	38.0
65	26.7	21.0	31.4
92	17.7	14.8	22.2


Manual Integrations
APPROVED

Reviewed By :Rahul
Chavli
06/10/2025

Supervised By :Jagrut
Upadhyay
06/10/2025






#34
Hexachlorobutadiene
Concen: 42.871 ng
RT: 10.899 min Scan# 1345
Delta R.T. -0.005 min
Lab File: BM050250.D
Acq: 09 Jun 2025 20:19



Tgt Ion:225 Resp: 619791


Ion	Ratio	Lower	Upper
225	100		
223	62.5	50.2	75.2
227	63.2	51.0	76.4





#35
Caprolactam
Concen: 34.440 ng
RT: 11.481 min Scan# 1447
Delta R.T. 0.001 min
Lab File: BM050250.D
Acq: 09 Jun 2025 20:19




Instrument :
BNA_M
ClientSampleId :
TP06-MHI-WCMS



Tgt Ion:113 Resp: 23848
Ion Ratio Lower Upper
113 100
55 113.7 83.5 123.5
56 89.2 60.6 100.6




Manual Integrations
APPROVED


Reviewed By :Rahul
Chavli
06/10/2025
Supervised By :Jagrut
Upadhyay
06/10/2025



#36
4-Chloro-3-methylphenol
Concen: 44.125 ng
RT: 11.834 min Scan# 1504
Delta R.T. 0.001 min
Lab File: BM050250.D
Acq: 09 Jun 2025 20:19


Tgt Ion:107 Resp: 1028377
Ion Ratio Lower Upper
107 100
144 25.6 21.0 31.6
142 80.0 64.8 97.2





#37
2-Methylnaphthalene
Concen: 44.663 ng
RT: 12.216 min Scan# 1569
Delta R.T. -0.005 min
Lab File: BM050250.D
Acq: 09 Jun 2025 20:19




Instrument :
BNA_M
ClientSampleId :
TP06-MHI-WCMS




Tgt Ion:142 Resp: 2119890
Ion Ratio Lower Upper
142 100
141 87.0 71.5 107.3
115 34.7 27.8 41.8

Manual Integrations
APPROVED



Reviewed By :Rahul
Chavli
06/10/2025
Supervised By :Jagrut
Upadhyay
06/10/2025




#38
1-Methylnaphthalene
Concen: 43.860 ng
RT: 12.440 min Scan# 1607
Delta R.T. 0.001 min
Lab File: BM050250.D
Acq: 09 Jun 2025 20:19




Tgt Ion:142 Resp: 2209544
Ion Ratio Lower Upper
142 100
141 92.5 72.9 109.3
116 4.1 3.0 4.6





#39
Acenaphthene-d10
Concen: 20.000 ng
RT: 14.398 min Scan# 1940
Delta R.T. 0.001 min
Lab File: BM050250.D
Acq: 09 Jun 2025 20:19

Instrument :
BNA_M
ClientSampleId :
TP06-MHI-WCMS






Tgt Ion:164 Resp: 827375
Ion Ratio Lower Upper
164 100
162 101.7 80.2 120.4
160 45.4 35.7 53.5


Manual Integrations
APPROVED

Reviewed By :Rahul
Chavli
06/10/2025



Supervised By :Jagrut
Upadhyay
06/10/2025




#40
1,2,4,5-Tetrachlorobenzene
Concen: 47.004 ng
RT: 12.587 min Scan# 1632
Delta R.T. 0.001 min
Lab File: BM050250.D
Acq: 09 Jun 2025 20:19




Tgt Ion:216 Resp: 1122982
Ion Ratio Lower Upper
216 100
214 78.4 63.0 94.4
179 20.7 16.6 25.0
108 22.4 15.9 23.9





#41
Hexachlorocyclopentadiene
Concen: 97.547 ng
RT: 12.581 min Scan# 1631
Delta R.T. 0.006 min
Lab File: BM050250.D
Acq: 09 Jun 2025 20:19

Instrument :
BNA_M
ClientSampleId :
TP06-MHI-WCMS






Tgt Ion:237 Resp: 1415330
Ion Ratio Lower Upper
237 100
235 62.2 44.6 84.6
272 12.9 0.0 33.1

Manual Integrations
APPROVED




Reviewed By :Rahul
Chavli
06/10/2025


Supervised By :Jagrut
Upadhyay
06/10/2025



#42
2,4,6-Tribromophenol
Concen: 132.601 ng
RT: 15.881 min Scan# 2192
Delta R.T. 0.001 min
Lab File: BM050250.D
Acq: 09 Jun 2025 20:19


Tgt Ion:330 Resp: 1247878
Ion Ratio Lower Upper
330 100
332 96.3 77.5 116.3
141 36.5 28.8 43.2





#43
2,4,6-Trichlorophenol
Concen: 48.414 ng
RT: 12.828 min Scan# 1673
Delta R.T. 0.001 min
Lab File: BM050250.D
Acq: 09 Jun 2025 20:19

Instrument :
BNA_M
ClientSampleId :
TP06-MHI-WCMS






Tgt Ion:196 Resp: 760650
Ion Ratio Lower Upper
196 100
198 96.6 76.6 115.0
200 31.2 24.5 36.7

Manual Integrations
APPROVED




Reviewed By :Rahul
Chavli
06/10/2025


Supervised By :Jagrut
Upadhyay
06/10/2025



#44
2,4,5-Trichlorophenol
Concen: 48.272 ng
RT: 12.899 min Scan# 1685
Delta R.T. 0.001 min
Lab File: BM050250.D
Acq: 09 Jun 2025 20:19


Tgt Ion:196 Resp: 832691
Ion Ratio Lower Upper
196 100
198 96.8 76.1 114.1
97 51.7 39.3 58.9
132 27.6 21.4 32.0





#45
2-Fluorobiphenyl
Concen: 79.988 ng
RT: 13.028 min Scan# 1710
Delta R.T. 0.001 min
Lab File: BM050250.D
Acq: 09 Jun 2025 20:19

Instrument :
BNA_M
ClientSampleId :
TP06-MHI-WCMS






Tgt Ion:172 Resp: 4888295
Ion Ratio Lower Upper
172 100
171 34.7 27.8 41.6
170 23.1 18.6 27.8


Manual Integrations
APPROVED

Reviewed By :Rahul
Chavli
06/10/2025



Supervised By :Jagrut
Upadhyay
06/10/2025




#46
1,1'-Biphenyl
Concen: 47.263 ng
RT: 13.234 min Scan# 1742
Delta R.T. 0.001 min
Lab File: BM050250.D
Acq: 09 Jun 2025 20:19




Tgt Ion:154 Resp: 2928102
Ion Ratio Lower Upper
154 100
153 39.4 19.2 59.2
76 13.0 0.0 32.0





#47
2-Chloronaphthalene
Concen: 46.678 ng
RT: 13.275 min Scan# 1749
Delta R.T. 0.001 min
Lab File: BM050250.D
Acq: 09 Jun 2025 20:19

Instrument :
BNA_M
ClientSampleId :
TP06-MHI-WCMS






Tgt Ion:162 Resp: 224821
Ion Ratio Lower Upper
162 100
127 38.1 31.1 46.7
164 32.7 26.5 39.7

Manual Integrations
APPROVED




Reviewed By :Rahul
Chavli
06/10/2025


Supervised By :Jagrut
Upadhyay
06/10/2025



#48
2-Nitroaniline
Concen: 53.110 ng
RT: 13.469 min Scan# 1782
Delta R.T. 0.001 min
Lab File: BM050250.D
Acq: 09 Jun 2025 20:19


Tgt Ion: 65 Resp: 562921
Ion Ratio Lower Upper
65 100
92 76.8 64.2 96.4
138 118.2 101.0 151.4





#49
Acenaphthylene
Concen: 46.481 ng
RT: 14.116 min Scan# 1892
Delta R.T. -0.005 min
Lab File: BM050250.D
Acq: 09 Jun 2025 20:19

Instrument :
BNA_M
ClientSampleId :
TP06-MHI-WCMS






Tgt Ion:152 Resp: 362102
Ion Ratio Lower Upper
152 100
151 19.8 15.8 23.6
153 13.2 10.4 15.6

Manual Integrations
APPROVED




Reviewed By :Rahul
Chavli
06/10/2025


Supervised By :Jagrut
Upadhyay
06/10/2025



#50
Dimethylphthalate
Concen: 46.821 ng
RT: 13.863 min Scan# 1849
Delta R.T. 0.001 min
Lab File: BM050250.D
Acq: 09 Jun 2025 20:19


Tgt Ion:163 Resp: 2619856
Ion Ratio Lower Upper
163 100
194 4.1 3.3 4.9
164 10.1 7.9 11.9





#51
2,6-Dinitrotoluene
Concen: 49.379 ng
RT: 13.969 min Scan# 1867
Delta R.T. 0.001 min
Lab File: BM050250.D
Acq: 09 Jun 2025 20:19

Instrument :
BNA_M
ClientSampleId :
TP06-MHI-WCMS






Tgt Ion:165 Resp: 55720
Ion Ratio Lower Upper
165 100
63 47.9 35.8 53.6
89 58.3 44.8 67.2

Manual Integrations
APPROVED




Reviewed By :Rahul
Chavli
06/10/2025


Supervised By :Jagrut
Upadhyay
06/10/2025



#52
Acenaphthene
Concen: 44.212 ng
RT: 14.463 min Scan# 1951
Delta R.T. 0.001 min
Lab File: BM050250.D
Acq: 09 Jun 2025 20:19


Tgt Ion:154 Resp: 2154317
Ion Ratio Lower Upper
154 100
153 113.0 88.7 133.1
152 53.2 42.6 63.8





#53
3-Nitroaniline
Concen: 26.984 ng
RT: 14.293 min Scan# 1922
Delta R.T. 0.001 min
Lab File: BM050250.D
Acq: 09 Jun 2025 20:19

Instrument :
BNA_M
ClientSampleId :
TP06-MHI-WCMS






Tgt Ion:138 Resp: 339350
Ion Ratio Lower Upper
138 100
108 11.0 8.8 13.2
92 115.7 92.9 139.3

Manual Integrations
APPROVED




Reviewed By :Rahul
Chavli
06/10/2025


Supervised By :Jagrut
Upadhyay
06/10/2025



#54
2,4-Dinitrophenol
Concen: 94.097 ng
RT: 14.498 min Scan# 1957
Delta R.T. 0.006 min
Lab File: BM050250.D
Acq: 09 Jun 2025 20:19


Tgt Ion:184 Resp: 609950
Ion Ratio Lower Upper
184 100
63 55.5 45.3 67.9
154 62.0 54.3 81.5





#55
Dibenzofuran
Concen: 46.357 ng
RT: 14.798 min Scan# 2011
Delta R.T. 0.001 min
Lab File: BM050250.D
Acq: 09 Jun 2025 20:19

Instrument :
BNA_M
ClientSampleId :
TP06-MHI-WCMS






Tgt Ion:168 Resp: 3304639
Ion Ratio Lower Upper
168 100
139 37.2 29.9 44.9
169 13.4 10.6 16.0

Manual Integrations
APPROVED




Reviewed By :Rahul
Chavli
06/10/2025


Supervised By :Jagrut
Upadhyay
06/10/2025



#56
4-Nitrophenol
Concen: 91.379 ng
RT: 14.598 min Scan# 1974
Delta R.T. 0.001 min
Lab File: BM050250.D
Acq: 09 Jun 2025 20:19

Tgt Ion:139 Resp: 978143
Ion Ratio Lower Upper
139 100
109 74.1 52.6 92.6
65 87.6 64.3 104.3






#57
2,4-Dinitrotoluene
Concen: 51.572 ng
RT: 14.751 min Scan# 2000
Delta R.T. 0.001 min
Lab File: BM050250.D
Acq: 09 Jun 2025 20:19

Instrument :

BNA_M

ClientSampleId :

TP06-MHI-WCMS



Tgt Ion:165 Resp: 76768
Ion Ratio Lower Upper
165 100
63 38.7 28.4 42.6
89 74.2 58.0 87.0
182 2.5 2.2 3.2

Manual Integrations

APPROVED

Reviewed By :Rahul




Chavli

06/10/2025


Supervised By :Jagrut

Upadhyay



06/10/2025




#58
Fluorene
Concen: 46.221 ng
RT: 15.445 min Scan# 2118
Delta R.T. 0.001 min
Lab File: BM050250.D
Acq: 09 Jun 2025 20:19




Tgt Ion:166 Resp: 2523640
Ion Ratio Lower Upper
166 100
165 96.8 77.0 115.4
167 13.6 10.7 16.1





#59
2,3,4,6-Tetrachlorophenol
Concen: 46.916 ng m
RT: 15.022 min Scan# 2046
Delta R.T. 0.001 min
Lab File: BM050250.D
Acq: 09 Jun 2025 20:19

Instrument :
BNA_M
ClientSampleId :
TP06-MHI-WCMS






Tgt Ion:232 Resp: 700200
Ion Ratio Lower Upper
232 100
131 41.7 32.9 49.3
130 2.4 1.8 2.8
166 26.0 20.8 31.2


Manual Integrations
APPROVED

Reviewed By :Rahul
Chavli
06/10/2025



Supervised By :Jagrut
Upadhyay
06/10/2025




#60
Diethylphthalate
Concen: 47.041 ng
RT: 15.228 min Scan# 2081
Delta R.T. 0.001 min
Lab File: BM050250.D
Acq: 09 Jun 2025 20:19




Tgt Ion:149 Resp: 2611641
Ion Ratio Lower Upper
149 100
177 21.9 17.2 25.8
150 12.4 10.0 15.0





#61
4-Chlorophenyl-phenylether
Concen: 46.231 ng
RT: 15.445 min Scan# 2118
Delta R.T. 0.001 min
Lab File: BM050250.D
Acq: 09 Jun 2025 20:19

Instrument :
BNA_M
ClientSampleId :
TP06-MHI-WCMS






Tgt Ion:204 Resp: 121995
Ion Ratio Lower Upper
204 100
206 32.8 25.4 38.0
141 58.9 47.9 71.9

Manual Integrations
APPROVED




Reviewed By :Rahul
Chavli
06/10/2025


Supervised By :Jagrut
Upadhyay
06/10/2025



#62
4-Nitroaniline
Concen: 45.560 ng
RT: 15.457 min Scan# 2120
Delta R.T. 0.001 min
Lab File: BM050250.D
Acq: 09 Jun 2025 20:19


Tgt Ion:138 Resp: 537036
Ion Ratio Lower Upper
138 100
92 49.7 28.8 68.8
108 76.9 58.1 98.1





#63
Azobenzene
Concen: 47.085 ng
RT: 15.734 min Scan# 2171
Delta R.T. 0.001 min
Lab File: BM050250.D
Acq: 09 Jun 2025 20:19




Instrument :
BNA_M
ClientSampleId :
TP06-MHI-WCMS



Tgt Ion: 77 Resp: 261286
Ion Ratio Lower Upper
77 100
182 24.2 6.8 46.8
105 21.8 1.7 41.7
51 16.0 0.0 36.2




Manual Integrations
APPROVED


Reviewed By :Rahul
Chavli
06/10/2025
Supervised By :Jagrut
Upadhyay
06/10/2025



#64
Phenanthrene-d10
Concen: 20.000 ng
RT: 17.139 min Scan# 2406
Delta R.T. 0.001 min
Lab File: BM050250.D
Acq: 09 Jun 2025 20:19


Tgt Ion:188 Resp: 1462387
Ion Ratio Lower Upper
188 100
94 9.2 8.1 12.1
80 10.1 8.6 13.0





#65
4,6-Dinitro-2-methylphenol
Concen: 48.290 ng
RT: 15.516 min Scan# 2130
Delta R.T. 0.001 min
Lab File: BM050250.D
Acq: 09 Jun 2025 20:19

Instrument :
BNA_M
ClientSampleId :
TP06-MHI-WCMS






Tgt Ion:198 Resp: 385700
Ion Ratio Lower Upper
198 100
51 24.1 4.5 44.5
105 45.6 24.9 64.9


Manual Integrations
APPROVED

Reviewed By :Rahul
Chavli
06/10/2025



Supervised By :Jagrut
Upadhyay
06/10/2025




#66
n-Nitrosodiphenylamine
Concen: 48.171 ng
RT: 15.657 min Scan# 2154
Delta R.T. 0.001 min
Lab File: BM050250.D
Acq: 09 Jun 2025 20:19



Tgt Ion:169 Resp: 2213402
Ion Ratio Lower Upper
169 100
168 66.2 53.1 79.7
167 35.7 29.0 43.6





#67
4-Bromophenyl-phenylether
Concen: 49.256 ng
RT: 16.334 min Scan# 21
Delta R.T. 0.001 min
Lab File: BM050250.D
Acq: 09 Jun 2025 20:19

Instrument :

BNA_M

ClientSampleId :

TP06-MHI-WCMS

Tgt Ion:248 Resp: 768128
Ion Ratio Lower Upper
248 100
250 97.4 78.0 117.0
141 75.6 60.1 90.1

Manual Integrations
APPROVED

Reviewed By :Rahul





Chavli

06/10/2025

Supervised By :Jagrut




Upadhyay


06/10/2025



#68
Hexachlorobenzene
Concen: 48.564 ng
RT: 16.445 min Scan# 2288
Delta R.T. 0.001 min
Lab File: BM050250.D
Acq: 09 Jun 2025 20:19

Tgt Ion:284 Resp: 884845
Ion Ratio Lower Upper
284 100
142 36.3 28.8 43.2
249 31.2 25.8 38.6





#69

Atrazine

Concen: 50.160 ng

RT: 16.610 min Scan# 21

Delta R.T. 0.001 min

Lab File: BM050250.D

Acq: 09 Jun 2025 20:19

Instrument :

BNA_M

ClientSampleId :

TP06-MHI-WCMS

Tgt Ion:200 Resp: 734379

Ion Ratio Lower Upper

200 100

173 26.2 6.0 46.0

215 48.3 28.1 68.1

Manual Integrations

APPROVED

Reviewed By :Rahul





Chavli

06/10/2025

Supervised By :Jagrut

Upadhyay

06/10/2025



#70

Pentachlorophenol

Concen: 99.373 ng

RT: 16.787 min Scan# 2346

Delta R.T. 0.001 min

Lab File: BM050250.D

Acq: 09 Jun 2025 20:19




Tgt Ion:266 Resp: 1177160


Ion Ratio Lower Upper

266 100

268 63.8 51.0 76.6


264 62.5 50.8 76.2





#71
Phenanthrene
Concen: 46.228 ng
RT: 17.181 min Scan# 2416
Delta R.T. 0.001 min
Lab File: BM050250.D
Acq: 09 Jun 2025 20:19

Instrument :
BNA_M
ClientSampleId :
TP06-MHI-WCMS






Tgt Ion:178 Resp: 3861939
Ion Ratio Lower Upper
178 100
176 19.1 15.6 23.4
179 15.3 12.3 18.5

Manual Integrations
APPROVED




Reviewed By :Rahul
Chavli
06/10/2025


Supervised By :Jagrut
Upadhyay
06/10/2025



#72
Anthracene
Concen: 47.119 ng
RT: 17.269 min Scan# 2428
Delta R.T. 0.001 min
Lab File: BM050250.D
Acq: 09 Jun 2025 20:19

Tgt Ion:178 Resp: 3937922
Ion Ratio Lower Upper
178 100
176 18.5 14.8 22.2
179 15.3 12.3 18.5





#73

Carbazole

Concen: 46.979 ng

RT: 17.534 min Scan# 24

Delta R.T. 0.001 min

Lab File: BM050250.D


Acq: 09 Jun 2025 20:19

Instrument :

BNA_M

ClientSampleId :

TP06-MHI-WCMS



Tgt Ion:167 Resp: 357686

Ion Ratio Lower Upper

167 100

166 21.1 17.0 25.6

139 12.6 10.2 15.4

Manual Integrations

APPROVED

Reviewed By :Rahul




Chavli

06/10/2025

Supervised By :Jagrut

Upadhyay

06/10/2025



#74

Di-n-butylphthalate

Concen: 50.890 ng

RT: 18.116 min Scan# 2572

Delta R.T. 0.001 min

Lab File: BM050250.D

Acq: 09 Jun 2025 20:19




Tgt Ion:149 Resp: 4215930


Ion Ratio Lower Upper

149 100

150 9.1 7.4 11.0


104 5.1 4.0 6.0





#75
Fluoranthene
Concen: 46.445 ng
RT: 19.192 min Scan# 21
Delta R.T. 0.001 min
Lab File: BM050250.D
Acq: 09 Jun 2025 20:19

Instrument :
BNA_M
ClientSampleId :
TP06-MHI-WCMS






Tgt Ion:202 Resp: 409177
Ion Ratio Lower Upper
202 100
101 11.8 0.0 31.1
203 17.5 0.0 37.0

Manual Integrations
APPROVED




Reviewed By :Rahul
Chavli
06/10/2025


Supervised By :Jagrut
Upadhyay
06/10/2025



#76
Chrysene-d12
Concen: 20.000 ng
RT: 21.369 min Scan# 3125
Delta R.T. -0.005 min
Lab File: BM050250.D
Acq: 09 Jun 2025 20:19


Tgt Ion:240 Resp: 1332936
Ion Ratio Lower Upper
240 100
120 11.1 9.0 13.4
236 24.9 20.7 31.1





#77
Benzidine
Concen: 9.574 ng
RT: 19.375 min Scan# 21
Delta R.T. 0.001 min
Lab File: BM050250.D
Acq: 09 Jun 2025 20:19

Instrument :
BNA_M
ClientSampleId :
TP06-MHI-WCMS






Tgt Ion:184 Resp: 358870
Ion Ratio Lower Upper
184 100
185 14.3 11.5 17.3
183 10.8 9.0 13.4

Manual Integrations
APPROVED




Reviewed By :Rahul
Chavli
06/10/2025


Supervised By :Jagrut
Upadhyay
06/10/2025



#78
Pyrene
Concen: 47.910 ng
RT: 19.557 min Scan# 2817
Delta R.T. 0.001 min
Lab File: BM050250.D
Acq: 09 Jun 2025 20:19

Tgt Ion:202 Resp: 4304284
Ion Ratio Lower Upper
202 100
200 20.5 16.7 25.1
203 17.3 14.1 21.1






#79
 Terphenyl-d14
 Concen: 83.273 ng
 RT: 19.763 min Scan# 2855
 Delta R.T. -0.005 min
 Lab File: BM050250.D
 Acq: 09 Jun 2025 20:19

Instrument :

BNA_M

ClientSampleId :

TP06-MHI-WCMS



Tgt Ion:244 Resp: 585734
 Ion Ratio Lower Upper
 244 100
 212 7.2 6.0 9.0
 122 11.3 8.6 12.8

Manual Integrations
 APPROVED

Reviewed By :Rahul




Chavli

06/10/2025


Supervised By :Jagrut

Upadhyay



06/10/2025




#80
 Butylbenzylphthalate
 Concen: 54.492 ng
 RT: 20.469 min Scan# 2972
 Delta R.T. 0.001 min
 Lab File: BM050250.D
 Acq: 09 Jun 2025 20:19



Tgt Ion:149 Resp: 1632985
 Ion Ratio Lower Upper
 149 100
 91 70.4 56.9 85.3
 206 20.9 16.1 24.1





#81

Benzo(a)anthracene

Concen: 47.298 ng

RT: 21.351 min Scan# 31

Delta R.T. 0.001 min

Lab File: BM050250.D

Acq: 09 Jun 2025 20:19

Instrument :

BNA_M

ClientSampleId :

TP06-MHI-WCMS

Tgt Ion:228 Resp: 399046

Ion Ratio Lower Upper

228 100

226 27.1 21.7 32.5

229 19.7 15.7 23.5

Manual Integrations

APPROVED

Reviewed By :Rahul





Chavli

06/10/2025

Supervised By :Jagrut

Upadhyay

06/10/2025



#82

3,3'-Dichlorobenzidine

Concen: 32.043 ng

RT: 21.275 min Scan# 3109

Delta R.T. 0.001 min

Lab File: BM050250.D

Acq: 09 Jun 2025 20:19




Tgt Ion:252 Resp: 824418


Ion Ratio Lower Upper

252 100

254 64.7 51.4 77.0

126 11.2 8.6 12.8





#83

Chrysene

Concen: 47.317 ng

RT: 21.416 min Scan# 3135

Delta R.T. 0.001 min

Lab File: BM050250.D


Acq: 09 Jun 2025 20:19

Instrument :

BNA_M

ClientSampleId :

TP06-MHI-WCMS



Tgt Ion:228 Resp: 3797384

Ion Ratio Lower Upper

228 100

226 29.9 24.3 36.5

229 19.5 15.8 23.8

Manual Integrations

APPROVED

Reviewed By :Rahul




Chavli

06/10/2025

Supervised By :Jagrut

Upadhyay

06/10/2025



#84

Bis(2-ethylhexyl)phthalate

Concen: 54.716 ng

RT: 21.298 min Scan# 3113

Delta R.T. -0.005 min

Lab File: BM050250.D

Acq: 09 Jun 2025 20:19




Tgt Ion:149 Resp: 2525715


Ion Ratio Lower Upper

149 100

167 27.4 22.3 33.5


279 4.1 3.5 5.3





#85
Di-n-octyl phthalate
Concen: 56.957 ng
RT: 22.433 min Scan# 31
Delta R.T. -0.005 min
Lab File: BM050250.D
Acq: 09 Jun 2025 20:19

Instrument :
BNA_M
ClientSampleId :
TP06-MHI-WCMS






Tgt Ion:149 Resp: 390137
Ion Ratio Lower Upper
149 100
167 1.6 1.2 1.8
43 5.0 3.8 5.8

Manual Integrations
APPROVED




Reviewed By :Rahul
Chavli
06/10/2025


Supervised By :Jagrut
Upadhyay
06/10/2025



#86
Perylene-d12
Concen: 20.000 ng
RT: 24.345 min Scan# 3631
Delta R.T. 0.001 min
Lab File: BM050250.D
Acq: 09 Jun 2025 20:19

Tgt Ion:264 Resp: 1379954
Ion Ratio Lower Upper
264 100
260 23.0 18.6 28.0
265 21.4 16.8 25.2






#87
Indeno(1,2,3-cd)pyrene
Concen: 53.706 ng
RT: 27.703 min Scan# 41
Delta R.T. -0.005 min
Lab File: BM050250.D
Acq: 09 Jun 2025 20:19

Instrument :

BNA_M

ClientSampleId :

TP06-MHI-WCMS






Tgt Ion:276 Resp: 4771880
Ion Ratio Lower Upper
276 100
138 19.8 20.6 30.8
277 25.0 19.8 29.6

Manual Integrations
APPROVED




Reviewed By :Rahul
Chavli
06/10/2025


Supervised By :Jagrut
Upadhyay
06/10/2025



#88
Benzo(b)fluoranthene
Concen: 48.213 ng
RT: 23.410 min Scan# 3472
Delta R.T. 0.001 min
Lab File: BM050250.D
Acq: 09 Jun 2025 20:19

Tgt Ion:252 Resp: 3868153
Ion Ratio Lower Upper
252 100
253 21.8 17.2 25.8
125 10.3 8.2 12.4






#89
Benzo(k)fluoranthene
Concen: 47.870 ng
RT: 23.474 min Scan# 3483
Delta R.T. 0.001 min
Lab File: BM050250.D
Acq: 09 Jun 2025 20:19

Instrument :

BNA_M

ClientSampleId :

TP06-MHI-WCMS



Tgt Ion:252 Resp: 3920735
Ion Ratio Lower Upper
252 100
253 21.8 17.4 26.2
125 10.2 8.2 12.4

Manual Integrations
APPROVED

Reviewed By :Rahul




Chavli

06/10/2025


Supervised By :Jagrut

Upadhyay



06/10/2025




#90
Benzo(a)pyrene
Concen: 49.366 ng
RT: 24.204 min Scan# 3607
Delta R.T. -0.005 min
Lab File: BM050250.D
Acq: 09 Jun 2025 20:19




Tgt Ion:252 Resp: 3723908
Ion Ratio Lower Upper
252 100
253 21.9 17.6 26.4
125 11.3 9.0 13.4





#91
Dibenzo(a,h)anthracene
Concen: 53.966 ng
RT: 27.768 min Scan# 41
Delta R.T. 0.001 min
Lab File: BM050250.D
Acq: 09 Jun 2025 20:19

Instrument :
BNA_M
ClientSampleId :
TP06-MHI-WCMS






Tgt Ion:278 Resp: 389210
Ion Ratio Lower Upper
278 100
139 16.9 12.8 19.2
279 23.7 18.6 28.0

Manual Integrations
APPROVED

Reviewed By :Rahul
Chavli
06/10/2025

Supervised By :Jagrut
Upadhyay
06/10/2025



#92
Benzo(g,h,i)perylene
Concen: 54.349 ng
RT: 28.745 min Scan# 4379
Delta R.T. -0.005 min
Lab File: BM050250.D
Acq: 09 Jun 2025 20:19

Tgt Ion:276 Resp: 3923152
Ion Ratio Lower Upper
276 100
277 23.3 18.6 27.8
138 22.4 17.8 26.6

