

Data Path : Z:\svoasrv\HPCHEM1\BNA_M\Data\BM060925\
 Data File : BM050252.D
 Acq On : 09 Jun 2025 21:38
 Operator : RC/JU
 Sample : Q2235-03
 Misc :
 ALS Vial : 9 Sample Multiplier: 1

Instrument :
 BNA_M
 ClientSampleId :
 WC-A2-08-C

Quant Time: Jun 10 01:27:52 2025
 Quant Method : Z:\svoasrv\HPCHEM1\BNA_M\Methods\8270-BM060525.M
 Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
 QLast Update : Mon Jun 09 11:54:38 2025
 Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)


Internal Standards						
1) 1,4-Dichlorobenzene-d4	7.769	152	352597	20.000	ng	0.00
21) Naphthalene-d8	10.557	136	1338865	20.000	ng	0.00
39) Acenaphthene-d10	14.398	164	764097	20.000	ng	0.00
64) Phenanthrene-d10	17.133	188	1438553	20.000	ng	0.00
76) Chrysene-d12	21.362	240	1432142	20.000	ng	-0.01
86) Perylene-d12	24.338	264	1513341	20.000	ng	0.00
System Monitoring Compounds						
5) 2-Fluorophenol	5.357	112	2773714	131.225	ng	0.00
7) Phenol-d6	6.934	99	3153933	113.349	ng	0.00
23) Nitrobenzene-d5	8.916	82	2285445	88.778	ng	0.00
42) 2,4,6-Tribromophenol	15.880	330	1299976	149.576	ng	0.00
45) 2-Fluorobiphenyl	13.022	172	4820769	85.416	ng	0.00
79) Terphenyl-d14	19.768	244	6533250	86.449	ng	0.00
Target Compounds						
						Qvalue
31) Naphthalene	10.604	128	3443997	49.753	ng	99
37) 2-Methylnaphthalene	12.216	142	446244	10.686	ng	98
38) 1-Methylnaphthalene	12.433	142	415414	9.372	ng	99
52) Acenaphthene	14.457	154	283227	6.294	ng	98
58) Fluorene	15.439	166	143536	2.847	ng	97
71) Phenanthrene	17.174	178	552337	6.721	ng	98

(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\svoasrv\HPCHEM1\BNA_M\Data\BM060925\
Data File : BM050252.D
Acq On : 09 Jun 2025 21:38
Operator : RC/JU
Sample : Q2235-03
Misc :
ALS Vial : 9 Sample Multiplier: 1

Instrument :
BNA_M
ClientSampleId :
WC-A2-08-C


Quant Time: Jun 10 01:27:52 2025
Quant Method : Z:\svoasrv\HPCHEM1\BNA_M\Methods\8270-BM060525.M
Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
QLast Update : Mon Jun 09 11:54:38 2025
Response via : Initial Calibration




Data Path : Z:\svoasrv\HPCHEM1\BNA_M\Data\BM060925\
Data File : BM050252.D
Acq On : 09 Jun 2025 21:38
Operator : RC/JU
Sample : Q2235-03
Misc :
ALS Vial : 9 Sample Multiplier: 1

Instrument :
BNA_M
ClientSampleId :
WC-A2-08-C

Quant Time: Jun 10 01:27:52 2025
Quant Method : Z:\svoasrv\HPCHEM1\BNA_M\Methods\8270-BM060525.M
Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
QLast Update : Mon Jun 09 11:54:38 2025
Response via : Initial Calibration









#1
 1,4-Dichlorobenzene-d4
 Concen: 20.000 ng
 RT: 7.769 min Scan# 81
 Delta R.T. -0.000 min
 Lab File: BM050252.D
 Acq: 09 Jun 2025 21:38




Instrument :
 BNA_M
 ClientSampleId :
 WC-A2-08-C


Tgt Ion:152 Resp: 352597
 Ion Ratio Lower Upper
 152 100
 150 160.2 122.2 183.4
 115 60.1 46.3 69.5



#5
 2-Fluorophenol
 Concen: 131.225 ng
 RT: 5.357 min Scan# 403
 Delta R.T. 0.000 min
 Lab File: BM050252.D
 Acq: 09 Jun 2025 21:38

Tgt Ion:112 Resp: 2773714
 Ion Ratio Lower Upper
 112 100
 64 48.4 39.8 59.6
 63 24.3 19.8 29.8









#7
Phenol-d6
Concen: 113.349 ng
RT: 6.934 min Scan# 61
Delta R.T. 0.000 min
Lab File: BM050252.D
Acq: 09 Jun 2025 21:38




Instrument :
BNA_M
ClientSampleId :
WC-A2-08-C


Tgt Ion: 99 Resp: 3153933
Ion Ratio Lower Upper
99 100
42 8.7 6.9 10.3
71 31.6 25.3 37.9



#21
Naphthalene-d8
Concen: 20.000 ng
RT: 10.557 min Scan# 1287
Delta R.T. 0.000 min
Lab File: BM050252.D
Acq: 09 Jun 2025 21:38

Tgt Ion: 136 Resp: 1338865
Ion Ratio Lower Upper
136 100
137 10.5 8.6 13.0
54 5.1 3.8 5.8
68 5.8 4.9 7.3









#23
Nitrobenzene-d5
Concen: 88.778 ng
RT: 8.916 min Scan# 1008
Delta R.T. 0.000 min
Lab File: BM050252.D
Acq: 09 Jun 2025 21:38




Instrument :
BNA_M
ClientSampleId :
WC-A2-08-C


Tgt Ion: 82 Resp: 2285445
Ion Ratio Lower Upper
82 100
128 43.6 35.2 52.8
54 30.5 24.5 36.7



#31
Naphthalene
Concen: 49.753 ng
RT: 10.604 min Scan# 1295
Delta R.T. 0.000 min
Lab File: BM050252.D
Acq: 09 Jun 2025 21:38

Tgt Ion:128 Resp: 3443997
Ion Ratio Lower Upper
128 100
129 11.1 8.6 12.8
127 13.0 10.2 15.4









#37
2-Methylnaphthalene
Concen: 10.686 ng
RT: 12.216 min Scan# 1
Delta R.T. -0.006 min
Lab File: BM050252.D
Acq: 09 Jun 2025 21:38




Instrument :
BNA_M
ClientSampleId :
WC-A2-08-C


Tgt Ion:142 Resp: 446244
Ion Ratio Lower Upper
142 100
141 87.2 71.5 107.3
115 34.3 27.8 41.8



#38
1-Methylnaphthalene
Concen: 9.372 ng
RT: 12.433 min Scan# 1606
Delta R.T. -0.006 min
Lab File: BM050252.D
Acq: 09 Jun 2025 21:38

Tgt Ion:142 Resp: 415414
Ion Ratio Lower Upper
142 100
141 90.5 72.9 109.3
116 4.1 3.0 4.6









#39
 Acenaphthene-d10
 Concen: 20.000 ng
 RT: 14.398 min Scan# 1940
 Delta R.T. 0.000 min
 Lab File: BM050252.D
 Acq: 09 Jun 2025 21:38




Instrument :
 BNA_M
 ClientSampleId :
 WC-A2-08-C


Tgt Ion:164 Resp: 764097
 Ion Ratio Lower Upper
 164 100
 162 99.4 80.2 120.4
 160 44.2 35.7 53.5



#42
 2,4,6-Tribromophenol
 Concen: 149.576 ng
 RT: 15.880 min Scan# 2192
 Delta R.T. 0.000 min
 Lab File: BM050252.D
 Acq: 09 Jun 2025 21:38

Tgt Ion:330 Resp: 1299976
 Ion Ratio Lower Upper
 330 100
 332 95.8 77.5 116.3
 141 34.9 28.8 43.2









#45
2-Fluorobiphenyl
Concen: 85.416 ng
RT: 13.022 min Scan# 1710
Delta R.T. -0.006 min
Lab File: BM050252.D
Acq: 09 Jun 2025 21:38




Instrument :
BNA_M
ClientSampleId :
WC-A2-08-C


Tgt Ion:172 Resp: 4820769
Ion Ratio Lower Upper
172 100
171 34.8 27.8 41.6
170 23.2 18.6 27.8



#52
Acenaphthene
Concen: 6.294 ng
RT: 14.457 min Scan# 1950
Delta R.T. -0.006 min
Lab File: BM050252.D
Acq: 09 Jun 2025 21:38

Tgt Ion:154 Resp: 283227
Ion Ratio Lower Upper
154 100
153 109.2 88.7 133.1
152 54.2 42.6 63.8





#58

Fluorene

Concen: 2.847 ng

RT: 15.439 min Scan# 21

Delta R.T. -0.006 min

Lab File: BM050252.D

Acq: 09 Jun 2025 21:38

Instrument :

BNA_M

ClientSampleId :

WC-A2-08-C





Tgt Ion:166 Resp: 143536

Ion Ratio Lower Upper

166 100

165 99.2 77.0 115.4

167 13.2 10.7 16.1



#64

Phenanthrene-d10

Concen: 20.000 ng

RT: 17.133 min Scan# 2405

Delta R.T. -0.006 min

Lab File: BM050252.D

Acq: 09 Jun 2025 21:38




Tgt Ion:188 Resp: 1438553


Ion Ratio Lower Upper

188 100

94 9.9 8.1 12.1

80 10.5 8.6 13.0









#71
Phenanthrene
Concen: 6.721 ng
RT: 17.174 min Scan# 2416
Delta R.T. -0.006 min
Lab File: BM050252.D
Acq: 09 Jun 2025 21:38




Instrument :
BNA_M
ClientSampleId :
WC-A2-08-C


Tgt Ion:178 Resp: 552337
Ion Ratio Lower Upper
178 100
176 18.6 15.6 23.4
179 15.1 12.3 18.5



#76
Chrysene-d12
Concen: 20.000 ng
RT: 21.362 min Scan# 3124
Delta R.T. -0.012 min
Lab File: BM050252.D
Acq: 09 Jun 2025 21:38

Tgt Ion:240 Resp: 1432142
Ion Ratio Lower Upper
240 100
120 11.9 9.0 13.4
236 25.0 20.7 31.1









#79
 Terphenyl-d14
 Concen: 86.449 ng
 RT: 19.768 min Scan# 21
 Delta R.T. 0.000 min
 Lab File: BM050252.D
 Acq: 09 Jun 2025 21:38

Instrument :
 BNA_M
 ClientSampleId :
 WC-A2-08-C

Tgt Ion:244 Resp: 6533250
 Ion Ratio Lower Upper
 244 100
 212 7.1 6.0 9.0
 122 10.5 8.6 12.8



#86
 Perylene-d12
 Concen: 20.000 ng
 RT: 24.338 min Scan# 3630
 Delta R.T. -0.006 min
 Lab File: BM050252.D
 Acq: 09 Jun 2025 21:38

Tgt Ion:264 Resp: 1513341
 Ion Ratio Lower Upper
 264 100
 260 22.9 18.6 28.0
 265 21.8 16.8 25.2

