

Data Path : Z:\svoasrv\HPCHEM1\BNA_M\Data\BM060925\
 Data File : BM050267.D
 Acq On : 10 Jun 2025 08:04
 Operator : RC/JU
 Sample : Q2244-04
 Misc :
 ALS Vial : 22 Sample Multiplier: 1

Instrument :
 BNA_M
 ClientSampleId :
 TP03-MHC

Quant Time: Jun 10 08:50:31 2025
 Quant Method : Z:\svoasrv\HPCHEM1\BNA_M\Methods\8270-BM060525.M
 Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
 QLast Update : Mon Jun 09 11:54:38 2025
 Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)

Internal Standards						
1) 1,4-Dichlorobenzene-d4	7.763	152	338558	20.000	ng	0.00
21) Naphthalene-d8	10.551	136	1280082	20.000	ng	# 0.00
39) Acenaphthene-d10	14.392	164	693862	20.000	ng	0.00
64) Phenanthrene-d10	17.133	188	1284972	20.000	ng	0.00
76) Chrysene-d12	21.362	240	1241604	20.000	ng	-0.01
86) Perylene-d12	24.338	264	1320041	20.000	ng	0.00
System Monitoring Compounds						
5) 2-Fluorophenol	5.357	112	2886055	142.202	ng	0.00
7) Phenol-d6	6.934	99	3325653	124.476	ng	0.00
23) Nitrobenzene-d5	8.916	82	2410828	97.949	ng	0.00
42) 2,4,6-Tribromophenol	15.880	330	1142504	144.764	ng	0.00
45) 2-Fluorobiphenyl	13.021	172	4647888	90.689	ng	0.00
79) Terphenyl-d14	19.762	244	6156805	93.969	ng	0.00


Target Compounds	Qvalue

(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\svoasrv\HPCHEM1\BNA_M\Data\BM060925\
Data File : BM050267.D
Acq On : 10 Jun 2025 08:04
Operator : RC/JU
Sample : Q2244-04
Misc :
ALS Vial : 22 Sample Multiplier: 1

Instrument :
BNA_M
ClientSampleId :
TP03-MHC


Quant Time: Jun 10 08:50:31 2025
Quant Method : Z:\svoasrv\HPCHEM1\BNA_M\Methods\8270-BM060525.M
Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
QLast Update : Mon Jun 09 11:54:38 2025
Response via : Initial Calibration




Data Path : Z:\svoasrv\HPCHEM1\BNA_M\Data\BM060925\
Data File : BM050267.D
Acq On : 10 Jun 2025 08:04
Operator : RC/JU
Sample : Q2244-04
Misc :
ALS Vial : 22 Sample Multiplier: 1

Instrument :
BNA_M
ClientSampleId :
TP03-MHC

Quant Time: Jun 10 08:50:31 2025
Quant Method : Z:\svoasrv\HPCHEM1\BNA_M\Methods\8270-BM060525.M
Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
QLast Update : Mon Jun 09 11:54:38 2025
Response via : Initial Calibration









#1
1,4-Dichlorobenzene-d4
Concen: 20.000 ng
RT: 7.763 min Scan# 81
Delta R.T. -0.006 min
Lab File: BM050267.D
Acq: 10 Jun 2025 08:04




Instrument :
BNA_M
ClientSampleId :
TP03-MHC


Tgt Ion:152 Resp: 338558
Ion Ratio Lower Upper
152 100
150 159.5 122.2 183.4
115 60.3 46.3 69.5



#5
2-Fluorophenol
Concen: 142.202 ng
RT: 5.357 min Scan# 403
Delta R.T. -0.000 min
Lab File: BM050267.D
Acq: 10 Jun 2025 08:04

Tgt Ion:112 Resp: 2886055
Ion Ratio Lower Upper
112 100
64 51.5 39.8 59.6
63 26.0 19.8 29.8









#7
Phenol-d6
Concen: 124.476 ng
RT: 6.934 min Scan# 61
Delta R.T. -0.000 min
Lab File: BM050267.D
Acq: 10 Jun 2025 08:04




Instrument :
BNA_M
ClientSampleId :
TP03-MHC


Tgt Ion: 99 Resp: 3325653
Ion Ratio Lower Upper
99 100
42 8.8 6.9 10.3
71 33.0 25.3 37.9



#21
Naphthalene-d8
Concen: 20.000 ng
RT: 10.551 min Scan# 1286
Delta R.T. -0.006 min
Lab File: BM050267.D
Acq: 10 Jun 2025 08:04

Tgt Ion:136 Resp: 1280082
Ion Ratio Lower Upper
136 100
137 10.7 8.6 13.0
54 6.0 3.8 5.8#
68 6.6 4.9 7.3









#23
Nitrobenzene-d5
Concen: 97.949 ng
RT: 8.916 min Scan# 1008
Delta R.T. -0.000 min
Lab File: BM050267.D
Acq: 10 Jun 2025 08:04




Instrument :
BNA_M
ClientSampleId :
TP03-MHC


Tgt Ion: 82 Resp: 2410828
Ion Ratio Lower Upper
82 100
128 41.3 35.2 52.8
54 31.2 24.5 36.7



#39
Acenaphthene-d10
Concen: 20.000 ng
RT: 14.392 min Scan# 1939
Delta R.T. -0.006 min
Lab File: BM050267.D
Acq: 10 Jun 2025 08:04

Tgt Ion:164 Resp: 693862
Ion Ratio Lower Upper
164 100
162 100.6 80.2 120.4
160 47.1 35.7 53.5









#42
2,4,6-Tribromophenol
Concen: 144.764 ng
RT: 15.880 min Scan# 2195
Delta R.T. -0.000 min
Lab File: BM050267.D
Acq: 10 Jun 2025 08:04




Instrument :
BNA_M
ClientSampleId :
TP03-MHC


Tgt Ion:330 Resp: 1142504
Ion Ratio Lower Upper
330 100
332 96.2 77.5 116.3
141 38.7 28.8 43.2



#45
2-Fluorobiphenyl
Concen: 90.689 ng
RT: 13.021 min Scan# 1706
Delta R.T. -0.006 min
Lab File: BM050267.D
Acq: 10 Jun 2025 08:04

Tgt Ion:172 Resp: 4647888
Ion Ratio Lower Upper
172 100
171 34.6 27.8 41.6
170 23.3 18.6 27.8





#64

Phenanthrene-d10

Concen: 20.000 ng

RT: 17.133 min Scan# 24

Delta R.T. -0.006 min

Lab File: BM050267.D

Acq: 10 Jun 2025 08:04

Instrument :

BNA_M

ClientSampleId :

TP03-MHC





Tgt Ion:188 Resp: 1284972

Ion Ratio Lower Upper

188 100

94 9.9 8.1 12.1

80 11.1 8.6 13.0



#76

Chrysene-d12

Concen: 20.000 ng

RT: 21.362 min Scan# 3124

Delta R.T. -0.012 min

Lab File: BM050267.D

Acq: 10 Jun 2025 08:04




Tgt Ion:240 Resp: 1241604


Ion Ratio Lower Upper

240 100

120 12.2 9.0 13.4

236 25.0 20.7 31.1









#79
 Terphenyl-d14
 Concen: 93.969 ng
 RT: 19.762 min Scan# 21
 Delta R.T. -0.006 min
 Lab File: BM050267.D
 Acq: 10 Jun 2025 08:04

Instrument :
 BNA_M
 ClientSampleId :
 TP03-MHC

Tgt Ion:244 Resp: 6156805
 Ion Ratio Lower Upper
 244 100
 212 7.5 6.0 9.0
 122 11.4 8.6 12.8



#86
 Perylene-d12
 Concen: 20.000 ng
 RT: 24.338 min Scan# 3630
 Delta R.T. -0.006 min
 Lab File: BM050267.D
 Acq: 10 Jun 2025 08:04

Tgt Ion:264 Resp: 1320041
 Ion Ratio Lower Upper
 264 100
 260 23.8 18.6 28.0
 265 22.0 16.8 25.2

