

Data Path : Z:\svoasrv\HPCHEM1\BNA_M\Data\BM061021\
 Data File : BM030396.D
 Acq On : 11 Jun 2021 08:00
 Operator : CG/JU
 Sample : M2612-37
 Misc :
 ALS Vial : 31 Sample Multiplier: 1

Instrument :
 BNA_M
 ClientSampleId :
 18-B12(70-74)

Quant Time: Jun 11 09:38:07 2021
 Quant Method : Z:\svoasrv\HPCHEM1\BNA_M\Methods\8270-BM060921.M
 Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
 QLast Update : Tue Jun 08 20:51:08 2021
 Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)


Internal Standards						
1) 1,4-Dichlorobenzene-d4	7.839	152	160552	20.00	ng	-0.01
21) Naphthalene-d8	10.628	136	678471	20.00	ng	#-0.01
39) Acenaphthene-d10	14.463	164	467458	20.00	ng	-0.01
64) Phenanthrene-d10	17.198	188	1080894	20.00	ng	-0.01
76) Chrysene-d12	21.356	240	1103749	20.00	ng	-0.01
86) Perylene-d12	23.633	264	974968	20.00	ng	-0.02
System Monitoring Compounds						
5) 2-Fluorophenol	5.428	112	1703644	172.50	ng	0.00
7) Phenol-d6	7.004	99	2089284	146.13	ng	0.00
23) Nitrobenzene-d5	8.998	82	1336944	96.00	ng	-0.01
42) 2,4,6-Tribromophenol	15.951	330	804644	136.91	ng	0.00
45) 2-Fluorobiphenyl	13.086	172	3347728	94.18	ng	-0.01
79) Terphenyl-d14	19.815	244	6338740	100.87	ng	0.00
Target Compounds						Qvalue
27) 2,4-Dimethylphenol	9.881	122	50789	4.92	ng	# 3
32) Benzoic acid	9.881	122	50789	10.66	ng	92
48) 2-Nitroaniline	13.333	65	70	4.03	ng	# 4
57) 2,4-Dinitrotoluene	14.810	165	327	3.02	ng	# 24
80) Butylbenzylphthalate	20.503	149	379	4.32	ng	# 61
84) Bis(2-ethylhexyl)phtha...	21.268	149	2112	4.31	ng	# 72
85) Di-n-octyl phthalate	22.144	149	449	4.17	ng	# 1


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\svoasrv\HPCHEM1\BNA_M\Data\BM061021\
Data File : BM030396.D
Acq On : 11 Jun 2021 08:00
Operator : CG/JU
Sample : M2612-37
Misc :
ALS Vial : 31 Sample Multiplier: 1

Instrument :
BNA_M
ClientSampleId :
18-B12(70-74)

Quant Time: Jun 11 09:38:07 2021
Quant Method : Z:\svoasrv\HPCHEM1\BNA_M\Methods\8270-BM060921.M
Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
QLast Update : Tue Jun 08 20:51:08 2021
Response via : Initial Calibration









#1
1,4-Dichlorobenzene-d4
Concen: 20.00 ng
RT: 7.839 min Scan# 808
Delta R.T. -0.012 min
Lab File: BM030396.D
Acq: 11 Jun 2021 08:00




Instrument :
BNA_M
ClientSampleId :
18-B12(70-74)


Tgt Ion:152 Resp: 160552
Ion Ratio Lower Upper
152 100
150 153.4 125.9 188.9
115 55.8 44.6 67.0



#5
2-Fluorophenol
Concen: 172.50 ng
RT: 5.428 min Scan# 398
Delta R.T. 0.000 min
Lab File: BM030396.D
Acq: 11 Jun 2021 08:00

Tgt Ion:112 Resp: 1703644
Ion Ratio Lower Upper
112 100
64 58.9 47.1 70.7
63 31.1 27.3 40.9









#7
Phenol-d6
Concen: 146.13 ng
RT: 7.004 min Scan# 666
Delta R.T. -0.006 min
Lab File: BM030396.D
Acq: 11 Jun 2021 08:00

Instrument :
BNA_M
ClientSampleId :
18-B12(70-74)

Tgt Ion: 99 Resp: 2089284




Ion	Ratio	Lower	Upper
99	100		
42	20.2	18.0	27.0
71	33.4	30.9	46.3




#21
Naphthalene-d8
Concen: 20.00 ng
RT: 10.628 min Scan# 1282
Delta R.T. -0.011 min
Lab File: BM030396.D
Acq: 11 Jun 2021 08:00

Tgt Ion: 136 Resp: 678471

Ion	Ratio	Lower	Upper
136	100		
137	10.6	8.4	12.6
54	8.5	5.5	8.3#
68	5.9	4.2	6.2









#23
Nitrobenzene-d5
Concen: 96.00 ng
RT: 8.998 min Scan# 1005
Delta R.T. -0.012 min
Lab File: BM030396.D
Acq: 11 Jun 2021 08:00




Instrument :
BNA_M
ClientSampleId :
18-B12(70-74)


Tgt Ion: 82 Resp: 1336944
Ion Ratio Lower Upper
82 100
128 42.3 31.1 46.7
54 51.2 37.3 55.9



#27
2,4-Dimethylphenol
Concen: 4.92 ng
RT: 9.881 min Scan# 1155
Delta R.T. 0.071 min
Lab File: BM030396.D
Acq: 11 Jun 2021 08:00

Tgt Ion: 122 Resp: 50789
Ion Ratio Lower Upper
122 100
107 1.1 95.0 142.6#
121 1.9 48.1 72.1#









#32
Benzoic acid
Concen: 10.66 ng
RT: 9.881 min Scan# 1155
Delta R.T. -0.064 min
Lab File: BM030396.D
Acq: 11 Jun 2021 08:00




Instrument :
BNA_M
ClientSampleId :
18-B12(70-74)


Tgt Ion:122 Resp: 50789
Ion Ratio Lower Upper
122 100
105 120.4 107.3 147.3
77 97.2 88.0 128.0



#39
Acenaphthene-d10
Concen: 20.00 ng
RT: 14.463 min Scan# 1934
Delta R.T. -0.011 min
Lab File: BM030396.D
Acq: 11 Jun 2021 08:00

Tgt Ion:164 Resp: 467458
Ion Ratio Lower Upper
164 100
162 103.1 83.4 125.0
160 45.3 37.2 55.8









#42
2,4,6-Tribromophenol
Concen: 136.91 ng
RT: 15.951 min Scan# 2187
Delta R.T. -0.006 min
Lab File: BM030396.D
Acq: 11 Jun 2021 08:00




Instrument :
BNA_M
ClientSampleId :
18-B12(70-74)


Tgt Ion:330 Resp: 804644
Ion Ratio Lower Upper
330 100
332 96.0 77.0 115.4
141 36.7 30.2 45.2



#45
2-Fluorobiphenyl
Concen: 94.18 ng
RT: 13.086 min Scan# 1700
Delta R.T. -0.012 min
Lab File: BM030396.D
Acq: 11 Jun 2021 08:00

Tgt Ion:172 Resp: 3347728
Ion Ratio Lower Upper
172 100
171 35.6 28.6 43.0
170 23.5 18.4 27.6









#48
2-Nitroaniline
Concen: 4.03 ng
RT: 13.333 min Scan# 1742
Delta R.T. -0.218 min
Lab File: BM030396.D
Acq: 11 Jun 2021 08:00




Instrument :
BNA_M
ClientSampleId :
18-B12(70-74)


Tgt Ion: 65 Resp: 70
Ion Ratio Lower Upper
65 100
92 0.0 55.5 83.3#
138 0.0 85.7 128.5#



#57
2,4-Dinitrotoluene
Concen: 3.02 ng
RT: 14.810 min Scan# 1993
Delta R.T. -0.023 min
Lab File: BM030396.D
Acq: 11 Jun 2021 08:00

Tgt Ion: 165 Resp: 327
Ion Ratio Lower Upper
165 100
63 0.0 35.0 52.4#
89 0.0 55.2 82.8#
182 0.0 2.6 3.8#









#64
Phenanthrene-d10
Concen: 20.00 ng
RT: 17.198 min Scan# 2399
Delta R.T. -0.011 min
Lab File: BM030396.D
Acq: 11 Jun 2021 08:00




Instrument :
BNA_M
ClientSampleId :
18-B12(70-74)


Tgt Ion:188 Resp: 1080894
Ion Ratio Lower Upper
188 100
94 8.8 6.0 9.0
80 9.2 6.6 9.8



#76
Chrysene-d12
Concen: 20.00 ng
RT: 21.356 min Scan# 3106
Delta R.T. -0.012 min
Lab File: BM030396.D
Acq: 11 Jun 2021 08:00

Tgt Ion:240 Resp: 1103749
Ion Ratio Lower Upper
240 100
120 10.2 7.0 10.6
236 25.4 21.0 31.4









#79
 Terphenyl-d14
 Concen: 100.87 ng
 RT: 19.815 min Scan# 2844
 Delta R.T. -0.006 min
 Lab File: BM030396.D
 Acq: 11 Jun 2021 08:00




Instrument :
 BNA_M
 ClientSampleId :
 18-B12(70-74)


Tgt Ion:244 Resp: 6338740
 Ion Ratio Lower Upper
 244 100
 212 8.0 6.3 9.5
 122 10.0 6.9 10.3



#80
 Butylbenzylphthalate
 Concen: 4.32 ng
 RT: 20.503 min Scan# 2961
 Delta R.T. -0.006 min
 Lab File: BM030396.D
 Acq: 11 Jun 2021 08:00

Tgt Ion:149 Resp: 379
 Ion Ratio Lower Upper
 149 100
 91 40.7 57.4 86.0#
 206 41.2 16.6 25.0#









#84
Bis(2-ethylhexyl)phthalate
Concen: 4.31 ng
RT: 21.268 min Scan# 3091
Delta R.T. -0.012 min
Lab File: BM030396.D
Acq: 11 Jun 2021 08:00




Instrument :
BNA_M
ClientSampled :
18-B12(70-74)


Tgt Ion:149 Resp: 2112
Ion Ratio Lower Upper
149 100
167 11.9 22.6 33.8#
279 7.4 3.8 5.8#



#85
Di-n-octyl phthalate
Concen: 4.17 ng
RT: 22.144 min Scan# 3240
Delta R.T. -0.024 min
Lab File: BM030396.D
Acq: 11 Jun 2021 08:00

Tgt Ion:149 Resp: 449
Ion Ratio Lower Upper
149 100
167 46.3 1.3 1.9#
43 72.6 7.4 11.0#





#86
Perylene-d12
Concen: 20.00 ng
RT: 23.633 min Scan# 3493
Delta R.T. -0.018 min
Lab File: BM030396.D
Acq: 11 Jun 2021 08:00

Instrument :
BNA_M
ClientSampleId :
18-B12(70-74)

Tgt Ion:264 Resp: 974968

Ion	Ratio	Lower	Upper
264	100		
260	23.5	19.8	29.8
265	22.3	17.7	26.5

