

Data Path : Z:\svoasrv\HPCHEM1\BNA_M\Data\BM061021\
 Data File : BM030378.D
 Acq On : 10 Jun 2021 17:24
 Operator : CG/JU
 Sample : M2613-19
 Misc :
 ALS Vial : 14 Sample Multiplier: 1

Instrument :
 BNA_M
 ClientSampleId :
 18-B12(106-110)

Quant Time: Jun 10 18:11:54 2021
 Quant Method : Z:\svoasrv\HPCHEM1\BNA_M\Methods\8270-BM060921.M
 Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
 QLast Update : Tue Jun 08 20:51:08 2021
 Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)


Internal Standards						
1) 1,4-Dichlorobenzene-d4	7.845	152	169730	20.000	ng	0.00
21) Naphthalene-d8	10.633	136	689275	20.000	ng	# 0.00
39) Acenaphthene-d10	14.469	164	501566	20.000	ng	0.00
64) Phenanthrene-d10	17.204	188	1227160	20.000	ng	0.00
76) Chrysene-d12	21.362	240	1369675	20.000	ng	0.00
86) Perylene-d12	23.639	264	1281670	20.000	ng	-0.01
System Monitoring Compounds						
5) 2-Fluorophenol	5.428	112	1285488	123.123	ng	0.00
7) Phenol-d6	7.010	99	1573628	104.115	ng	0.00
23) Nitrobenzene-d5	8.998	82	1067966	75.483	ng	-0.01
42) 2,4,6-Tribromophenol	15.951	330	905155	143.537	ng	0.00
45) 2-Fluorobiphenyl	13.092	172	2812469	73.740	ng	0.00
79) Terphenyl-d14	19.815	244	6223517	79.809	ng	0.00
Target Compounds						
84) Bis(2-ethylhexyl)phtha...	21.274	149	8848	4.399	ng	# 94


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\svoasrv\HPCHEM1\BNA_M\Data\BM061021\
Data File : BM030378.D
Acq On : 10 Jun 2021 17:24
Operator : CG/JU
Sample : M2613-19
Misc :
ALS Vial : 14 Sample Multiplier: 1

Instrument :
BNA_M
ClientSampleId :
18-B12(106-110)

Quant Time: Jun 10 18:11:54 2021
Quant Method : Z:\svoasrv\HPCHEM1\BNA_M\Methods\8270-BM060921.M
Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
QLast Update : Tue Jun 08 20:51:08 2021
Response via : Initial Calibration









#1
1,4-Dichlorobenzene-d4
Concen: 20.000 ng
RT: 7.845 min Scan# 809
Delta R.T. -0.006 min
Lab File: BM030378.D
Acq: 10 Jun 2021 17:24




Instrument :
BNA_M
ClientSampleId :
18-B12(106-110)


Tgt Ion:152 Resp: 169730
Ion Ratio Lower Upper
152 100
150 155.8 125.9 188.9
115 54.8 44.6 67.0



#5
2-Fluorophenol
Concen: 123.123 ng
RT: 5.428 min Scan# 398
Delta R.T. 0.000 min
Lab File: BM030378.D
Acq: 10 Jun 2021 17:24

Tgt Ion:112 Resp: 1285488
Ion Ratio Lower Upper
112 100
64 59.3 47.1 70.7
63 31.9 27.3 40.9









#7
Phenol-d6
Concen: 104.115 ng
RT: 7.010 min Scan# 667
Delta R.T. 0.000 min
Lab File: BM030378.D
Acq: 10 Jun 2021 17:24

Instrument :
BNA_M
ClientSampleId :
18-B12(106-110)

Tgt Ion: 99 Resp: 1573628




Ion	Ratio	Lower	Upper
99	100		
42	19.6	18.0	27.0
71	33.1	30.9	46.3




#21
Naphthalene-d8
Concen: 20.000 ng
RT: 10.633 min Scan# 1283
Delta R.T. -0.006 min
Lab File: BM030378.D
Acq: 10 Jun 2021 17:24

Tgt Ion: 136 Resp: 689275

Ion	Ratio	Lower	Upper
136	100		
137	11.0	8.4	12.6
54	8.5	5.5	8.3#
68	6.0	4.2	6.2









#23
Nitrobenzene-d5
Concen: 75.483 ng
RT: 8.998 min Scan# 1005
Delta R.T. -0.012 min
Lab File: BM030378.D
Acq: 10 Jun 2021 17:24




Instrument :
BNA_M
ClientSampleId :
18-B12(106-110)


Tgt Ion: 82 Resp: 1067966
Ion Ratio Lower Upper
82 100
128 41.3 31.1 46.7
54 51.5 37.3 55.9



#39
Acenaphthene-d10
Concen: 20.000 ng
RT: 14.469 min Scan# 1935
Delta R.T. -0.005 min
Lab File: BM030378.D
Acq: 10 Jun 2021 17:24

Tgt Ion:164 Resp: 501566
Ion Ratio Lower Upper
164 100
162 102.0 83.4 125.0
160 44.9 37.2 55.8









#42
2,4,6-Tribromophenol
Concen: 143.537 ng
RT: 15.951 min Scan# 2187
Delta R.T. -0.006 min
Lab File: BM030378.D
Acq: 10 Jun 2021 17:24




Instrument :
BNA_M
ClientSampleId :
18-B12(106-110)


Tgt Ion:330 Resp: 905155
Ion Ratio Lower Upper
330 100
332 95.6 77.0 115.4
141 36.4 30.2 45.2



#45
2-Fluorobiphenyl
Concen: 73.740 ng
RT: 13.092 min Scan# 1701
Delta R.T. -0.006 min
Lab File: BM030378.D
Acq: 10 Jun 2021 17:24

Tgt Ion:172 Resp: 2812469
Ion Ratio Lower Upper
172 100
171 35.0 28.6 43.0
170 23.4 18.4 27.6









#64
Phenanthrene-d10
Concen: 20.000 ng
RT: 17.204 min Scan# 2400
Delta R.T. -0.005 min
Lab File: BM030378.D
Acq: 10 Jun 2021 17:24




Instrument :
BNA_M
ClientSampleId :
18-B12(106-110)

Tgt Ion:188 Resp: 1227160
Ion Ratio Lower Upper
188 100
94 8.0 6.0 9.0
80 9.1 6.6 9.8



#76
Chrysene-d12
Concen: 20.000 ng
RT: 21.362 min Scan# 3107
Delta R.T. -0.006 min
Lab File: BM030378.D
Acq: 10 Jun 2021 17:24

Tgt Ion:240 Resp: 1369675
Ion Ratio Lower Upper
240 100
120 10.2 7.0 10.6
236 26.1 21.0 31.4









#79
 Terphenyl-d14
 Concen: 79.809 ng
 RT: 19.815 min Scan# 2844
 Delta R.T. -0.006 min
 Lab File: BM030378.D
 Acq: 10 Jun 2021 17:24




Instrument :
 BNA_M
 ClientSampleId :
 18-B12(106-110)


Tgt Ion:244 Resp: 6223517
 Ion Ratio Lower Upper
 244 100
 212 8.2 6.3 9.5
 122 11.2 6.9 10.3#



#84
 Bis(2-ethylhexyl)phthalate
 Concen: 4.399 ng
 RT: 21.274 min Scan# 3092
 Delta R.T. -0.006 min
 Lab File: BM030378.D
 Acq: 10 Jun 2021 17:24

Tgt Ion:149 Resp: 8848
 Ion Ratio Lower Upper
 149 100
 167 25.0 22.6 33.8
 279 6.0 3.8 5.8#





#86
 Perylene-d12
 Concen: 20.000 ng
 RT: 23.639 min Scan# 3494
 Delta R.T. -0.012 min
 Lab File: BM030378.D
 Acq: 10 Jun 2021 17:24

Instrument :
 BNA_M
 ClientSampleId :
 18-B12(106-110)

Tgt Ion:264 Resp: 1281670
 Ion Ratio Lower Upper
 264 100
 260 23.5 19.8 29.8
 265 22.1 17.7 26.5

