

Data Path : Z:\svoasrv\HPCHEM1\BNA_M\Data\BM061021\
 Data File : BM030392.D
 Acq On : 11 Jun 2021 05:35
 Operator : CG/JU
 Sample : M2612-24
 Misc :
 ALS Vial : 27 Sample Multiplier: 1

Instrument :
 BNA_M
 ClientSampleId :
 18-B12(18-22)

Quant Time: Jun 11 07:55:31 2021
 Quant Method : Z:\svoasrv\HPCHEM1\BNA_M\Methods\8270-BM060921.M
 Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
 QLast Update : Tue Jun 08 20:51:08 2021
 Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)


Internal Standards						
1) 1,4-Dichlorobenzene-d4	7.839	152	148942	20.000	ng	-0.01
21) Naphthalene-d8	10.627	136	644638	20.000	ng	-0.01
39) Acenaphthene-d10	14.463	164	455381	20.000	ng	-0.01
64) Phenanthrene-d10	17.198	188	1075645	20.000	ng	-0.01
76) Chrysene-d12	21.356	240	1164356	20.000	ng	-0.01
86) Perylene-d12	23.632	264	1044432	20.000	ng	-0.02
System Monitoring Compounds						
5) 2-Fluorophenol	5.428	112	1571686	171.545	ng	0.00
7) Phenol-d6	7.004	99	1928413	145.396	ng	0.00
23) Nitrobenzene-d5	8.998	82	1217147	91.984	ng	-0.01
42) 2,4,6-Tribromophenol	15.951	330	792882	138.485	ng	0.00
45) 2-Fluorobiphenyl	13.086	172	3116426	89.997	ng	-0.01
79) Terphenyl-d14	19.815	244	6333040	95.534	ng	0.00
Target Compounds						
32) Benzoic acid	9.875	122	45746	10.366	ng	Qvalue 88


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\svoasrv\HPCHEM1\BNA_M\Data\BM061021\
Data File : BM030392.D
Acq On : 11 Jun 2021 05:35
Operator : CG/JU
Sample : M2612-24
Misc :
ALS Vial : 27 Sample Multiplier: 1

Instrument :
BNA_M
ClientSampleId :
18-B12(18-22)

Quant Time: Jun 11 07:55:31 2021
Quant Method : Z:\svoasrv\HPCHEM1\BNA_M\Methods\8270-BM060921.M
Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
QLast Update : Tue Jun 08 20:51:08 2021
Response via : Initial Calibration









#1
1,4-Dichlorobenzene-d4
Concen: 20.000 ng
RT: 7.839 min Scan# 808
Delta R.T. -0.012 min
Lab File: BM030392.D
Acq: 11 Jun 2021 05:35




Instrument :
BNA_M
ClientSampleId :
18-B12(18-22)


Tgt Ion:152 Resp: 148942
Ion Ratio Lower Upper
152 100
150 155.3 125.9 188.9
115 57.1 44.6 67.0



#5
2-Fluorophenol
Concen: 171.545 ng
RT: 5.428 min Scan# 398
Delta R.T. 0.000 min
Lab File: BM030392.D
Acq: 11 Jun 2021 05:35

Tgt Ion:112 Resp: 1571686
Ion Ratio Lower Upper
112 100
64 57.9 47.1 70.7
63 31.4 27.3 40.9









#7
Phenol-d6
Concen: 145.396 ng
RT: 7.004 min Scan# 666
Delta R.T. -0.006 min
Lab File: BM030392.D
Acq: 11 Jun 2021 05:35

Instrument :
BNA_M
ClientSampleId :
18-B12(18-22)

Tgt Ion: 99 Resp: 1928413




Ion	Ratio	Lower	Upper
99	100		
42	20.0	18.0	27.0
71	33.3	30.9	46.3




#21
Naphthalene-d8
Concen: 20.000 ng
RT: 10.627 min Scan# 1282
Delta R.T. -0.012 min
Lab File: BM030392.D
Acq: 11 Jun 2021 05:35

Tgt Ion: 136 Resp: 644638

Ion	Ratio	Lower	Upper
136	100		
137	11.4	8.4	12.6
54	7.6	5.5	8.3
68	5.9	4.2	6.2









#23
Nitrobenzene-d5
Concen: 91.984 ng
RT: 8.998 min Scan# 1005
Delta R.T. -0.012 min
Lab File: BM030392.D
Acq: 11 Jun 2021 05:35




Instrument :
BNA_M
ClientSampleId :
18-B12(18-22)


Tgt Ion: 82 Resp: 1217147
Ion Ratio Lower Upper
82 100
128 42.7 31.1 46.7
54 51.0 37.3 55.9



#32
Benzoic acid
Concen: 10.366 ng
RT: 9.875 min Scan# 1154
Delta R.T. -0.070 min
Lab File: BM030392.D
Acq: 11 Jun 2021 05:35

Tgt Ion:122 Resp: 45746
Ion Ratio Lower Upper
122 100
105 114.5 107.3 147.3
77 95.1 88.0 128.0









#39
Acenaphthene-d10
Concen: 20.000 ng
RT: 14.463 min Scan# 1934
Delta R.T. -0.011 min
Lab File: BM030392.D
Acq: 11 Jun 2021 05:35




Instrument :
BNA_M
ClientSampleId :
18-B12(18-22)


Tgt Ion:164 Resp: 455381
Ion Ratio Lower Upper
164 100
162 98.7 83.4 125.0
160 44.8 37.2 55.8



#42
2,4,6-Tribromophenol
Concen: 138.485 ng
RT: 15.951 min Scan# 2187
Delta R.T. -0.006 min
Lab File: BM030392.D
Acq: 11 Jun 2021 05:35

Tgt Ion:330 Resp: 792882
Ion Ratio Lower Upper
330 100
332 96.5 77.0 115.4
141 35.8 30.2 45.2









#45
2-Fluorobiphenyl
Concen: 89.997 ng
RT: 13.086 min Scan# 1700
Delta R.T. -0.012 min
Lab File: BM030392.D
Acq: 11 Jun 2021 05:35

Instrument :
BNA_M
ClientSampleId :
18-B12(18-22)

Tgt Ion:172 Resp: 3116426




Ion	Ratio	Lower	Upper
172	100		
171	35.3	28.6	43.0
170	23.1	18.4	27.6




#64
Phenanthrene-d10
Concen: 20.000 ng
RT: 17.198 min Scan# 2399
Delta R.T. -0.011 min
Lab File: BM030392.D
Acq: 11 Jun 2021 05:35

Tgt Ion:188 Resp: 1075645

Ion	Ratio	Lower	Upper
188	100		
94	8.5	6.0	9.0
80	9.2	6.6	9.8









#76
Chrysene-d12
Concen: 20.000 ng
RT: 21.356 min Scan# 3106
Delta R.T. -0.012 min
Lab File: BM030392.D
Acq: 11 Jun 2021 05:35




Instrument :
BNA_M
ClientSampleId :
18-B12(18-22)


Tgt Ion:240 Resp: 1164356
Ion Ratio Lower Upper
240 100
120 9.6 7.0 10.6
236 25.6 21.0 31.4



#79
Terphenyl-d14
Concen: 95.534 ng
RT: 19.815 min Scan# 2844
Delta R.T. -0.006 min
Lab File: BM030392.D
Acq: 11 Jun 2021 05:35

Tgt Ion:244 Resp: 6333040
Ion Ratio Lower Upper
244 100
212 8.0 6.3 9.5
122 10.1 6.9 10.3





#86
 Perylene-d12
 Concen: 20.000 ng
 RT: 23.632 min Scan# 3493
 Delta R.T. -0.018 min
 Lab File: BM030392.D
 Acq: 11 Jun 2021 05:35

Instrument :
 BNA_M
 ClientSampleId :
 18-B12(18-22)

Tgt Ion:264 Resp: 1044432

Ion	Ratio	Lower	Upper
264	100		
260	24.0	19.8	29.8
265	22.3	17.7	26.5

