

Data Path : Z:\svoasrv\HPCHEM1\BNA_M\Data\BM061021\
 Data File : BM030393.D
 Acq On : 11 Jun 2021 06:11
 Operator : CG/JU
 Sample : M2612-32
 Misc :
 ALS Vial : 28 Sample Multiplier: 1

Instrument :
 BNA_M
 ClientSampleId :
 18-B12(50-54)

Quant Time: Jun 11 07:55:40 2021
 Quant Method : Z:\svoasrv\HPCHEM1\BNA_M\Methods\8270-BM060921.M
 Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
 QLast Update : Tue Jun 08 20:51:08 2021
 Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)


Internal Standards						
1) 1,4-Dichlorobenzene-d4	7.840	152	149476	20.000	ng	-0.01
21) Naphthalene-d8	10.628	136	639965	20.000	ng	#-0.01
39) Acenaphthene-d10	14.463	164	443763	20.000	ng	-0.01
64) Phenanthrene-d10	17.198	188	1043638	20.000	ng	-0.01
76) Chrysene-d12	21.356	240	1141648	20.000	ng	-0.01
86) Perylene-d12	23.633	264	1042232	20.000	ng	-0.02
System Monitoring Compounds						
5) 2-Fluorophenol	5.428	112	1510554	164.283	ng	0.00
7) Phenol-d6	7.004	99	1845874	138.676	ng	0.00
23) Nitrobenzene-d5	8.992	82	1191524	90.705	ng	-0.02
42) 2,4,6-Tribromophenol	15.951	330	782222	140.200	ng	0.00
45) 2-Fluorobiphenyl	13.086	172	2984533	88.445	ng	-0.01
79) Terphenyl-d14	19.815	244	6185109	95.159	ng	0.00
Target Compounds						
32) Benzoic acid	9.875	122	46475	10.492	ng	Qvalue 95


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\svoasrv\HPCHEM1\BNA_M\Data\BM061021\
Data File : BM030393.D
Acq On : 11 Jun 2021 06:11
Operator : CG/JU
Sample : M2612-32
Misc :
ALS Vial : 28 Sample Multiplier: 1

Instrument :
BNA_M
ClientSampleId :
18-B12(50-54)

Quant Time: Jun 11 07:55:40 2021
Quant Method : Z:\svoasrv\HPCHEM1\BNA_M\Methods\8270-BM060921.M
Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
QLast Update : Tue Jun 08 20:51:08 2021
Response via : Initial Calibration









#1
1,4-Dichlorobenzene-d4
Concen: 20.000 ng
RT: 7.840 min Scan# 808
Delta R.T. -0.011 min
Lab File: BM030393.D
Acq: 11 Jun 2021 06:11




Instrument :
BNA_M
ClientSampleId :
18-B12(50-54)


Tgt Ion:152 Resp: 149476
Ion Ratio Lower Upper
152 100
150 152.1 125.9 188.9
115 55.0 44.6 67.0



#5
2-Fluorophenol
Concen: 164.283 ng
RT: 5.428 min Scan# 398
Delta R.T. 0.000 min
Lab File: BM030393.D
Acq: 11 Jun 2021 06:11

Tgt Ion:112 Resp: 1510554
Ion Ratio Lower Upper
112 100
64 57.7 47.1 70.7
63 30.7 27.3 40.9









#7
Phenol-d6
Concen: 138.676 ng
RT: 7.004 min Scan# 666
Delta R.T. -0.006 min
Lab File: BM030393.D
Acq: 11 Jun 2021 06:11

Instrument :
BNA_M
ClientSampleId :
18-B12(50-54)

Tgt Ion: 99 Resp: 1845874




Ion	Ratio	Lower	Upper
99	100		
42	19.4	18.0	27.0
71	33.3	30.9	46.3




#21
Naphthalene-d8
Concen: 20.000 ng
RT: 10.628 min Scan# 1282
Delta R.T. -0.011 min
Lab File: BM030393.D
Acq: 11 Jun 2021 06:11

Tgt Ion: 136 Resp: 639965

Ion	Ratio	Lower	Upper
136	100		
137	11.3	8.4	12.6
54	8.3	5.5	8.3#
68	6.2	4.2	6.2









#23
Nitrobenzene-d5
Concen: 90.705 ng
RT: 8.992 min Scan# 1004
Delta R.T. -0.017 min
Lab File: BM030393.D
Acq: 11 Jun 2021 06:11




Instrument :
BNA_M
ClientSampleId :
18-B12(50-54)


Tgt Ion: 82 Resp: 1191524
Ion Ratio Lower Upper
82 100
128 42.3 31.1 46.7
54 51.3 37.3 55.9



#32
Benzoic acid
Concen: 10.492 ng
RT: 9.875 min Scan# 1154
Delta R.T. -0.070 min
Lab File: BM030393.D
Acq: 11 Jun 2021 06:11

Tgt Ion:122 Resp: 46475
Ion Ratio Lower Upper
122 100
105 125.3 107.3 147.3
77 99.6 88.0 128.0









#39
Acenaphthene-d10
Concen: 20.000 ng
RT: 14.463 min Scan# 1934
Delta R.T. -0.011 min
Lab File: BM030393.D
Acq: 11 Jun 2021 06:11




Instrument :
BNA_M
ClientSampleId :
18-B12(50-54)


Tgt Ion:164 Resp: 443763
Ion Ratio Lower Upper
164 100
162 99.2 83.4 125.0
160 45.3 37.2 55.8



#42
2,4,6-Tribromophenol
Concen: 140.200 ng
RT: 15.951 min Scan# 2187
Delta R.T. -0.006 min
Lab File: BM030393.D
Acq: 11 Jun 2021 06:11

Tgt Ion:330 Resp: 782222
Ion Ratio Lower Upper
330 100
332 95.6 77.0 115.4
141 35.9 30.2 45.2









#45
2-Fluorobiphenyl
Concen: 88.445 ng
RT: 13.086 min Scan# 1700
Delta R.T. -0.012 min
Lab File: BM030393.D
Acq: 11 Jun 2021 06:11




Instrument :
BNA_M
ClientSampleId :
18-B12(50-54)


Tgt Ion:172 Resp: 2984533
Ion Ratio Lower Upper
172 100
171 35.2 28.6 43.0
170 23.6 18.4 27.6



#64
Phenanthrene-d10
Concen: 20.000 ng
RT: 17.198 min Scan# 2399
Delta R.T. -0.011 min
Lab File: BM030393.D
Acq: 11 Jun 2021 06:11

Tgt Ion:188 Resp: 1043638
Ion Ratio Lower Upper
188 100
94 8.2 6.0 9.0
80 9.1 6.6 9.8









#76
Chrysene-d12
Concen: 20.000 ng
RT: 21.356 min Scan# 3106
Delta R.T. -0.012 min
Lab File: BM030393.D
Acq: 11 Jun 2021 06:11




Instrument :
BNA_M
ClientSampled :
18-B12(50-54)


Tgt Ion:240 Resp: 1141648
Ion Ratio Lower Upper
240 100
120 10.0 7.0 10.6
236 25.4 21.0 31.4



#79
Terphenyl-d14
Concen: 95.159 ng
RT: 19.815 min Scan# 2844
Delta R.T. -0.006 min
Lab File: BM030393.D
Acq: 11 Jun 2021 06:11

Tgt Ion:244 Resp: 6185109
Ion Ratio Lower Upper
244 100
212 7.8 6.3 9.5
122 9.9 6.9 10.3





#86
 Perylene-d12
 Concen: 20.000 ng
 RT: 23.633 min Scan# 3493
 Delta R.T. -0.017 min
 Lab File: BM030393.D
 Acq: 11 Jun 2021 06:11

Instrument :
 BNA_M
 ClientSampleId :
 18-B12(50-54)

Tgt Ion:264 Resp: 1042232
 Ion Ratio Lower Upper
 264 100
 260 23.6 19.8 29.8
 265 21.9 17.7 26.5

