

Data Path : Z:\HPCHEM1\BNA_M\DATA\BM061217\
 Data File : BM010532.D
 Acq On : 12 Jun 2017 13:18
 Operator : SJ/MA
 Sample : I3571-02MS
 Misc :
 ALS Vial : 7 Sample Multiplier: 1

Instrument :
 BNA_M
 ClientSampleId :
 H2TR6MS

Quant Time: Jun 13 02:16:51 2017
 Quant Method : Z:\HPCHEM1\BNA_M\METHODS\SOM-EPA-BM052717.M
 Quant Title : SVOA CALIBRATION
 QLast Update : Tue Jun 13 02:16:10 2017
 Response via : Initial Calibration

Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) 1,4-Dichlorobenzene-d4	7.89	152	136118	20.00	ng/ul	0.00
18) Naphthalene-d8	10.69	136	482943	20.00	ng/ul	0.00
35) Acenaphthene-d10	14.53	164	338143	20.00	ng/ul	0.00
61) Phenanthrene-d10	17.27	188	848896	20.00	ng/ul	0.00
75) Chrysene-d12	21.44	240	1262682	20.00	ng/ul	0.00
83) Perylene-d12	23.77	264	1362292	20.00	ng/ul	0.00

System Monitoring Compounds

3) 1,4-Dioxane-d8	3.36	96	10193	3.07	ng/uL	0.00
5) Phenol-d5	7.07	99	188157	18.24	ng/ul	0.00
7) Bis-(2-Chloroethyl)ether-d	7.23	67	107158	18.49	ng/ul	0.00
9) 2-Chlorophenol-d4	7.43	132	164533	20.01	ng/ul	0.00
13) 4-Methylphenol-d8	8.61	113	163822	19.68	ng/ul	0.00
19) Nitrobenzene-d5	9.08	128	74698	21.12	ng/ul	0.00
22) 2-Nitrophenol-d4	9.79	143	90059	21.98	ng/ul	0.00
26) 2,4-Dichlorophenol-d3	10.32	165	200607	23.83	ng/ul	0.00
29) 4-Chloroaniline-d4	10.86	131	181117	22.30	ng/ul	0.00
43) Dimethylphthalate-d6	13.94	166	708381	25.21	ng/ul	0.00
46) Acenaphthylene-d8	14.23	160	743661	22.69	ng/ul	0.00
51) 4-Nitrophenol-d4	14.77	143	85203	20.27	ng/ul	0.00
57) Fluorene-d10	15.52	176	614402	24.88	ng/ul	0.00
62) 4,6-Dinitro-2-methylphenol	15.64	200	121609	20.22	ng/ul	0.00
70) Anthracene-d10	17.37	188	1050434	25.43	ng/ul	0.00
76) Pyrene-d10	19.66	212	1363853	26.12	ng/ul	0.00
87) Benzo(a)pyrene-d12	23.63	264	1551512	24.46	ng/ul	0.00

Target Compounds

					Qvalue	
6) Phenol	7.10	94	195179	18.457	ng/ul	91
10) 2-Chlorophenol	7.46	128	151199	18.326	ng/ul	91
15) N-Nitroso-di-n-propylamine	8.69	70	134126	19.759	ng/ul#	81
33) 4-Chloro-3-methylphenol	11.99	107	190633	24.012	ng/ul	98
44) Dimethylphthalate	13.99	163	291606	10.554	ng/ul	98
49) Acenaphthene	14.59	153	495276	22.049	ng/ul	93
52) 4-Nitrophenol	14.78	109	134404	23.332	ng/ul#	79
54) 2,4-Dinitrotoluene	14.91	165	180435	24.262	ng/ul#	97
68) Pentachlorophenol	16.92	266	149031	21.404	ng/ul	92
77) Pyrene	19.69	202	1557240	23.933	ng/ul#	94

(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\HPCHEM1\BNA_M\DATA\BM061217\
Data File : BM010532.D
Acq On : 12 Jun 2017 13:18
Operator : SJ/MA
Sample : I3571-02MS
Misc :
ALS Vial : 7 Sample Multiplier: 1

Instrument :
BNA_M
ClientSampleId :
H2TR6MS

Quant Time: Jun 13 02:16:51 2017
Quant Method : Z:\HPCHEM1\BNA_M\METHODS\SOM-EPA-BM052717.M
Quant Title : SVOA CALIBRATION
QLast Update : Tue Jun 13 02:16:10 2017
Response via : Initial Calibration

