

Data Path : Z:\svoasrv\HPCHEM1\BNA_M\Data\BM061325\
 Data File : BM050315.D
 Acq On : 14 Jun 2025 01:41
 Operator : RC/JU
 Sample : PB168473BL
 Misc :
 ALS Vial : 15 Sample Multiplier: 1

Instrument :
 BNA_M
 ClientSampleId :
 PB168473BL

Quant Time: Jun 14 03:40:48 2025
 Quant Method : Z:\svoasrv\HPCHEM1\BNA_M\Methods\8270-BM060525.M
 Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
 QLast Update : Mon Jun 09 11:54:38 2025
 Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)

Internal Standards						
1) 1,4-Dichlorobenzene-d4	7.763	152	409459	20.000	ng	0.00
21) Naphthalene-d8	10.545	136	1522099	20.000	ng	-0.01
39) Acenaphthene-d10	14.392	164	824447	20.000	ng	0.00
64) Phenanthrene-d10	17.127	188	1500533	20.000	ng	-0.01
76) Chrysene-d12	21.356	240	1532088	20.000	ng	-0.02
86) Perylene-d12	24.327	264	1617127	20.000	ng	-0.02
System Monitoring Compounds						
5) 2-Fluorophenol	5.357	112	3816170	155.471	ng	0.00
7) Phenol-d6	6.934	99	4643865	143.718	ng	0.00
23) Nitrobenzene-d5	8.910	82	2768627	94.600	ng	0.00
42) 2,4,6-Tribromophenol	15.874	330	1421572	151.594	ng	0.00
45) 2-Fluorobiphenyl	13.016	172	5755151	94.507	ng	-0.01
79) Terphenyl-d14	19.756	244	7524715	93.072	ng	-0.01


Target Compounds	Qvalue

(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\svoasrv\HPCHEM1\BNA_M\Data\BM061325\
Data File : BM050315.D
Acq On : 14 Jun 2025 01:41
Operator : RC/JU
Sample : PB168473BL
Misc :
ALS Vial : 15 Sample Multiplier: 1

Instrument :
BNA_M
ClientSampleId :
PB168473BL


Quant Time: Jun 14 03:40:48 2025
Quant Method : Z:\svoasrv\HPCHEM1\BNA_M\Methods\8270-BM060525.M
Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
QLast Update : Mon Jun 09 11:54:38 2025
Response via : Initial Calibration




Data Path : Z:\svoasrv\HPCHEM1\BNA_M\Data\BM061325\
Data File : BM050315.D
Acq On : 14 Jun 2025 01:41
Operator : RC/JU
Sample : PB168473BL
Misc :
ALS Vial : 15 Sample Multiplier: 1

Instrument :
BNA_M
ClientSampleId :
PB168473BL

Quant Time: Jun 14 03:40:48 2025
Quant Method : Z:\svoasrv\HPCHEM1\BNA_M\Methods\8270-BM060525.M
Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
QLast Update : Mon Jun 09 11:54:38 2025
Response via : Initial Calibration









#1
1,4-Dichlorobenzene-d4
Concen: 20.000 ng
RT: 7.763 min Scan# 81
Delta R.T. -0.006 min
Lab File: BM050315.D
Acq: 14 Jun 2025 01:41




Instrument :
BNA_M
ClientSampleId :
PB168473BL


Tgt Ion:152 Resp: 409459
Ion Ratio Lower Upper
152 100
150 157.1 122.2 183.4
115 60.1 46.3 69.5



#5
2-Fluorophenol
Concen: 155.471 ng
RT: 5.357 min Scan# 403
Delta R.T. 0.000 min
Lab File: BM050315.D
Acq: 14 Jun 2025 01:41

Tgt Ion:112 Resp: 3816170
Ion Ratio Lower Upper
112 100
64 48.5 39.8 59.6
63 24.5 19.8 29.8









#7
Phenol-d6
Concen: 143.718 ng
RT: 6.934 min Scan# 61
Delta R.T. 0.000 min
Lab File: BM050315.D
Acq: 14 Jun 2025 01:41




Instrument :
BNA_M
ClientSampleId :
PB168473BL


Tgt Ion: 99 Resp: 4643865
Ion Ratio Lower Upper
99 100
42 9.0 6.9 10.3
71 31.9 25.3 37.9



#21
Naphthalene-d8
Concen: 20.000 ng
RT: 10.545 min Scan# 1285
Delta R.T. -0.012 min
Lab File: BM050315.D
Acq: 14 Jun 2025 01:41

Tgt Ion: 136 Resp: 1522099
Ion Ratio Lower Upper
136 100
137 11.0 8.6 13.0
54 5.0 3.8 5.8
68 6.1 4.9 7.3









#23
Nitrobenzene-d5
Concen: 94.600 ng
RT: 8.910 min Scan# 1012
Delta R.T. -0.006 min
Lab File: BM050315.D
Acq: 14 Jun 2025 01:41




Instrument :
BNA_M
ClientSampleId :
PB168473BL


Tgt Ion: 82 Resp: 2768627
Ion Ratio Lower Upper
82 100
128 42.0 35.2 52.8
54 31.7 24.5 36.7



#39
Acenaphthene-d10
Concen: 20.000 ng
RT: 14.392 min Scan# 1939
Delta R.T. -0.006 min
Lab File: BM050315.D
Acq: 14 Jun 2025 01:41

Tgt Ion: 164 Resp: 824447
Ion Ratio Lower Upper
164 100
162 100.4 80.2 120.4
160 46.3 35.7 53.5









#42
2,4,6-Tribromophenol
Concen: 151.594 ng
RT: 15.874 min Scan# 2195
Delta R.T. -0.006 min
Lab File: BM050315.D
Acq: 14 Jun 2025 01:41




Instrument :
BNA_M
ClientSampleId :
PB168473BL


Tgt Ion:330 Resp: 1421572
Ion Ratio Lower Upper
330 100
332 96.7 77.5 116.3
141 35.5 28.8 43.2



#45
2-Fluorobiphenyl
Concen: 94.507 ng
RT: 13.016 min Scan# 1705
Delta R.T. -0.012 min
Lab File: BM050315.D
Acq: 14 Jun 2025 01:41

Tgt Ion:172 Resp: 5755151
Ion Ratio Lower Upper
172 100
171 34.9 27.8 41.6
170 23.3 18.6 27.8





#64

Phenanthrene-d10

Concen: 20.000 ng

RT: 17.127 min Scan# 2404

Delta R.T. -0.012 min

Lab File: BM050315.D

Acq: 14 Jun 2025 01:41

Instrument :

BNA_M

ClientSampleId :

PB168473BL





Tgt Ion:188 Resp: 1500533

Ion Ratio Lower Upper

188 100

94 10.4 8.1 12.1

80 11.3 8.6 13.0



#76

Chrysene-d12

Concen: 20.000 ng

RT: 21.356 min Scan# 3123

Delta R.T. -0.018 min

Lab File: BM050315.D

Acq: 14 Jun 2025 01:41




Tgt Ion:240 Resp: 1532088


Ion Ratio Lower Upper

240 100

120 11.2 9.0 13.4

236 24.9 20.7 31.1









#79
 Terphenyl-d14
 Concen: 93.072 ng
 RT: 19.756 min Scan# 21
 Delta R.T. -0.012 min
 Lab File: BM050315.D
 Acq: 14 Jun 2025 01:41

Instrument :
 BNA_M
 ClientSampleId :
 PB168473BL

Tgt Ion:244 Resp: 7524715
 Ion Ratio Lower Upper
 244 100
 212 7.2 6.0 9.0
 122 10.9 8.6 12.8



#86
 Perylene-d12
 Concen: 20.000 ng
 RT: 24.327 min Scan# 3628
 Delta R.T. -0.018 min
 Lab File: BM050315.D
 Acq: 14 Jun 2025 01:41

Tgt Ion:264 Resp: 1617127
 Ion Ratio Lower Upper
 264 100
 260 23.2 18.6 28.0
 265 21.8 16.8 25.2

