

Data Path : Z:\HPCHEM1\BNA_M\DATA\BM061715\
 Data File : BM001719.D
 Acq On : 17 Jun 2015 13:58
 Operator : TP/IZ
 Sample : G2661-04
 Misc :
 ALS Vial : 5 Sample Multiplier: 1

Instrument :
 BNA_M
 ClientSampleId :
 D98Q6

Quant Time: Jun 18 03:39:04 2015
 Quant Method : Z:\HPCHEM1\BNA_M\METHODS\SOM02.2-EPA-BM061515.M
 Quant Title : SVOA CALIBRATION
 QLast Update : Thu Jun 18 03:27:43 2015
 Response via : Initial Calibration

Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) 1,4-Dichlorobenzene-d4	7.66	152	61633	20.00	ng/ul	0.00
18) Naphthalene-d8	10.45	136	244294	20.00	ng/ul	0.00
35) Acenaphthene-d10	14.32	164	149004	20.00	ng/ul	0.00
61) Phenanthrene-d10	17.06	188	345175	20.00	ng/ul	0.00
77) Chrysene-d12	21.26	240	444369	20.00	ng/ul	0.00
85) Perylene-d12	23.48	264	442542	20.00	ng/ul	0.00

System Monitoring Compounds

3) 1,4-Dioxane-d8	3.14	96	5962	4.61	ng/uL	0.00
5) Phenol-d5	6.83	99	129085	27.27	ng/ul	0.00
7) Bis-(2-Chloroethyl)ether-d	7.00	67	75698	28.55	ng/ul	0.00
9) 2-Chlorophenol-d4	7.19	132	103250	27.58	ng/ul	0.00
13) 4-Methylphenol-d8	8.37	113	107602	28.32	ng/ul	0.00
19) Nitrobenzene-d5	8.82	128	47470	28.07	ng/ul	0.00
22) 2-Nitrophenol-d4	9.54	143	53766	29.08	ng/ul	0.00
26) 2,4-Dichlorophenol-d3	10.07	165	107359	27.12	ng/ul	0.00
29) 4-Chloroaniline-d4	10.59	131	122237	30.36	ng/ul	0.00
43) Dimethylphthalate-d6	13.73	166	339007	30.68	ng/ul	0.00
46) Acenaphthylene-d8	14.01	160	417624	28.83	ng/ul	0.00
51) 4-Nitrophenol-d4	14.52	143	56971	27.95	ng/ul	0.00
57) Fluorene-d10	15.31	176	314422	30.67	ng/ul	0.00
62) 4,6-Dinitro-2-methylphenol	15.43	200	52671	24.98	ng/ul	0.00
70) Anthracene-d10	17.16	188	501315	31.18	ng/ul	0.00
78) Pyrene-d10	19.46	212	611375	32.48	ng/ul	0.00
89) Benzo(a)pyrene-d12	23.34	264	633777	32.49	ng/ul	0.00


Target Compounds						Qvalue
6) Phenol	6.86	94	12866	2.63	ng/ul	94
44) Dimethylphthalate	13.77	163	80189	6.64	ng/ul	99


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\HPCHEM1\BNA_M\DATA\BM061715\
Data File : BM001719.D
Acq On : 17 Jun 2015 13:58
Operator : TP/IZ
Sample : G2661-04
Misc :
ALS Vial : 5 Sample Multiplier: 1

Instrument :
BNA_M
ClientSampleId :
D98Q6

Quant Time: Jun 18 03:39:04 2015
Quant Method : Z:\HPCHEM1\BNA_M\METHODS\SOM02.2-EPA-BM061515.M
Quant Title : SVOA CALIBRATION
QLast Update : Thu Jun 18 03:27:43 2015
Response via : Initial Calibration





#6

Phenol

Concen: 2.63 ng/ul

RT: 6.86 min Scan# 709

Delta R.T. 0.00 min

Lab File: BM001719.D

Acq: 17 Jun 2015 13:58

Instrument :

BNA_M

ClientSampleId :

D98Q6


Tgt Ion: 94 Resp: 12866

Ion Ratio Lower Upper

94 100

65 26.1 26.1 39.1




66 44.1 35.9 53.9



Abundance Ion 94.00 (93.70 to 94.70): BM001716.D (-703) (-)

Ion 65.00 (64.70 to 65.70): BM001716.D (-703) (-)

Ion 66.00 (65.70 to 66.70): BM001716.D (-703) (-)



#44

Dimethylphthalate

Concen: 6.64 ng/ul

RT: 13.77 min Scan# 1885

Delta R.T. -0.01 min

Lab File: BM001719.D

Acq: 17 Jun 2015 13:58


Tgt Ion: 163 Resp: 80189

Ion Ratio Lower Upper

163 100

194 4.4 3.6 5.4

164 9.7 8.0 12.0



Abundance Ion 163.00 (162.70 to 163.70): BM001716.D (-1880) (-)

Ion 194.00 (193.70 to 194.70): BM001716.D (-1880) (-)

Ion 164.00 (163.70 to 164.70): BM001716.D (-1880) (-)

