

Data Path : Z:\HPCHEM1\BNA_M\DATA\BM062017\
 Data File : BM010615.D
 Acq On : 21 Jun 2017 06:17
 Operator : SJ/MA
 Sample : SSTDC0020EC
 Misc :
 ALS Vial : 4 Sample Multiplier: 1

Instrument :
 BNA_M
 LabSampleId :
 SSTD02039

Quant Time: Jun 21 06:58:09 2017
 Quant Method : Z:\HPCHEM1\BNA_M\METHODS\SOM-EPA-BM062017.M
 Quant Title : SVOA CALIBRATION
 QLast Update : Wed Jun 21 01:33:50 2017
 Response via : Initial Calibration

Min. RRF : 0.000 Min. Rel. Area : 20% Max. R.T. Dev 0.50min
 Max. RRF Dev : 20% Max. Rel. Area : 150%

	Compound	AvgRF	CCRF	%Dev	Area%	Dev(min)
1 I	1,4-Dichlorobenzene-d4	1.000	1.000	0.0	69	0.00
2	1,4-Dioxane	0.390	0.418	-7.2	67	0.00
3 S	1,4-Dioxane-d8	0.349	0.356	-2.0	66	0.00
4	Benzaldehyde	1.121	1.220	-8.8	62	0.00
5 S	Phenol-d5	1.905	1.647	13.5	60	0.00
6	Phenol	1.962	1.679	14.4	60	0.00
7 S	Bis-(2-Chloroethyl)ether-d8	1.088	0.922	15.3	55	0.00
8	Bis(2-Chloroethyl)ether	1.429	1.227	14.1	58	0.00
9 S	2-Chlorophenol-d4	1.337	1.224	8.5	63	0.00
10	2-Chlorophenol	1.336	1.257	5.9	63	0.00
11	2-Methylphenol	1.496	1.362	9.0	62	0.00
12	2,2'-oxybis(1-Chloropropane	0.997	0.830	16.8	55	0.00
13 S	4-Methylphenol-d8	1.580	1.455	7.9	63	0.00
14	Acetophenone	2.579	2.378	7.8	63	0.00
15 P	N-Nitroso-di-n-propylamine	1.390	1.243	10.6	59	0.00
16	4-Methylphenol	1.646	1.520	7.7	63	0.00
17	Hexachloroethane	0.594	0.578	2.7	66	0.00
18 I	Naphthalene-d8	1.000	1.000	0.0	67	0.00
19 S	Nitrobenzene-d5	0.143	0.145	-1.4	68	0.00
20	Nitrobenzene	0.416	0.406	2.4	63	0.00
21	Isophorone	0.828	0.740	10.6	57	0.00
22 S	2-Nitrophenol-d4	0.164	0.175	-6.7	70	0.00
23 C	2-Nitrophenol	0.174	0.175	-0.6	64	0.00
24	2,4-Dimethylphenol	0.443	0.438	1.1	65	0.00
25	Bis(2-Chloroethoxy)methane	0.459	0.422	8.1	59	0.00
26 S	2,4-Dichlorophenol-d3	0.346	0.349	-0.9	66	0.00
27 C	2,4-Dichlorophenol	0.337	0.340	-0.9	66	0.00
28	Naphthalene	0.995	0.997	-0.2	65	0.00
29 S	4-Chloroaniline-d4	0.365	0.416	-14.0	65	0.00
30	4-Chloroaniline	0.367	0.396	-7.9	62	0.00
31 C	Hexachlorobutadiene	0.254	0.269	-5.9	69	0.00
32	Caprolactam	0.118	0.107	9.3	56	0.00
33 C	4-Chloro-3-methylphenol	0.430	0.420	2.3	62	0.00
34	2-Methylnaphthalene	0.800	0.801	-0.1	66	0.00
35 I	Acenaphthene-d10	1.000	1.000	0.0	67	0.00
36	1,2,4,5-Tetrachlorobenzene	0.706	0.719	-1.8	68	0.00
37	Hexachlorocyclopentadiene	0.406	0.426	-4.9	75	0.00
38 C	2,4,6-Trichlorophenol	0.482	0.487	-1.0	68	0.00
39	2,4,5-Trichlorophenol	0.498	0.505	-1.4	68	0.00
40	1,1'-Biphenyl	1.564	1.534	1.9	66	0.00
41	2-Chloronaphthalene	1.230	1.215	1.2	67	0.00
42	2-Nitroaniline	0.360	0.362	-0.6	68	0.00
43 S	Dimethylphthalate-d6	1.756	1.763	-0.4	67	0.00
44	Dimethylphthalate	1.721	1.725	-0.2	67	0.00

Data Path : Z:\HPCHEM1\BNA_M\DATA\BM062017\
 Data File : BM010615.D
 Acq On : 21 Jun 2017 06:17
 Operator : SJ/MA
 Sample : SSTDC0020EC
 Misc :
 ALS Vial : 4 Sample Multiplier: 1

Instrument :
 BNA_M
 LabSampleId :
 SSTD02039

Quant Time: Jun 21 06:58:09 2017
 Quant Method : Z:\HPCHEM1\BNA_M\METHODS\SOM-EPA-BM062017.M
 Quant Title : SVOA CALIBRATION
 QLast Update : Wed Jun 21 01:33:50 2017
 Response via : Initial Calibration

Min. RRF : 0.000 Min. Rel. Area : 20% Max. R.T. Dev 0.50min
 Max. RRF Dev : 20% Max. Rel. Area : 150%

	Compound	AvgRF	CCRF	%Dev	Area%	Dev(min)
45	2,6-Dinitrotoluene	0.298	0.323	-8.4	73	0.00
46 S	Acenaphthylene-d8	2.042	2.019	1.1	66	0.00
47	Acenaphthylene	1.945	1.906	2.0	66	0.00
48	3-Nitroaniline	0.301	0.305	-1.3	68	0.00
49 C	Acenaphthene	1.312	1.293	1.4	66	0.00
50	2,4-Dinitrophenol	0.216	0.226	-4.6	81	0.00
51 S	4-Nitrophenol-d4	0.309	0.299	3.2	67	0.00
52	4-Nitrophenol	0.392	0.444	-13.3	76	0.00
53	Dibenzofuran	1.987	2.000	-0.7	67	0.00
54	2,4-Dinitrotoluene	0.462	0.477	-3.2	69	0.00
55	2,3,4,6-Tetrachlorophenol	0.504	0.501	0.6	66	0.00
56	Diethylphthalate	1.811	1.797	0.8	66	0.00
57 S	Fluorene-d10	1.518	1.544	-1.7	68	0.00
58	Fluorene	1.664	1.634	1.8	66	0.00
59	4-Chlorophenyl-phenylether	0.904	0.930	-2.9	70	0.00
60	4-Nitroaniline	0.355	0.341	3.9	67	0.00
61 I	Phenanthrene-d10	1.000	1.000	0.0	70	0.00
62 S	4,6-Dinitro-2-methylphenol-	0.123	0.125	-1.6	77	0.00
63	4,6-Dinitro-2-methylphenol	0.131	0.127	3.1	74	0.00
64	N-Nitrosodiphenylamine	0.555	0.537	3.2	67	0.00
65	4-Bromophenyl-phenylether	0.229	0.221	3.5	68	0.00
66	Hexachlorobenzene	0.241	0.238	1.2	70	0.00
67	Atrazine	0.234	0.240	-2.6	70	0.00
68 C	Pentachlorophenol	0.170	0.159	6.5	67	0.00
69	Phenanthrene	1.063	1.039	2.3	69	0.00
70 S	Anthracene-d10	0.966	0.940	2.7	67	0.00
71	Anthracene	1.095	1.042	4.8	66	0.00
72	Carbazole	0.956	0.908	5.0	66	0.00
73	Di-n-butylphthalate	1.215	1.149	5.4	65	0.00
74 C	Fluoranthene	1.370	1.337	2.4	68	0.00
75 I	Chrysene-d12	1.000	1.000	0.0	72	0.00
76 S	Pyrene-d10	0.929	0.926	0.3	69	0.00
77	Pyrene	1.155	1.146	0.8	69	0.00
78	Butylbenzylphthalate	0.434	0.433	0.2	69	0.00
79	3,3'-Dichlorobenzidine	0.400	0.408	-2.0	70	0.00
80	Benzo(a)anthracene	1.165	1.177	-1.0	70	0.00
81	Bis(2-ethylhexyl)phthalate	0.663	0.641	3.3	67	0.00
82	Chrysene	1.038	1.043	-0.5	70	0.00
83 I	Perylene-d12	1.000	1.000	0.0	73	0.00
84	Di-n-octyl phthalate	1.398	1.196	14.4	68	0.00
85	Benzo(b)fluoranthene	1.298	1.328	-2.3	75	0.00
86	Benzo(k)fluoranthene	1.231	1.174	4.6	69	0.00
87 S	Benzo(a)pyrene-d12	0.967	0.956	1.1	72	0.00

Data Path : Z:\HPCHEM1\BNA_M\DATA\BM062017\
Data File : BM010615.D
Acq On : 21 Jun 2017 06:17
Operator : SJ/MA
Sample : SSTDCCC020EC
Misc :
ALS Vial : 4 Sample Multiplier: 1

Instrument :
BNA_M
LabSampleId :
SSTD02039

Quant Time: Jun 21 06:58:09 2017
Quant Method : Z:\HPCHEM1\BNA_M\METHODS\SOM-EPA-BM062017.M
Quant Title : SVOA CALIBRATION
QLast Update : Wed Jun 21 01:33:50 2017
Response via : Initial Calibration

Min. RRF : 0.000 Min. Rel. Area : 20% Max. R.T. Dev 0.50min
Max. RRF Dev : 20% Max. Rel. Area : 150%

	Compound	AvgRF	CCRF	%Dev	Area%	Dev(min)
88 C	Benzo(a)pyrene	1.195	1.190	0.4	73	0.00
89	Indeno(1,2,3-cd)pyrene	1.240	1.296	-4.5	75	0.00
90	Dibenzo(a,h)anthracene	1.033	1.056	-2.2	73	0.00
91	Benzo(g,h,i)perylene	0.987	1.033	-4.7	75	-0.01

(#) = Out of Range

SPCC's out = 0 CCC's out = 0