

Data Path : Z:\svoasrv\HPCHEM1\BNA_M\Data\BM062022\
 Data File : BM035546.D
 Acq On : 20 Jun 2022 22:44
 Operator : CG/JU
 Sample : N3226-12
 Misc :
 ALS Vial : 24 Sample Multiplier: 1

Instrument :
 BNA_M
 ClientSampleId :
 EW4N2

Quant Time: Jun 21 01:29:29 2022
 Quant Method : Z:\SVOASRV\HPCHEM1\BNA_M\METHODS\SFAM-EPA-SIM-BM061822.M
 Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
 QLast Update : Mon Jun 20 01:56:13 2022
 Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)


Internal Standards						
1) 1,4-Dichlorobenzene-d4	7.829	152	4641	0.400	ng/ul	-0.03
4) Naphthalene-d8	10.617	136	14790	0.400	ng/ul	-0.03
9) Acenaphthene-d10	14.459	164	7861	0.400	ng/ul	#-0.01
13) Phenanthrene-d10	0.000	188	0	0.000	ng/ul	-17.23
17) Chrysene-d12	21.409	240	12502	0.400	ng/ul	0.00
23) Perylene-d12	23.742	264	14177	0.400	ng/ul	#-0.02
System Monitoring Compounds						
3) 1,4-Dioxane-d8	3.264	96	25160	3.853	ng/ul	0.00
6) 2-Methylnaphthalene-d10	12.250	152	5393	0.245	ng/ul	0.00
18) Fluoranthene-d10	19.243	212	11194	0.267	ng/ul	-0.01
Target Compounds						
					Qvalue	
5) Naphthalene	10.661	128	2494	0.050	ng/ul#	88
7) 2-Methylnaphthalene	12.327	142	2023	0.071	ng/ul	98
8) 1-Methylnaphthalene	12.530	142	1516	0.058	ng/ul	99
19) Fluoranthene	19.271	202	7778	0.122	ng/ul#	91
20) Pyrene	19.624	202	9840	0.147	ng/ul#	88
21) Benzo(a)anthracene	21.395	228	4442	0.094	ng/ul#	88
22) Chrysene	21.444	228	4781	0.085	ng/ul	94
24) Benzo(b)fluoranthene	23.037	252	6638	0.107	ng/ul	69
26) Benzo(a)pyrene	23.628	252	4310	0.067	ng/ul#	55
27) Indeno(1,2,3-cd)pyrene	26.202	276	3704	0.050	ng/ul	92
29) Benzo(g,h,i)perylene	26.940	276	4451	0.067	ng/ul#	82


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\svoasrv\HPCHEM1\BNA_M\Data\BM062022\
Data File : BM035546.D
Acq On : 20 Jun 2022 22:44
Operator : CG/JU
Sample : N3226-12
Misc :
ALS Vial : 24 Sample Multiplier: 1

Instrument :
BNA_M
ClientSampleId :
EW4N2

Quant Time: Jun 21 01:29:29 2022
Quant Method : Z:\SVOASRV\HPCHEM1\BNA_M\METHODS\SFAM-EPA-SIM-BM061822.M
Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
QLast Update : Mon Jun 20 01:56:13 2022
Response via : Initial Calibration









#5
Naphthalene
Concen: 0.050 ng/ul
RT: 10.661 min Scan# 1763
Delta R.T. -0.033 min
Lab File: BM035546.D
Acq: 20 Jun 2022 22:44




Instrument :
BNA_M
ClientSampleId :
EW4N2


Tgt Ion:128 Resp: 2494
Ion Ratio Lower Upper
128 100
129 19.4 10.1 15.1#
127 17.3 11.4 17.2#



#7
2-Methylnaphthalene
Concen: 0.071 ng/ul
RT: 12.327 min Scan# 2066
Delta R.T. 0.006 min
Lab File: BM035546.D
Acq: 20 Jun 2022 22:44

Tgt Ion:142 Resp: 2023
Ion Ratio Lower Upper
142 100
141 90.4 73.8 110.8









#8
1-Methylnaphthalene
Concen: 0.058 ng/ul
RT: 12.530 min Scan# 2103
Delta R.T. 0.006 min
Lab File: BM035546.D
Acq: 20 Jun 2022 22:44




Instrument :
BNA_M
ClientSampleId :
EW4N2


Tgt Ion:142 Resp: 1516
Ion Ratio Lower Upper
142 100
141 92.1 74.6 111.8



#19
Fluoranthene
Concen: 0.122 ng/ul
RT: 19.271 min Scan# 3581
Delta R.T. -0.015 min
Lab File: BM035546.D
Acq: 20 Jun 2022 22:44

Tgt Ion:202 Resp: 7778
Ion Ratio Lower Upper
202 100
101 16.1 10.0 15.0#
100 12.3 7.5 11.3#









#20
Pyrene
Concen: 0.147 ng/ul
RT: 19.624 min Scan# 3657
Delta R.T. -0.024 min
Lab File: BM035546.D
Acq: 20 Jun 2022 22:44




Instrument :
BNA_M
ClientSampleId :
EW4N2


Tgt Ion:202 Resp: 9840
Ion Ratio Lower Upper
202 100
101 16.6 11.6 17.4
100 19.6 9.3 13.9#



#21
Benzo(a)anthracene
Concen: 0.094 ng/ul
RT: 21.395 min Scan# 4151
Delta R.T. -0.005 min
Lab File: BM035546.D
Acq: 20 Jun 2022 22:44


Tgt Ion:228 Resp: 4442
Ion Ratio Lower Upper
228 100
229 29.0 16.2 24.2#
226 31.7 22.3 33.5








#22
Chrysene
Concen: 0.085 ng/ul
RT: 21.444 min Scan# 4168
Delta R.T. -0.005 min
Lab File: BM035546.D
Acq: 20 Jun 2022 22:44


Instrument :
BNA_M
ClientSampleId :
EW4N2





Tgt Ion:	228	Resp:	4781
Ion Ratio	100	Lower	Upper
226	33.1	24.5	36.7
229	23.7	15.8	23.8




#24
Benzo(b)fluoranthene
Concen: 0.107 ng/ul
RT: 23.037 min Scan# 4713
Delta R.T. -0.014 min
Lab File: BM035546.D
Acq: 20 Jun 2022 22:44



Tgt Ion:	252	Resp:	6638
Ion Ratio	100	Lower	Upper
253	43.6	0.0	60.6
125	41.7	0.0	44.8









#26
Benzo(a)pyrene
Concen: 0.067 ng/ul
RT: 23.628 min Scan# 4915
Delta R.T. -0.040 min
Lab File: BM035546.D
Acq: 20 Jun 2022 22:44




Instrument :
BNA_M
ClientSampleId :
EW4N2


Tgt Ion:252 Resp: 4310
Ion Ratio Lower Upper
252 100
253 55.3 27.8 41.6#
125 59.1 23.3 34.9#



#27
Indeno(1,2,3-cd)pyrene
Concen: 0.050 ng/ul
RT: 26.202 min Scan# 5743
Delta R.T. -0.009 min
Lab File: BM035546.D
Acq: 20 Jun 2022 22:44


Tgt Ion:276 Resp: 3704
Ion Ratio Lower Upper
276 100
138 35.3 24.8 37.2
227 0.1 0.1 0.1





#29
 Benzo(g,h,i)perylene
 Concen: 0.067 ng/ul
 RT: 26.940 min Scan# 5963
 Delta R.T. -0.006 min
 Lab File: BM035546.D
 Acq: 20 Jun 2022 22:44

Instrument :
 BNA_M
 ClientSampleId :
 EW4N2



Tgt Ion:276 Resp: 4451
 Ion Ratio Lower Upper
 276 100
 138 39.2 23.1 34.7#
 277 33.2 20.3 30.5#

