

Data Path : Z:\HPCHEM1\BNA_M\DATA\BM062117\
 Data File : BM010627.D
 Acq On : 21 Jun 2017 17:40
 Operator : SJ/JU
 Sample : I3653-11
 Misc :
 ALS Vial : 12 Sample Multiplier: 1

Instrument :
 BNA_M
 ClientSampleId :
 F5E21

Quant Time: Jun 22 01:19:15 2017
 Quant Method : Z:\HPCHEM1\BNA_M\METHODS\SOM-EPA-BM062017.M
 Quant Title : SVOA CALIBRATION
 QLast Update : Thu Jun 22 00:43:46 2017
 Response via : Initial Calibration

Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) 1,4-Dichlorobenzene-d4	7.46	152	49473	20.00	ng/ul	0.00
18) Naphthalene-d8	10.23	136	222907	20.00	ng/ul	0.00
35) Acenaphthene-d10	14.12	164	152257	20.00	ng/ul	0.00
61) Phenanthrene-d10	16.87	188	393788	20.00	ng/ul	0.00
75) Chrysene-d12	21.09	240	498018	20.00	ng/ul	0.00
83) Perylene-d12	23.23	264	455154	20.00	ng/ul	0.00

System Monitoring Compounds	R.T.	QIon	Response	Conc	Units	Dev(Min)
3) 1,4-Dioxane-d8	3.07	96	5482	6.35	ng/uL	0.00
5) Phenol-d5	6.65	99	115612	24.53	ng/ul	0.00
7) Bis-(2-Chloroethyl)ether-d	6.82	67	66566	24.74	ng/ul	0.00
9) 2-Chlorophenol-d4	7.00	132	92674	28.03	ng/ul	0.00
13) 4-Methylphenol-d8	8.17	113	103211	26.41	ng/ul	0.00
19) Nitrobenzene-d5	8.61	128	48228	30.33	ng/ul	0.00
22) 2-Nitrophenol-d4	9.32	143	58593	31.99	ng/ul	0.00
26) 2,4-Dichlorophenol-d3	9.85	165	110425	28.63	ng/ul	0.00
29) 4-Chloroaniline-d4	10.37	131	53975	13.28	ng/ul	0.00
43) Dimethylphthalate-d6	13.54	166	449740	33.65	ng/ul	0.00
46) Acenaphthylene-d8	13.80	160	487943	31.39	ng/ul	0.00
51) 4-Nitrophenol-d4	14.32	143	65345	27.78	ng/ul	0.00
57) Fluorene-d10	15.12	176	372988	32.28	ng/ul	0.00
62) 4,6-Dinitro-2-methylphenol	15.24	200	73076	30.22	ng/ul	0.00
70) Anthracene-d10	16.97	188	632531	33.26	ng/ul	0.00
76) Pyrene-d10	19.28	212	772141	33.38	ng/ul	0.00
87) Benzo(a)pyrene-d12	23.10	264	738486	33.57	ng/ul	0.00


Target Compounds	R.T.	QIon	Response	Conc	Units	Qvalue
44) Dimethylphthalate	13.59	163	125325	9.566	ng/ul	99


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\HPCHEM1\BNA_M\DATA\BM062117\
Data File : BM010627.D
Acq On : 21 Jun 2017 17:40
Operator : SJ/JU
Sample : I3653-11
Misc :
ALS Vial : 12 Sample Multiplier: 1

Instrument :
BNA_M
ClientSampleId :
F5E21

Quant Time: Jun 22 01:19:15 2017
Quant Method : Z:\HPCHEM1\BNA_M\METHODS\SOM-EPA-BM062017.M
Quant Title : SVOA CALIBRATION
QLast Update : Thu Jun 22 00:43:46 2017
Response via : Initial Calibration





#44

Dimethylphthalate

Concen: 9.566 ng/ul

RT: 13.59 min Scan# 1819

Delta R.T. 0.00 min

Lab File: BM010627.D


Acq: 21 Jun 2017 17:40

Instrument :

BNA_M

ClientSampleId :

F5E21



Tgt Ion:	163	Resp:	125325
Ion	Ratio	Lower	Upper
163	100		
194	5.2	3.5	5.3
164	10.3	8.2	12.4

